

**PCT**WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>7</sup> :</b> <b>C12N 15/12, C07K 14 /705, A61K 38 /17, G01N 33 /68</b>		<b>A2</b>	<b>(11) International Publication Number:</b> <b>WO 00/05373</b> <b>(43) International Publication Date:</b> 3 February 2000 (03.02.00)
<b>(21) International Application Number:</b> PCT/US99/16484 <b>(22) International Filing Date:</b> 21 July 1999 (21.07.99)  <b>(30) Priority Data:</b> 60/093,630 21 July 1998 (21.07.98) US 60/104,978 20 October 1998 (20.10.98) US 09/245,041 5 February 1999 (05.02.99) US  <b>(71) Applicant:</b> MILLENIUM PHARMACEUTICALS, INC. [US/US]; 640 Memorial Drive, Cambridge, MA 02139 (US).  <b>(72) Inventors:</b> MOORE, Karen; 34 Chandler Street, Maynard, MA 01754 (US). NAGLE, Deborah, L.; 370 Arlington Street, Watertown, MA 02172 (US).  <b>(74) Agents:</b> CORUZZI, Laura, A. et al.; Pennie & Edmonds LLP, 1155 Avenue of the Americas, New York, NY 10036 (US).		<b>(81) Designated States:</b> AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).  <b>Published</b> <i>Without international search report and to be republished upon receipt of that report.</i>	
<b>(54) Title:</b> METHODS AND COMPOSITIONS FOR THE DIAGNOSIS AND TREATMENT OF BODY WEIGHT DISORDERS, INCLUDING OBESITY			
<b>(57) Abstract</b> <p>The present invention relates to mammalian mahogany genes, including the human mahogany gene, which are novel genes involved in the control of mammalian body weight. The invention encompasses nucleotide sequences of the mahogany gene, host cell expression systems of the mahogany gene, and hosts which have been transformed by these expression systems, including transgenic animals. The invention also encompasses novel mahogany gene products, including mahogany proteins, polypeptides and peptides containing amino acid sequences mahogany proteins, fusion proteins of mahogany proteins polypeptides and peptides, and antibodies directed against such mahogany gene products. The present invention also relates to methods and compositions for the diagnosis and treatment of mammalian body weight disorders, including obesity, cachexia, and anorexia, and for the identification of subjects susceptible to such disorders. Further, the invention relates to methods of using the mahogany gene and gene products of the invention for the identification of compounds which modulate the expression of the mahogany gene and/or the activity of the mahogany gene product. Such compounds can be useful as therapeutic agents in the treatment of mammalian body weight disorders, including obesity, cachexia, and anorexia.</p>			
<b>BEST AVAILABLE COPY</b>			

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

**METHODS AND COMPOSITIONS FOR THE DIAGNOSIS AND  
TREATMENT OF BODY WEIGHT DISORDERS, INCLUDING OBESITY**

Priority of provisional application no. 60/093,630 filed  
5 on July 21, 1998 and of provisional application no.  
60/104,978 filed on October 20, 1998, each of which is  
incorporated herein by reference in its entirety, is claimed  
under 35 U.S.C. § 119(e)(1).

10 1.

**INTRODUCTION**

The present invention relates to mammalian mahogany  
genes, including the human mahogany gene, which are novel  
genes involved in the control of mammalian body weight. The  
invention encompasses nucleotide sequences of the mahogany  
gene, host cell expression systems of the mahogany gene, and  
15 hosts which have been transformed by these expression  
systems, including transgenic animals. The invention also  
encompasses novel mahogany gene products, including mahogany  
proteins, polypeptides and peptides containing amino acid  
sequences mahogany proteins, fusion proteins of mahogany  
20 proteins polypeptides and peptides, and antibodies directed  
against such mahogany gene products.

The present invention also relates to methods and  
compositions for the diagnosis and treatment of mammalian  
body weight disorders, including obesity, cachexia, and  
25 anorexia, and for the identification of subjects susceptible  
to such disorders. Further, the invention relates to methods  
of using the mahogany gene and gene products of the invention  
for the identification of compounds which modulate the  
expression of the mahogany gene and/or the activity of the  
mahogany gene product. Such compounds can be useful as  
30 therapeutic agents in the treatment of mammalian body weight  
disorders, including obesity, cachexia, and anorexia.

## 2. BACKGROUND OF THE INVENTION

Obesity represents the most prevalent of body weight disorders, and it is the most important nutritional disorder in the western world, with estimates of its prevalence ranging from 30% to 50% within the middle-aged population. Other body weight disorders, such as anorexia nervosa and bulimia nervosa, which together affect approximately 0.2% of the female population of the western world, also pose serious health threats. Further, such disorders as anorexia and cachexia (wasting) are also prominent features of other diseases such as cancer, cystic fibrosis, and AIDS.

Obesity, defined as an excess of body fat relative to lean body mass, also contributes to other diseases. For example, this disorder is responsible for increased incidence of diseases such as coronary artery disease, hypertension, stroke, diabetes, hyperlipidemia, and some cancers (See, e.g., Nishina, P.M. et al., 1994, Metab. 43: 554-558; Grundy, S.M. & Barnett, J.P., 1990, Dis. Mon. 36: 641-731). Obesity is not merely a behavioral problem, i.e., the result of voluntary hyperphagia. Rather, the differential body composition observed between obese and normal subjects results from differences in both metabolism and neurologic/metabolic interactions. These differences seem to be, to some extent, due to differences in gene expression, and/or level of gene products or activity (Friedman, J.M. et al., 1991, Mammalian Gene 1: 130-144).

The epidemiology of obesity strongly shows that the disorder exhibits inherited characteristics (Stunkard, 1990, N. Eng. J. Med. 322: 1438). Moll et al. have reported that, in many populations, obesity seems to be controlled by a few genetic loci (Moll et al., 1991, Am. J. Hum. Gen. 49: 1243). In addition, human twin studies strongly suggest a substantial genetic basis in the control of body weight, with estimates of heritability of 80-90% (Simopoulos, A.P. &



Childs, B., eds., 1989, in "Genetic Variation and Nutrition in Obesity", World Review of Nutrition and Diabetes 63, S. Karger, Basel, Switzerland; Borjeson, M., 1976, Acta. Paediatr. Scand. 65: 279-287).

5 In other studies, non-obese persons who deliberately attempted to gain weight by systematically over-eating were found to be more resistant to such weight gain and able to maintain an elevated weight only by very high caloric intake. In contrast, spontaneously obese individuals are able to maintain their status with normal or only moderately elevated  
10 caloric intake. In addition, it is a commonplace experience in animal husbandry that different strains of swine, cattle, etc., have different predispositions to obesity. Studies of the genetics of human obesity, and of animal models of obesity demonstrate that obesity results from complex  
15 defective regulation of both food intake, food induced energy expenditure, and of the balance between lipid and lean body anabolism.

There are a number of genetic diseases in man and other species which feature obesity among their more prominent  
20 symptoms, along with, frequently, dysmorphic features and mental retardation. For example, Prader-Willi syndrome (PWS; reviewed in Knoll, J.H. et al., 1993, Am. J. Med. Genet. 46: 2-6) affects approximately 1 in 20,000 live births, and involves poor neonatal muscle tone, facial and genital deformities, and generally obesity.

25 In addition to PWS, many other pleiotropic syndromes have been characterized which include obesity as a symptom. These syndromes are genetically straightforward, and appear to involve autosomal recessive alleles. Such diseases include, among others, Ahlstrom, Carpenter, Bardet-Biedl,  
30 Cohen, and Morgagni-Stewart-Monel Syndromes.

A number of models exists for the study of obesity (see, e.g., Bray, G. A., 1992, Prog. Brain Res. 93: 333-341; and

Bray, G.A., 1989, Amer. J. Clin. Nutr. 5: 891-902). For example, animals having mutations which lead to syndromes that include obesity symptoms have also been identified. Attempts have been made to utilize such animals as models for the study of obesity, and the best studied animal models to date for genetic obesity are mice. For reviews, see, e.g., Friedman, J.M. et al., 1991, Mamm. Gen. 1: 130-144; Friedman, J.M. and Liebel, R.L., 1992, Cell 69: 217-220.

Studies utilizing mice have confirmed that obesity is a very complex trait with a high degree of heritability. Mutations at a number of loci have been identified which lead to obese phenotypes. These include the autosomal recessive mutations obese (*ob*), diabetes (*db*), fat (*fat*), and tubby (*tub*).

The dominant Yellow mutation (*Ay*) at the agouti locus causes a pleiotropic syndrome which causes moderate adult onset obesity, a yellow coat color, and a high incidence of tumor formation (Herberg, L. and Coleman, D.L., 1977, Metabolism 26:59), and an abnormal anatomic distribution of body fat (Coleman, D.L., 1978, Diabetologia 14:141-148). The mutation causes the widespread expression of a protein which is normally seen only in neonatal skin (Michaud, E. J. et al., 1994, Genes Devel. 8:1463-1472). The agouti protein has been reported to be a competitive antagonist of  $\alpha$ -MSH binding to the melanocortin receptors MC1-R and MC4-R *in vitro* (Lu et al., 1996, Nature 371:799-802), and the authors speculated that de-regulated ubiquitous expression of agouti may lead to obesity by antagonism of melanocortin receptors expressed outside the hair follicles.

Mahogany (*mg*) and mahoganoid (*md*) are mutations that suppress the phenotypic effects of agouti protein *in vivo* (Lane and Green, 1960, J. Hered. 51: 228-230). The mahogany and mahoganoid mutation have been mapped to mouse chromosomes 2 and 16, respectively (Green, 1989, "Catalog of mutant genes

and polymorphic loci", pp. 12-403 in Genetic Variants and Strains of the Laboratory Mouse, Lyon, M. F. and Searle, A.G., eds., Oxford University Press, Oxford). Mutations of both *mg* and *md* have been shown to suppress the effects of agouti on obesity as well as on coat color (Miller et al., 1997, *Genetics* 146: 1407-1415).

In summary, therefore, obesity, which poses a major, worldwide health problem, represents a complex, highly heritable trait. Given the severity, prevalence, and potential heterogeneity of such disorders, there exists a great need for the identification of those genes that participate in the control of body weight.

### 3. SUMMARY OF THE INVENTION

The present invention relates to the identification of novel nucleic acid molecules and proteins encoded by such nucleic acid molecules that are involved in the control of mammalian body weight, and which, further, are associated with mammalian body weight disorders such as obesity, cachexia, and anorexia. The nucleic acid molecules of the present invention represent the genes corresponding to the mammalian mahogany gene, including the human mahogany gene.

In particular, the compositions of the present invention include nucleic acid molecules which comprise the following sequences: (a) nucleotide sequences of the mahogany gene, including, e.g., murine mahogany sequences as shown in FIGS. 2A, 3B-D, 6A-B, 8A, and 9A, as well as allelic variants and homologs thereof, and human mahogany sequences, as shown, e.g., in FIGS. 10A, 18A, 19A and 20A, as well as allelic variants and homologs thereof; (b) nucleotide sequences that encode the mahogany gene product amino acid sequences, as shown, e.g., in FIGS. 2B, 8B, 9B, 10B, 17, 18B, 19B and 20B; (c) nucleotide sequences that encode portions of the mahogany gene product corresponding to its functional domains

and individual exons; (d) nucleotide sequences comprising the novel mahogany gene sequences disclosed herein that encode mutants of the mahogany gene product in which all or a part of one or more of the domains is deleted or altered, as shown, e.g., in FIG. 6; (e) nucleotide sequences that encode fusion proteins comprising the mahogany gene product, or one or more of its domains fused to a heterologous polypeptide; (f) nucleotide sequences within the mahogany gene, as well as chromosome sequences flanking the mahogany gene, see, e.g., FIG. 3, which can be utilized as part of the methods of the present invention for the diagnosis of mammalian body weight disorders, including obesity, cachexia, and anorexia, which are mediated by the mahogany gene, as well as for the identification of subjects susceptible to such disorders; (g) nucleic acid sequences that hybridize to the above described sequences under stringent or moderately stringent conditions, particularly human mg homologs. The nucleic acid molecules of the invention include, but are not limited to, cDNA and genomic DNA sequences of the mahogany gene.

The present invention also encompasses expression products of the nucleic acid molecules listed above; i.e., proteins and/or polypeptides that are encoded by the above mahogany nucleic acid molecules.

Agonists and antagonists of the mahogany gene and/or gene product are also included in the present invention. Such agonists and antagonists will include, for example, small molecules, large molecules, and antibodies directed against the mahogany gene product. Agonists and antagonists of the invention also include nucleotide sequences, such as antisense and ribozyme molecules, and gene or regulatory sequence replacement constructs, that can be used to inhibit or enhance expression of the mahogany gene.

The present invention further encompasses cloning vectors, including expression vectors, that contain the

nucleic acid molecules of the invention and can be used to express those nucleic acid molecules in host organisms. The present invention also relates to host cells engineered to contain and/or express the nucleic acid molecules of the invention. Further, host organisms which have been transformed with these nucleic acid molecules are also encompassed in the present invention. Host organisms of the invention include organisms transformed with the cloning vectors described above, e.g., transgenic animals, particularly non-human transgenic animals, and particularly transgenic non-human mammals.

The transgenic animals of the invention include animals that express a mutant variant or polymorphism of a mahogany gene, particularly a mutant variant or polymorphism of a mahogany gene that is associated with a weight disorder such as obesity, cachexia, or anorexia. The transgenic animals of the invention further include those that express a mahogany transgene at higher or lower levels than normal. The transgenic animals of the invention further include those which express the mahogany gene in all their cells, "mosaic" animals which express the mahogany gene in only some of their cells, and those in which the mahogany gene is selectively introduced into and expressed in a specific cell type(s). The transgenic animals of the invention also include "knock-out" animals. Knock-out animals comprise animals which have been engineered to no longer express the mahogany gene.

The present invention also relates to methods and compositions for the diagnosis of mammalian body weight disorders, including obesity, cachexia, and anorexia, as well as for the identification of subjects susceptible to such disorders. Such methods comprise, for example, measuring expression of the mahogany gene in a patient sample, or detecting a mutation in the mahogany gene in the genome of a mammal, including a human, suspected of exhibiting such a

weight disorder. The nucleic acid molecules of the invention can also be used as diagnostic hybridization probes, or as primers for diagnostic PCR analysis to identify of mahogany gene mutations, allelic variations, or regulatory defects, such as defects in the expression of the mahogany gene. Such diagnostic PCR analyses can be used to diagnose individuals with a body weight disorder associated with a particular mahogany gene mutation, allelic variation, or regulatory defect. Such diagnostic PCR analyses can also be used to identify individuals susceptible to such body weight disorders and hyperphagia.

Methods and compositions, including pharmaceutical compositions, for the treatment of body weight disorders such as obesity, cachexia, and anorexia are also included in the invention. Such methods and compositions are capable of modulating the level of mahogany gene expression and/or the level of activity of the mahogany gene product. Such methods include, for example, modulating the expression of the mahogany gene and/or the activity of the mahogany gene product for the treatment of a body weight disorder which is mediated by some other gene, for example by the agouti gene.

The invention still further relates to methods for identifying compounds which modulate the expression of the mammalian mahogany gene and/or the synthesis or activity of mammalian mahogany gene products. Such compounds include therapeutic compounds which can be used as pharmaceutical compositions to reduce or eliminate the symptoms of mammalian body weight disorders such as obesity, cachexia, and anorexia. Cellular and non-cellular assays are described that can be used to identify compounds that interact with the mahogany gene and/or gene product, e.g., modulate the activity of the mahogany gene and/or bind to the mahogany gene product. Such cell-based assays of the invention

utilize cells, cell lines, or engineered cells or cell lines that express the mahogany gene product.

In one embodiment, such methods comprise contacting a compound to a cell that expresses a mahogany gene, measuring  
5 the level of mahogany gene expression, gene product expression, or gene product activity, and comparing this level to the level of mahogany gene expression, gene product expression, or gene product activity produced by the cell in the absence of the compound, such that if the level obtained  
10 in the presence of the compound differs from that obtained in its absence, a compound that modulates the expression of the mammalian mahogany gene and/or the synthesis or activity of mammalian mahogany gene products has been identified.

In an alternative embodiment, such methods comprise administering a compound to a host, e.g., a transgenic animal  
15 that expresses a mahogany transgene or a mutant mahogany transgene, and measuring the level of mahogany gene expression, gene product expression, or gene product activity. The measured level is compared to the level of mahogany gene expression, gene product expression, or gene  
20 product activity in a host that is not exposed to the compound, such that if the level obtained when the host is exposed to the compound differs from that obtained when the host is not exposed to the compound, a compound that modulates the expression of the mammalian mahogany gene and/or the synthesis or activity of mammalian mahogany gene  
25 products, and/or the symptoms of a mammalian body weight disorder, such as obesity, cachexia, or anorexia, has been identified.

The Example presented in Section 6, below, describes the genetic and physical mapping of the mahogany gene to a  
30 specific 700 kb interval of mouse chromosome 2. The example presented in Section 7, below, describes the identification of a transcription unit within this chromosome interval,

referred to herein as the MG gene, which represents the mahogany gene. The expression and sequence analysis of this candidate mahogany gene is described in the example presented in Section 8, below. These experiments prove that the candidate gene MG is indeed the mahogany gene. The example presented in Section 9, below, presents data demonstrating that the mechanism of mahogany action is specific for diet-induced obesity, therefore supporting the use of mahogany antagonists as a specific therapeutic for treatment of diet-induced body weight disorders. The example presented in Section 10, below, presents the identification and characterization of the human mg gene, variants thereof and polypeptides encoded by the human mahogany sequences.

#### DEFINITIONS

As used herein, the following terms shall have the abbreviations indicated.

BAC, bacterial artificial chromosomes  
bp, base pair(s)  
EST, expressed sequence tag  
mg, mahogany gene  
RFLP, restriction fragment length polymorphism  
RT-PCR, reverse transcriptase PCR  
SSCP, single-stranded conformational polymorphism  
SSLP, simple sequence length polymorphisms  
STS, short tag sequence  
YAC, yeast artificial chromosome

#### 4. BRIEF DESCRIPTION OF THE FIGURES

FIG. 1. Physical map of the mahogany interval of mouse chromosome 2.

FIG. 2. Panel A(1)-A(3): cDNA nucleotide sequence of the wild-type (C57BL/6J) murine mahogany gene (SEQ ID NO: 1),



including the 5' and 3' untranslated regions, and Panel B: the derived amino acid sequence (SEQ ID NO: 2) of the mahogany gene product.

5     FIG. 3.     Genomic structure and nucleotide sequences derived from the wild-type (C57BL/6J) mouse genomic regions containing the mg gene. Panel A, genomic structure; Panel B(1)-B(9), genomic sequence c56 (SEQ ID NO: 3); Panel C(1)-C(4), genomic sequence c96 (SEQ ID NO: 4); Panel D(1)-D(37),  
10    genomic sequence of c110/111 (SEQ ID NO: 5).

FIG. 4.     Structural depiction of MG cDNA without introns. CUB=CUB domain, metal=metallothionin domain; T-transmembrane domain.

15     FIG. 5(1)-5(4).     Nucleotide sequence of primers used to amplify each of the exons in the mg gene.

FIG. 6.     Nucleotide sequence of the wild-type (SEQ ID NO: 6) and mahogany mutant (SEQ ID NO: 7) sequences in exon  
20    15 of the MG gene. Bases shown in bold are deleted in Mg3J mutant mg.

FIG. 7.     Differential 5' start sequences in the murine mahogany gene showing splice forms akm1003 and akm1004.

25     FIG. 8.     Panel A, cDNA sequence (SEQ ID NO: 8) from one form of the differential 5' start site found in the murine (akm1003), Panel B, amino acid sequence (SEQ ID NO: 9) encoded by the cDNA of Panel A; Panel C, hydropathy plot of  
30    the akm1003 amino acid sequence.

FIG. 9.     Panel A, cDNA sequence (SEQ ID NO: 10) from one form of the differential 5' start site found in the

murine (akml004); Panel B, amino acid sequence (SEQ ID NO: 11) encoded by the cDNA of Panel A; Panel C, hydropathy plot of the akml004 amino acid sequence.

5        FIG. 10. Nucleotide sequence (SEQ ID NO: 12) of a contig containing a portion of the human MG cDNA, panel A(1) - A(3) and the translated amino acid sequence (SEQ ID NO: 13), panel B.

10        FIG. 11. Effect of *mg* on *MC4r*  $-/-$  induced weight gain in females (FIG. 11A) and males (FIG. 11B); values depicted are the mean  $\pm$  SD within a designated time interval.

15        FIG. 12. Effect of *mg* on monogenic obese mutants *Lepr<sup>db</sup>* (FIG. 12A), *tub* (FIG. 12B), *Cpe<sup>fat</sup>* (FIG. 12C), and on high fat diet induced obesity (FIG. 12D); the values indicated are the mean  $\pm$  SD of the weight length ratio for each animal.

20        FIG. 13. Genetic and physical map of the region surrounding the *mg* locus; all MIT markers are presented with shortened names, e.g., D2MIT77 is indicated as D2M77; locations of loci which also mapped on the human cytogenetic map are indicated in parentheses after the gene symbol.

25        FIG. 13A. The genetic map of the *mg* gene region on the Millennium BSB mapping panel (Misumi, D.J. et al., 1997, *Science* 278:135-138);

FIG. 13B. The genetic map obtained from crosses segregating *mg* mutant alleles;

30        FIG. 13C. The ~1 Mb BAC contig across the *mg* gene region of mouse Chromosome 2;

FIG. 13D. The transcriptional units identified in the *mg* region; the filled box indicates the *mg* gene,

whereas the hatched box is a member of the High Mobility Group (HMG) gene family which sits between coding exons 21 and 22 of the *mg* gene.

5     FIG. 14. Northern blot analysis with C3H/HeJ (lane 1), and three mutant alleles of *mg*: C3HeB/FeJ-*mg*<sup>JJ</sup> (Lane 2), LDJ/Le-*mg* (Lane 3), and C3H/HeJ-*mg*<sup>J</sup> (Lane 4); the size marker is shown on the left, and hybridization with actin is shown below for loading comparisons.

10     FIG. 15. In situ hybridization data: FIG. 15A demonstrates widespread expression of *mg* throughout the mouse brain is seen in an antisense autoradiographic image of a C3H/HeJ brain at the level of the 3rd ventricle; decreased expression in *mg* mutants is documented in selected antisense  
15     darkfield images of 10 μm whole mount cross sections of the ventromedial hypothalamic nucleic (VMH) of C3H/HeJ (FIG. 15B), LDJ/Le-*mg* (FIG. 15C), and C3HeB/FeJ-*mg*<sup>JJ</sup> (FIG. 15D).

20     FIG. 16. Alignment of the MG protein sequence with its family members showing the transmembrane region (indicated in brackets) and cytoplasmic tail (FIG. 16A); and a schematic of the molecular modular architecture of MG (FIG 16B).

25     FIG. 17A-C. Sequence alignment of the predicted MG protein sequence (top) with the Attractin protein sequence. Characteristic MG domains are as indicated. See Section 10.2 for details.

30     FIG. 18A-B. Panel A: cDNA nucleotide sequence (SEQ ID NO: 14) of the long splice variant of the human ortholog of the mahogany gene, and Panel B: the derived amino acid sequence (SEQ ID NO: 15) of the mahogany gene product which it encodes.

FIG. 19A-B. Panel A: cDNA nucleotide sequence (SEQ ID NO: 16) of a shorter splice variant of the human ortholog of the mahogany gene, and Panel B: the derived amino acid sequence (SEQ ID NO: 17) of the mahogany gene product which it encodes.

FIG. 20A-B. Panel A: cDNA nucleotide sequence (SEQ ID NO: 18) of a second shorter splice variant of the human ortholog of the mahogany gene, and Panel B: the derived amino acid sequence (SEQ ID NO: 19) of the mahogany gene product which it encodes.

#### 5. DETAILED DESCRIPTION OF THE INVENTION

Described herein is the identification of the novel mammalian mahogany (*mg*) gene, including the human mahogany gene, which is involved in the control of mammalian body weight. Also described are recombinant mammalian, including human mahogany DNA molecules, cloned genes, and degenerate variants thereof. The compositions of the present invention further include *mg* gene products (e.g., proteins) that are encoded by the *mg* DNA molecules of the invention, and the modulation of *mg* gene expression and/or *mg* gene product activity in the treatment of mammalian body weight disorders, including obesity, cachexia, and anorexia. Also described herein are antibodies against *mg* gene products (e.g., proteins), or conserved variants or fragments thereof, and nucleic acid probes useful for the identification of *mg* gene mutations, and the use of such nucleic acid probes in diagnosing mammalian body weight disorders, including obesity, cachexia, and anorexia. Further described are methods for the use of the *mg* gene and/or *mg* gene products in the identification of compounds which modulate the activity of the *mg* gene product.

## 5.1.

THE MAHOGANY GENE

The mahogany genes are novel mammalian genes involved in the control of body weight. The nucleic acid sequences of the mahogany genes, including the murine mahogany gene sequences shown in FIGS. 2A, 3B-D, 6A-B, 8A, and 9A, as well as allelic variants and homologs thereof, and human mahogany sequences, as shown, e.g., in FIGS. 10A, 18A, 19A and 20A, as well as allelic variants and homologs thereof. The genomic sequence and structure, i.e., the intron/exon structure, of the mahogany genes have also been elucidated, FIG. 3.

The mahogany gene nucleic acid molecules of the present invention comprise: (a) the DNA sequence shown in FIGS. 2A, 3, 6A-B, 8A, 9A, 10A, 18A, 19A or 20A, or any DNA sequence that encodes the amino acid sequence of the mahogany gene product shown in FIGS. 2B, 8B, 9B, 10B, 17, 18B, 19B or 20B; (b) nucleotide sequences comprising the novel mahogany sequences disclosed herein that encode mutants of the mahogany gene product in which all or a part of one or more of the domains is deleted or altered, as shown, e.g., FIG. 6; (c) nucleotide sequences that encode fusion proteins comprising a mahogany gene product, or one of its domains fused to a heterologous polypeptide; and (d) nucleotide sequences within a mahogany gene, nucleotide sequences on the chromosome flanking the mahogany gene, see, e.g., FIG. 3 and human genomic sequences syntenic to the sequences depicted in FIG. 3, which can be utilized as part of the methods of the invention for identifying and diagnosing individuals who exhibit or are susceptible to weight disorders, including obesity, cachexia, and anorexia.

The mahogany nucleotide sequences of the invention further comprise: (a) any nucleotide sequence that hybridizes to the complement of a nucleic acid molecule that encodes a mahogany gene product under highly stringent conditions, e.g., hybridization to filter-bound DNA in 0.5 M

NaHPO<sub>4</sub>, 7% sodium dodecyl sulfate (SDS), 1 mM EDTA at 65°C, and washing in 0.1xSSC/0.1% SDS at 68°C (Ausubel F.M. et al., eds., 1989, Current Protocols in Molecular Biology, Vol. I, Green Publishing Associates, Inc., and John Wiley & Sons, Inc., New York, at p. 2.10.3) particularly human *mg* sequences, FIG. 10; and (b) any nucleotide sequence that hybridizes to the complement of a nucleic acid molecule that encodes a mahogany gene product under less stringent conditions, such as moderately stringent conditions, e.g., washing in 0.2xSSC/0.1% SDS at 42 °C (Ausubel et al., 1989, *supra*), yet which still encodes a functionally equivalent mahogany gene product.

"Functionally equivalent", as utilized herein, refers to a gene product (e.g., a protein) capable of exhibiting a substantially similar *in vivo* activity as the endogenous *mg* gene products encoded by the *mg* gene sequences described above. The *in vivo* activity of the *mg* gene product, as used herein, refers to the ability of the *mg* gene product, when present in an appropriate cell type, to ameliorate, prevent, or delay the appearance of the mahogany phenotype relative to its appearance when that cell type lacks a functional mahogany gene product.

The invention also includes nucleic acid molecules, preferably DNA molecules, that are the complements of the nucleotide sequences described above. Among the nucleic acid molecules of the invention are deoxyoligonucleotides ("oligos") which hybridize under highly stringent or moderately stringent conditions to the mahogany nucleic acid molecules described above. Exemplary highly stringent conditions may refer, e.g., to washing in 6xSSC/0.05% sodium pyrophosphate at 37°C (for 14-base oligos), 48°C (for 17-base oligos), 55°C (for 20-base oligos), and 60°C (for 23-base oligos). These nucleic acid molecules may encode or act as antisense molecules, useful, for example, in mahogany gene

regulation, and/or as antisense primers in amplification reactions of mahogany gene nucleic acid sequences. With respect to mahogany gene regulation, such techniques can be used to regulate, for example, weight disorders such as obesity, cachexia, or anorexia. Such sequences may also be used as part of ribozyme and/or triple helix sequences, which are also useful for mahogany gene regulation. Still further, such molecules may be used as components of diagnostic methods whereby, for example, the presence of a particular mahogany allele associated with a weight disorder, such as obesity, cachexia, or anorexia, may be detected. Among the molecules which can be used for diagnostic methods, such as those which involve amplification of genomic mahogany sequences, are primers or probes that can routinely be obtained using the genomic and cDNA sequences disclosed herein.

In one embodiment, the nucleic acid molecules of the invention do not include nucleic acid molecules that consist solely of the nucleotide sequence that encodes the attractin protein sequence depicted in FIG. 17A-C.

The mahogany nucleic acid sequences of the invention further include fragments of the nucleic acid sequences described above. For example, mahogany nucleic acid fragments can include fragments of at least 10, 12, 15, 20, 30, 40, 50, 100, 150, 200, 300, 400, 500, 600, 700, 800, 900, 1000, 1100, 1200, 1300, 1400, 1500, 1600, 1700, 1800, 1900, 2000 or more nucleotides.

The nucleotide sequences of the present invention also include (a) DNA vectors that contain any of the foregoing mahogany coding sequences and/or their complements; (b) DNA expression vectors that contain any of the foregoing mahogany coding sequences operatively associated with a regulatory element that directs the expression of the coding sequences; and (c) genetically engineered host cells and organisms that

contain any of the foregoing mahogany coding sequences operatively associated with a regulatory element that directs the expression of the coding sequence in the host cell. As used herein, regulatory elements include, but are not limited to inducible and non-inducible promoters, enhancers, operators, and other elements known to those skilled in the art that drive and regulate gene expression. Such regulatory elements include, but are not limited to, the cytomegalovirus hCMV immediate early gene, the early or late promoters of SV40 adenovirus, the lac system, the trp system, the TAC system, the TRC system, the major operator and promoter regions of phage A, the control regions of fd coat protein, the promoter for 3'-phosphoglycerate kinase, the promoters of acid phosphatase, and the promoters of the yeast alpha-mating factors.

In addition to the mahogany gene sequences described above, homologs of such sequences, exhibiting extensive homology to one or more domains of the mahogany gene product can be present in other species. In a preferred embodiment, the mahogany gene homologue maps to a chromosomal region that is syntenic to the chromosomal region of the mahogany gene. In a particularly preferred embodiment, a human mahogany gene homologue sequence maps to a human chromosome region that is syntenic to the region of mouse chromosome 2 to which the murine mahogany gene maps, namely 20p15, and comprises the contiged human MG cDNA provided herein. Further, there can also exist homologue genes at other genetic loci within the genome of the same species which encode proteins having extensive homology to one or more domains of the mahogany gene product. Such mahogany homologs can include, for example, secreted forms of the mahogany sequences, see, e.g., Duke-Cohan, J.S. et al. (1998, *Proc. Natl. Acad. Sci. U.S.A.* 95:11336-11341). Such sequences, can be used, for example, in the screening assays, described in Section 5.4.2 below,



for compounds that interact with the mahogany gene and/or its gene product and that may therefore be useful in treating and ameliorating body weight disorders.

Other mahogany homologs can be identified and readily  
5 isolated, without undue experimentation, by molecular  
biological techniques well known in the art, and are  
therefore within the scope of the present invention. As an  
example, in order to clone a human mahogany gene homologue  
using isolated murine mahogany gene sequences, such murine  
mahogany gene sequences may be labeled and used to screen a  
10 cDNA library constructed from mRNA obtained from appropriate  
cells or tissues derived from the organism (in this case,  
human) of interest. With respect to the cloning of such a  
human mahogany homologue, a human cDNA library may, for  
example be used for screening, such as a cDNA library  
15 obtained from mRNA isolated from brain tissues, particularly  
containing hypothalamic regions.

The hybridization washing conditions used should be of a  
lower stringency when the cDNA library is derived from an  
organism different from the type of organism from which the  
20 labeled sequence was derived. With respect to the cloning of  
a human mahogany homologue, for example, hybridization can be  
performed for 4 hours at 65°C using Amersham Rapid Hyb™  
buffer (Cat. #RPN1639) according to manufacturer's protocol,  
followed by washing, with a final washing stringency of  
1.0xSSC/0.1% SDS at 50°C for 20 minutes being preferred.  
25

Low stringency conditions are well known to those of  
skill in the art, and will vary predictably depending on the  
specific organisms from which the library and the labeled  
sequences are derived. For guidance regarding such  
conditions see, for example, Sambrook et al., 1989, Molecular  
30 Cloning, A Laboratory Manual, Cold Springs Harbor Press,  
N.Y.; and Ausubel et al., 1989, Current Protocols in

Molecular Biology, Green Publishing Associates and Wiley Interscience, N.Y.

Alternatively, the labeled fragment may be used to screen a genomic library derived from the organism of  
5 interest, again, using appropriately stringent conditions.

Further, a mahogany gene homologue may be isolated from nucleic acid of the organism of interest by performing PCR using two degenerate oligonucleotide primer pools designed on the basis of amino acid sequences within the mahogany gene product disclosed herein. The template for the reaction may  
10 be cDNA obtained by reverse transcription of mRNA prepared from, for example, human or non-human cell lines or tissue known or suspected to express a mahogany gene allele.

The PCR product may be subcloned and sequenced to ensure that the amplified sequences represent the sequences of a  
15 mahogany gene nucleic acid sequence. The PCR fragment may then be used to isolate a full length cDNA clone by a variety of methods. For example, the amplified fragment may be labeled and used to screen a cDNA library, such as a bacteriophage cDNA library. Alternatively, the labeled  
20 fragment may be used to isolate genomic clones via the screening of a genomic library. This method has been used to isolate sequences encoding each of the murine MG gene exons as well as to isolate contigs containing the human MG sequences provided herein, FIG. 10.

PCR technology may also be utilized to isolate full  
25 length cDNA sequences. For example, RNA may be isolated, following standard procedures, from an appropriate cellular or tissue source (*i.e.*, one known, or suspected, to express the mahogany gene). A reverse transcription reaction may be performed on the RNA using an oligonucleotide primer specific  
30 for the most 5' end of the amplified fragment for the priming of the first strand synthesis. The resulting RNA/DNA hybrid may then be "tailed" with guanines using a standard terminal

transferase reaction, they hybrid may be digested with RNAase H, and second strand synthesis may then be primed with a poly-C primer. Thus, cDNA sequences upstream of the amplified fragment may easily be isolated. For a review of  
5 cloning strategies which may be used, see e.g., Sambrook et al., 1989 *supra*.

Mahogany gene sequences may additionally be used to isolate mutant mahogany alleles. Such mutant alleles may be isolated from individuals either known or proposed to have a  
10 phenotype which contributes to the symptoms of body weight disorders such as obesity, cachexia, or anorexia or disorders associated with hyperphagia. Mutant alleles and mutant allele products may then be utilized in the therapeutic and diagnostic systems described below. Additionally, such mahogany gene sequences can be used to detect mahogany gene  
15 regulatory (e.g. promoter) defects which can affect body weight.

A cDNA of a mutant mahogany gene may be isolated, for example, by using PCR, a technique which is well known to those of skill in the art. In this case, the first cDNA  
20 strand may be synthesized by hybridizing an oligo-dT oligonucleotide to mRNA isolated from tissue known or suspected to be expressed in an individual putatively carrying the mutant mahogany allele, and by extending the new strand with reverse transcriptase. The second strand of the  
25 cDNA is then synthesized using an oligonucleotide that hybridizes specifically to the 5' end of the normal gene. Using these two primers, the product is then amplified via PCR, cloned into a suitable vector, and subjected to DNA sequence analysis through methods well known to those of skill in the art. By comparing the DNA sequence of the  
30 mutant mahogany allele to that of the normal mahogany allele, the mutation(s) responsible for the loss of alteration of

activity of the mutant mahogany gene product can be ascertained.

Alternatively, a genomic library can be constructed using DNA obtained from an individual suspected of or known to carry the mutant mahogany allele, or a cDNA library can be constructed using RNA from a tissue known, or suspected to express the mutant mahogany allele. The normal mahogany gene or any suitable fragment thereof may then be labeled and used as a probe to identify the corresponding mutant mahogany allele in such libraries. Clones containing the mutant mahogany gene sequences may then be purified and subjected to sequence analysis according to methods well known to those of skill in the art.

Additionally, an expression library can be constructed utilizing cDNA synthesized from, for example, RNA isolated from a tissue known, or suspected to express a mutant mahogany allele in an individual suspected of or known to carry such a mutant allele. In this manner, gene products made by the putatively mutant tissue may be expressed and screened using standard antibody screening techniques in conjunction with antibodies raised against the normal mahogany gene product as described, below, in Section 5.3. For screening techniques, see, for example, Harlow, E. and Lane, eds., 1988, "Antibodies: A Laboratory Manual", Cold Spring Harbor Press, Cold Spring Harbor. In cases where a mahogany mutation results in an expressed gene product with altered function (e.g., as a result of a missense or a frameshift mutation) a polyclonal set of anti-mahogany gene product antibodies are likely to cross-react with the mutant mahogany gene product. Library clones detected via their reaction with such labeled antibodies can be purified and subjected to sequence analysis according to methods well known to those of skill in the art.

## 5.2. PROTEIN PRODUCTS OF THE MAHOGANY GENE

Mahogany gene products (e.g., proteins), polypeptides and peptide fragments, mutant, truncated, or deleted forms of the mahogany gene product, and/or fusion proteins of the mahogany gene product can be prepared for a variety of uses. For example, such gene products, or peptide fragments thereof, can be used for the generation of antibodies in diagnostic assays, or for the identification of other cellular or extracellular products involved in the regulation of mammalian body weight.

Mahogany gene products, also referred to herein as mahogany proteins, of the present invention include those gene products encoded by the mahogany gene sequences described in Section 5.1, above. For example, FIG. 2B, 8B and 9B depict murine mahogany amino acid sequences. Mahogany gene products also include human mahogany gene products as shown, e.g., in FIGS. 10B, 17B, 18B, 19B, and 20B.

In addition, mahogany gene products may include proteins that represent functionally equivalent gene products. Such an equivalent mahogany gene product may contain deletions, including internal deletions, additions, including additions yielding fusion proteins, or substitutions of amino acid residues within and/or adjacent to the amino acid sequence encoded by the mahogany gene sequences described, in Section 5.1, above, but that result in a "silent" change, in that the change produces a functionally equivalent mahogany gene product. Such amino acid substitutions may be made on the basis of similarity in polarity, charge, solubility, hydrophobicity, hydrophilicity, and/or the amphipathic nature of the residues involved. For example, nonpolar (hydrophobic) amino acids include alanine, leucine, isoleucine, valine, proline, phenylalanine, tryptophan, and methionine; polar neutral amino acids include glycine, serine, threonine, cysteine, tyrosine, asparagine, and

glutamine; positively charged (basic) amino acids include arginine, lysine, and histidine; and negatively charged (acidic) amino acids include aspartic acid and glutamic acid.

"Functionally equivalent", as utilized herein, refers to  
5 a gene product (e.g., a protein) capable of exhibiting a substantially similar *in vivo* activity as the endogenous *mg* gene products encoded by the *mg* gene sequences described in Section 5.1, above. The *in vivo* activity of the *mg* gene product, as used herein, refers to the ability of the *mg* gene  
10 product, when present in an appropriate cell type, to ameliorate, prevent, or delay the appearance of the mahogany phenotype relative to its appearance when that cell type lacks a functional mahogany gene product.

Alternatively, where alteration of function is desired, deletion or non-conservative alterations can produce altered,  
15 including reduced-activity, mahogany gene products. Such alterations can, for example, alter one or more of the biological functions of the mahogany gene product. Further, such alterations can be selected so as to generate mahogany gene products that are better suited for expression, scale  
20 up, etc. in the host cells chosen. For example, cysteine residues can be deleted or substituted with another amino acid residue in order to eliminate disulfide bridges.

As another example, altered mahogany gene products can be engineered that correspond to mutants or variants of the mahogany gene product associated with mammalian weight  
25 disorders, such as obesity, cachexia, or anorexia. Altered mahogany gene products can also be engineered that correspond to mutants or variants of the mahogany gene product known to neutralize or ameliorate the symptoms of body weight disorders, such as obesity, cachexia, or anorexia, which are  
30 mediated by some other gene, including, but not limited to, body weight disorders mediated by the *agouti* gene.

Also within the scope of the present invention are peptides and/or proteins corresponding to one or more domains of the mahogany protein or any one of the individual exon encoded regions of the MG protein, as well as fusion proteins  
5 in which the full length mahogany protein, a mahogany peptide, or a truncated mahogany protein or peptide is fused to an unrelated heterologous protein. Such proteins and peptides can be designed on the basis of the mahogany nucleotide sequence disclosed in Section 5.1, above, and/or  
10 on the basis of the mahogany amino acid sequence disclosed in the Section.

The mahogany gene products of the invention further include fragments of the gene products described herein. For example, mahogany gene product fragments can include fragments of at least 10, 12, 15, 20, 30, 40, 50, 100, 150,  
15 200, 300, 400, 500, 600, 700, 800, 900, 1000, 1100, 1200, 1300 or more amino acids in length.

In one embodiment, it is understood that the gene products of the present invention do not include a gene product that consists solely of the amino acid sequence of  
20 the attractin polypeptide depicted in FIG. 17.

Fusion proteins of the invention include, but are not limited to, IgFc fusions which stabilize the mahogany protein or peptide and prolong half life *in vivo*; or fusions to any amino acid sequence that allows the fusion protein to be anchored to the cell membrane; or fusions to an enzyme,  
25 fluorescent protein, or luminescent protein which provides a marker function.

The mahogany gene products, peptide fragments thereof and fusion proteins thereof, may be produced by recombinant DNA technology using techniques well known in the art. Thus,  
30 methods for preparing the mahogany gene products, polypeptides, peptides, fusion peptide and fusion polypeptides of the invention by expressing nucleic acid

containing mahogany gene sequences are described herein. Methods that are well known to those skilled in the art can be used to construct expression vectors containing mahogany gene product coding sequences and appropriate transcriptional  
5 and translational control signals. These methods include, for example, *in vitro* recombinant DNA techniques, synthetic techniques, and *in vivo* genetic recombination. See, for example, the techniques described in Sambrook, et al., 1989, *supra*, and Ausubel, et al., 1989, *supra*. Alternatively, RNA  
10 capable of encoding mahogany gene product sequences may be chemically synthesized using, for example, synthesizers. See, for example, the techniques described in "Oligonucleotide Synthesis", 1984, Gait, ed., IRL Press, Oxford.

A variety of host-expression vector systems may be  
15 utilized to express the mahogany gene product coding sequences of the invention. Such host-expression systems represent vehicles by which the coding sequences of interest may be produced and subsequently purified, but also represent cells that may, when transformed or transfected with the  
20 appropriate nucleotide coding sequences, exhibit the mahogany gene product of the invention *in situ*. These include but are not limited to microorganisms such as bacteria (e.g., *E. coli*, *B. subtilis*) transformed with recombinant bacteriophage DNA, plasmid DNA or cosmid DNA expression vectors containing  
25 mahogany gene product coding sequences; yeast (e.g., *Saccharomyces*, *Pichia*) transformed with recombinant yeast expression vectors containing the mahogany gene product coding sequences; insect cell systems infected with recombinant virus expression vectors (e.g., baculovirus)  
30 containing the mahogany gene product coding sequences; plant cell systems infected with recombinant virus expression vectors (e.g., cauliflower mosaic virus, CaMV; tobacco mosaic virus, TMV) or transformed with recombinant plasmid expres-



sion vectors (e.g., Ti plasmid) containing mahogany gene product coding sequences; or mammalian cell systems (e.g., COS, CHO, BHK, 293, 3T3) harboring recombinant expression constructs containing promoters derived from the genome of  
5 mammalian cells (e.g., metallothionein promoter) or from mammalian viruses (e.g., the adenovirus late promoter; the vaccinia virus 7.5K promoter).

In bacterial systems, a number of expression vectors may be advantageously selected depending upon the use intended for the mahogany gene product being expressed. For example,  
10 when a large quantity of such a protein is to be produced, for the generation of pharmaceutical compositions of mahogany gene product or for raising antibodies to mahogany gene product, for example, vectors that direct the expression of high levels of fusion protein products that are readily  
15 purified may be desirable. Such vectors include, but are not limited, to the *E. coli* expression vector pUR278 (Ruther et al., 1983, EMBO J. 2, 1791), in which the mahogany gene product coding sequence may be ligated individually into the vector in frame with the *lac Z* coding region so that a fusion  
20 protein is produced; pIN vectors (Inouye and Inouye, 1985, Nucleic Acids Res. 13, 3101-3109; Van Heeke and Schuster, 1989, J. Biol. Chem. 264, 5503-5509); and the like. pGEX vectors may also be used to express foreign polypeptides as fusion proteins with glutathione S-transferase (GST). In  
25 general, such fusion proteins are soluble and can easily be purified from lysed cells by adsorption to glutathione-agarose beads followed by elution in the presence of free glutathione. The pGEX vectors are designed to include thrombin or factor Xa protease cleavage sites so that the cloned target gene product can be released from the GST  
30 moiety.

In an insect system, *Autographa californica*, nuclear polyhydrosis virus (AcNPV) is used as a vector to express

foreign genes. The virus grows in *Spodoptera frugiperda* cells. The mahogany gene product coding sequence may be cloned individually into non-essential regions (for example the polyhedrin gene) of the virus and placed under control of  
5 an AcNPV promoter (for example the polyhedrin promoter).

Successful insertion of mahogany gene product coding sequence will result in inactivation of the polyhedrin gene and production of non-occluded recombinant virus (i.e., virus lacking the proteinaceous coat coded for by the polyhedrin gene). These recombinant viruses are then used to infect  
10 *Spodoptera frugiperda* cells in which the inserted gene is expressed. (e.g., see Smith, et al., 1983, J. Virol. 46, 584; Smith, U.S. Patent No. 4,215,051).

In mammalian host cells, a number of viral-based expression systems may be utilized. In cases where an  
15 adenovirus is used as an expression vector, the mahogany gene product coding sequence of interest may be ligated to an adenovirus transcription/translation control complex, e.g., the late promoter and tripartite leader sequence. This chimeric gene may then be inserted in the adenovirus genome  
20 by *in vitro* or *in vivo* recombination. Insertion in a non-essential region of the viral genome (e.g., region E1 or E3) will result in a recombinant virus that is viable and capable of expressing mahogany gene product in infected hosts. (e.g., See Logan and Shenk, 1984, Proc. Natl. Acad. Sci. USA  
25 81, 3655-3659). Specific initiation signals may also be required for efficient translation of inserted mahogany gene product coding sequences. These signals include the ATG initiation codon and adjacent sequences. In cases where an entire mahogany gene, including its own initiation codon and adjacent sequences, is inserted into the appropriate  
30 expression vector, no additional translational control signals may be needed. However, in cases where only a portion of the mahogany gene coding sequence is inserted,

exogenous translational control signals, including, perhaps, the ATG initiation codon, must be provided. Furthermore, the initiation codon must be in phase with the reading frame of the desired coding sequence to ensure translation of the entire insert. These exogenous translational control signals and initiation codons can be of a variety of origins, both natural and synthetic. The efficiency of expression may be enhanced by the inclusion of appropriate transcription enhancer elements, transcription terminators, etc. (see Bittner, et al., 1987, Methods in Enzymol. 153, 516-544).

In addition, a host cell strain may be chosen that modulates the expression of the inserted sequences, or modifies and processes the gene product in the specific fashion desired. Such modifications (e.g., glycosylation) and processing (e.g., cleavage) of protein products may be important for the function of the protein. Different host cells have characteristic and specific mechanisms for the post-translational processing and modification of proteins and gene products. Appropriate cell lines or host systems can be chosen to ensure the correct modification and processing of the foreign protein expressed. To this end, eukaryotic host cells that possess the cellular machinery for proper processing of the primary transcript, glycosylation, and phosphorylation of the gene product may be used. Such mammalian host cells include but are not limited to CHO, VERO, BHK, HeLa, COS, MDCK, 293, 3T3, and WI38.

For long-term, high-yield production of recombinant proteins, stable expression is preferred. For example, cell lines that stably express the mahogany gene product may be engineered. Rather than using expression vectors that contain viral origins of replication, host cells can be transformed with DNA controlled by appropriate expression control elements (e.g., promoter, enhancer, sequences, transcription terminators, polyadenylation sites, etc.), and

a selectable marker. Following the introduction of the foreign DNA, engineered cells may be allowed to grow for 1-2 days in an enriched media, and then are switched to a selective media. The selectable marker in the recombinant  
5 plasmid confers resistance to the selection and allows cells to stably integrate the plasmid into their chromosomes and grow to form foci that in turn can be cloned and expanded into cell lines. This method may advantageously be used to engineer cell lines that express the mahogany gene product.  
10 Such engineered cell lines may be particularly useful in screening and evaluation of compounds that affect the endogenous activity of the mahogany gene product.

A number of selection systems may be used, including but not limited to the herpes simplex virus thymidine kinase (Wigler, et al., 1977, Cell 11, 223), hypoxanthine-guanine  
15 phosphoribosyltransferase (Szybalska and Szybalski, 1962, Proc. Natl. Acad. Sci. USA 48, 2026), and adenine phosphoribosyltransferase (Lowy, et al., 1980, Cell 22, 817) genes can be employed in tk<sup>-</sup>, hgp<sup>+</sup> or ap<sup>+</sup> cells, respectively. Also, antimetabolite resistance can be used as  
20 the basis of selection for the following genes: dhfr, which confers resistance to methotrexate (Wigler, et al., 1980, Natl. Acad. Sci. USA 77, 3567; O'Hare, et al., 1981, Proc. Natl. Acad. Sci. USA 78, 1527); gpt, which confers resistance to mycophenolic acid (Mulligan and Berg, 1981, Proc. Natl.  
25 Acad. Sci. USA 78, 2072); neo, which confers resistance to the aminoglycoside G-418 (Colberre-Garapin, et al., 1981, J. Mol. Biol. 150, 1); and hyg<sup>+</sup>, which confers resistance to hygromycin (Santerre, et al., 1984, Gene 30, 147).

Alternatively, the expression characteristic of an endogenous mahogany gene within a cell line or microorganism  
30 may be modified by inserting a heterologous DNA regulatory element into the genome of a stable cell line or cloned microorganism such that the inserted regulatory element is

operatively linked with the endogenous mahogany gene. For example, an endogenous mahogany gene which is normally "transcriptionally silent", i.e., a mahogany gene which is normally not expressed, or is expressed only a very low  
5 levels in a cell line or microorganism, may be activated by inserting a regulatory element which is capable of promoting the expression of a normally expressed gene product in that cell line or microorganism. Alternatively, a transcriptionally silent, endogenous mahogany gene may be  
10 activated by insertion of a promiscuous regulatory element that works across cell types.

A heterologous regulatory element may be inserted into a stable cell line or cloned microorganism, such that it is operatively linked with an endogenous mahogany gene, using techniques, such as targeted homologous recombination, which  
15 are well known to those of skill in the art, and described e.g., in Chappel, U.S. Patent No. 4,215,051; U.S. Patent No. 5,578,461 to Sherwin et al.; International Application No. PCT/US92/09627 (WO93/09222) by Selden et al.; and International Application No. PCT/US90/06436 (WO91/06667) by  
20 Skoultchi et al., each of which is incorporated by reference herein in its entirety.

Alternatively, any fusion protein may be readily purified by utilizing an antibody specific for the fusion protein being expressed. For example, a system described by  
25 Janknecht, et al. allows for the ready purification of non-denatured fusion proteins expressed in human cell lines (Janknecht, et al., 1991, Proc. Natl. Acad. Sci. USA 88, 8972-8976). In this system, the gene of interest is subcloned into a vaccinia recombination plasmid such that the gene's open reading frame is translationally fused to an  
30 amino-terminal tag consisting of six histidine residues. Extracts from cells infected with recombinant vaccinia virus are loaded onto Ni<sup>2+</sup>-nitriloacetic acid-agarose columns and

histidine-tagged proteins are selectively eluted with imidazole-containing buffers.

The mahogany gene products can also be expressed in transgenic animals. Animals of any species, including, but  
5 not limited to, mice, rats, rabbits, guinea pigs, pigs, micro-pigs, goats, sheep, and non-human primates, e.g., baboons, monkeys, and chimpanzees may be used to generate mahogany transgenic animals. The term "transgenic," as used herein, refers to animals expressing mahogany gene sequences  
10 from a different species (e.g., mice expressing human mahogany gene sequences), as well as animals that have been genetically engineered to over express endogenous (i.e., same species) mahogany sequences or animals that have been genetically engineered to no longer express endogenous  
mahogany gene sequences (i.e., "knock-out" animals), and  
15 their progeny.

Any technique known in the art may be used to introduce a mahogany gene transgene into animals to produce the founder lines of transgenic animals. Such techniques include, but are not limited to pronuclear microinjection (Hoppe and  
20 Wagner, 1989, U.S. Pat. No. 4,873,191); retrovirus mediated gene transfer into germ lines (Van der Putten, et al., 1985, Proc. Natl. Acad. Sci., USA 82, 6148-6152); gene targeting in embryonic stem cells (Thompson, et al., 1989, Cell 56, 313-321); electroporation of embryos (Lo, 1983, Mol. Cell. Biol.  
3, 1803-1814); and sperm-mediated gene transfer (Lavitrano et  
25 al., 1989, Cell 57, 717-723) (For a review of such techniques, see Gordon, 1989, Transgenic Animals, Intl. Rev. Cytol. 115, 171-229)

Any technique known in the art may be used to produce transgenic animal clones containing a mahogany transgene, for  
30 example, nuclear transfer into enucleated oocytes of nuclei from cultured embryonic, fetal or adult cells induced to

quiescence (Campbell, et al., 1996, Nature 380, 64-66; Wilmut, et al., Nature 385, 810-813).

The present invention provides for transgenic animals that carry a mahogany transgene in all their cells, as well  
5 as animals that carry the transgene in some, but not all their cells, i.e., mosaic animals. The transgene may be integrated as a single transgene or in concatamers, e.g., head-to-head tandems or head-to-tail tandems. The transgene may also be selectively introduced into and activated in a particular cell type by following, for example, the teaching  
10 of Lasko et al. (Lasko, et al., 1992, Proc. Natl. Acad. Sci. USA 89, 6232-6236). The regulatory sequences required for such a cell-type specific activation will depend upon the particular cell type of interest, and will be apparent to those of skill in the art. When it is desired that the  
15 mahogany transgene be integrated into the chromosomal site of the endogenous mahogany gene, gene targeting is preferred. Briefly, when such a technique is to be utilized, vectors containing some nucleotide sequences homologous to the endogenous mahogany gene are designed for the purpose of  
20 integrating, via homologous recombination with chromosomal sequences, into and disrupting the function of the nucleotide sequence of the endogenous mahogany gene. The transgene may also be selectively introduced into a particular cell type, thus inactivating the endogenous mahogany gene in only that  
25 cell type, by following, for example, the teaching of Gu, et al. (Gu, et al., 1994, Science 265, 103-106). The regulatory sequences required for such a cell-type specific inactivation will depend upon the particular cell type of interest, and will be apparent to those of skill in the art.

Once transgenic animals have been generated, the  
30 expression of the recombinant mahogany gene may be assayed utilizing standard techniques. Initial screening may be accomplished by Southern blot analysis or PCR techniques to

analyze animal tissues to assay whether integration of the transgene has taken place. The level of mRNA expression of the transgene in the tissues of the transgenic animals may also be assessed using techniques that include but are not  
5 limited to Northern blot analysis of tissue samples obtained from the animal, in situ hybridization analysis, and RT-PCR (reverse transcriptase PCR). Samples of mahogany gene-expressing tissue, may also be evaluated immunocytochemically using antibodies specific for the mahogany transgene product.

10

### 5.3. ANTIBODIES TO MAHOGANY GENE PRODUCTS

Described herein are methods for the production of antibodies capable of specifically recognizing one or more *mg* gene product epitopes, or epitopes of conserved variants, or peptide fragments of the *mg* gene products. Further,  
15 antibodies that specifically recognize mutant forms of *mg* gene products, are encompassed by the invention.

Such antibodies may include, but are not limited to, polyclonal antibodies, monoclonal antibodies (mAbs), humanized or chimeric antibodies, single chain antibodies,  
20 Fab fragments, F(ab')<sub>2</sub> fragments, fragments produced by a Fab expression library, anti-idiotypic (anti-Id) antibodies, and epitope-binding fragments of any of the above. Such antibodies may be used, for example, in the detection of a *mg* gene product in an biological sample and may, therefore, be  
25 utilized as part of a diagnostic or prognostic technique whereby patients may be tested for abnormal levels of *mg* gene products, and/or for the presence of abnormal forms of such gene products. Such antibodies may also be utilized in conjunction with, for example, compound screening schemes, as  
30 described, below, in Section 5.4.2, for the evaluation of the effect of test compounds on *mg* gene product levels and/or activity. Additionally, such antibodies can be used in conjunction with the gene therapy techniques described,



below, in Section 5.4.3.2, to, for example, evaluate the normal and/or engineered mahogany-expressing cells prior to their introduction into the patient.

Anti-*mg* gene product antibodies may additionally be used  
5 in methods for inhibiting abnormal *mg* gene product activity. Thus, such antibodies may, therefore, be utilized as part of weight disorder treatment methods.

For the production of antibodies against a *mg* gene product, various host animals may be immunized by injection  
10 with a *mg* gene product, or a portion thereof. Such host animals may include, but are not limited to rabbits, mice, and rats, to name but a few. Various adjuvants may be used to increase the immunological response, depending on the host species, including but not limited to Freund's (complete and incomplete), mineral gels such as aluminum hydroxide, surface  
15 active substances such as lysolecithin, pluronic polyols, polyanions, peptides, oil emulsions, keyhole limpet hemocyanin, dinitrophenol, and potentially useful human adjuvants such as BCG (bacille Calmette-Guerin) and *Corynebacterium parvum*.

20 Polyclonal antibodies are heterogeneous populations of antibody molecules derived from the sera of animals immunized with an antigen, such as a *mg* gene product, or an antigenic functional derivative thereof. For the production of polyclonal antibodies, host animals such as those described  
25 above, may be immunized by injection with *mg* gene product supplemented with adjuvants as also described above.

Monoclonal antibodies, which are homogeneous populations of antibodies to a particular antigen, may be obtained by any technique that provides for the production of antibody  
30 molecules by continuous cell lines in culture. These include, but are not limited to, the hybridoma technique of Kohler and Milstein, (1975, Nature 256, 495-497; and U.S. Patent No. 4,376,110), the human B-cell hybridoma technique

(Kosbor et al., 1983, Immunology Today 4, 72; Cole et al., 1983, Proc. Natl. Acad. Sci. USA 80, 2026-2030), and the EBV-hybridoma technique (Cole et al., 1985, Monoclonal Antibodies And Cancer Therapy, Alan R. Liss, Inc., pp. 77-96). Such  
5 antibodies may be of any immunoglobulin class including IgG, IgM, IgE, IgA, IgD and any subclass thereof. The hybridoma producing the mAb of this invention may be cultivated *in vitro* or *in vivo*. Production of high titers of mAbs *in vivo* makes this the presently preferred method of production.

10 In addition, techniques developed for the production of "chimeric antibodies" (Morrison, et al., 1984, Proc. Natl. Acad. Sci., 81, 6851-6855; Neuberger, et al., 1984, Nature 312, 604-608; Takeda, et al., 1985, Nature, 314, 452-454) by  
splicing the genes from a mouse antibody molecule of appropriate antigen specificity together with genes from a  
15 human antibody molecule of appropriate biological activity can be used. A chimeric antibody is a molecule in which different portions are derived from different animal species, such as those having a variable region derived from a murine mAb and a human immunoglobulin constant region. (See, e.g.,  
20 Cabilly et al., U.S. Patent No. 4,816,567; and Boss et al., U.S. Patent No. 4,816,397, which are incorporated herein by reference in their entirety.)

In addition, techniques have been developed for the production of humanized antibodies. (See, e.g., Queen, U.S.  
25 Patent No. 5,585,089, which is incorporated herein by reference in its entirety.) An immunoglobulin light or heavy chain variable region consists of a "framework" region interrupted by three hypervariable regions, referred to as complementarily determining regions (CDRs). The extent of the framework region and CDRs have been precisely defined  
30 (see, "Sequences of Proteins of Immunological Interest", Kabat, E. et al., U.S. Department of Health and Human Services (1983). Briefly, humanized antibodies are antibody

molecules from non-human species having one or more CDRs from the non-human species and a framework region from a human immunoglobulin molecule.

Alternatively, techniques described for the production of single chain antibodies (U.S. Patent 4,946,778; Bird, 1988, Science 242, 423-426; Huston, et al., 1988, Proc. Natl. Acad. Sci. USA 85, 5879-5883; and Ward, et al., 1989, Nature 334, 544-546) can be adapted to produce single chain antibodies against mahogany gene products. Single chain antibodies are formed by linking the heavy and light chain fragments of the Fv region via an amino acid bridge, resulting in a single chain polypeptide.

Antibody fragments that recognize specific epitopes may be generated by known techniques. For example, such fragments include but are not limited to: the F(ab')<sub>2</sub> fragments, which can be produced by pepsin digestion of the antibody molecule and the Fab fragments, which can be generated by reducing the disulfide bridges of the F(ab')<sub>2</sub> fragments. Alternatively, Fab expression libraries may be constructed (Huse, et al., 1989, Science, 246, 1275-1281) to allow rapid and easy identification of monoclonal Fab fragments with the desired specificity.

#### 5.4. USES OF THE MAHOGANY GENES, GENE PRODUCTS, AND ANTIBODIES

Described herein are various applications of the mahogany genes, of the mahogany gene products, including peptide fragments thereof, and of antibodies directed against mahogany gene products and peptide fragments thereof. Such applications include, for example, prognostic and diagnostic evaluation of body weight disorders and the identification of subjects with a predisposition to such disorders, as described below, in Section 5.4.1. Additionally, such applications include methods for the treatment of body weight

and body weight disorders, as described, below, in Section 5.4.2, and for the identification of compounds which modulate the expression of the mahogany gene and/or the activity of the mahogany gene product, as described in Section 5.4.3, 5 below. Such compounds can include, for example, other cellular products which are involved in body weight regulation. These compounds can be used, for example, in the amelioration of body weight disorders, including obesity, cachexia, and anorexia.

10 While, for clarity, the uses described in this section are primarily uses related to body weight disorder abnormalities, it is to be noted that each of the diagnostic and therapeutic treatments described herein can additionally be utilized in connection with other defects associated with the mahogany gene, such as hyperpigmentation, hyperphagia and 15 other disorders resulting in increased metabolic rates.

#### 5.4.1. DIAGNOSIS OF BODY WEIGHT DISORDER ABNORMALITIES

A variety of methods can be employed for the diagnostic and prognostic evaluation of body weight disorders, including 20 obesity, cachexia, and anorexia, and for the identification of subjects having a predisposition to such disorders.

Such methods may, for example, utilize reagents such as the mahogany gene nucleotide sequences described in Section 5.1, and antibodies directed against mahogany gene products, 25 including peptide fragments thereof, as described, above, in Section 5.3. Specifically, such reagents may be used, for example, for:

(1) the detection of the presence of mahogany gene mutations, or the detection of either over- or under- 30 expression of mahogany gene relative to levels of mahogany expression in a wild-type, non-body weight disorder state

which correlates with certain body weight disorders or susceptibility toward such body weight disorders;

(2) the detection of over- or under-abundance of mahogany gene product relative to the abundance of mahogany gene product in a wild-type non-body weight disorder state which correlates with certain body weight disorders or susceptibility toward such body weight disorders; and

(3) the detection of an aberrant level of mahogany gene product activity relative to mahogany gene product activity levels in a wild-type, non-body weight disorder state which correlates with certain body weight disorders or susceptibility toward such body weight disorders.

Mahogany gene nucleotide sequences can, for example, be used to diagnose a body weight disorder using, for example, the techniques for detecting mutations in the mahogany gene described above in Section 5.1, above.

The methods described herein may be performed, for example, by utilizing pre-packaged diagnostic kits comprising at least one specific mahogany gene nucleic acid or anti-mahogany gene product antibody reagent described herein, which may be conveniently used, e.g., in clinical settings, to screen and diagnose patients exhibiting body weight disorder abnormalities, and to screen those individuals exhibiting a predisposition to developing a body weight disorder abnormality.

For the detection of mahogany gene mutations, any nucleated cell can be used as a starting source for genomic nucleic acid. For the detection of mahogany gene expression or mahogany gene products, any cell type or tissue in which the mahogany gene is expressed may be utilized, such as, for example, tissues or cells shown herein to express the MG gene.

Nucleic acid-based detection techniques are described, below, in Section 5.4.1.1. Peptide detection techniques are described, below, in Section 5.4.1.2.

5                    5.4.1.1. DETECTION OF MAHOGANY GENE NUCLEIC  
ACID MOLECULES

Mutations or polymorphisms within the mahogany gene can be detected by utilizing a number of techniques. Nucleic acid from any nucleated cell can be used as the starting  
10 point for such assay techniques, and may be isolated according to standard nucleic acid preparation procedures which are well known to those of skill in the art.

Genomic DNA may be used in hybridization or amplification assays of biological samples to detect  
15 abnormalities involving mahogany gene structure, including point mutations, insertions, deletions and chromosomal rearrangements. Such assays may include, but are not limited to, Southern analyses, single stranded conformation polymorphism analyses (SSCP), and PCR analyses.

Diagnostic methods for the detection of mahogany gene-  
20 specific mutations can involve for example, contacting and incubating nucleic acids obtained from a sample, e.g., derived from a patient sample or other appropriate cellular source with one or more labeled nucleic acid reagents including recombinant DNA molecules, cloned genes or  
25 degenerate variants thereof, such as described in Section 5.1, above, under conditions favorable for the specific annealing of these reagents to their complementary sequences within or flanking the mahogany gene. Preferably, the lengths of these nucleic acid reagents are at least 15 to 30  
30 nucleotides.

After incubation, all non-annealed nucleic acids are removed from the nucleic acid:mahogany molecule hybrid. The presence of nucleic acids that have hybridized, if any such

molecules exist, is then detected. Using such a detection scheme, the nucleic acid from the cell type or tissue of interest can be immobilized, for example, to a solid support such as a membrane, or a plastic surface such as that on a  
5 microtiter plate or polystyrene beads. In this case, after incubation, non-annealed, labeled nucleic acid reagents of the type described in Section 5.1 are easily removed. Detection of the remaining, annealed, labeled mahogany nucleic acid reagents is accomplished using standard  
10 techniques well-known to those in the art. The mahogany gene sequences to which the nucleic acid reagents have annealed can be compared to the annealing pattern expected from a normal mahogany gene sequence in order to determine whether a mahogany gene mutation is present.

In a preferred embodiment, mahogany gene mutations or  
15 polymorphisms can be detected by using a microassay of mahogany nucleic acid sequences immobilized to a substrate or "gene chip" (see, e.g. Cronin, et al., 1996, Human Mutation 7:244-255).

Alternative diagnostic methods for the detection of  
20 mahogany gene specific nucleic acid molecules, in patient samples or other appropriate cell sources, may involve their amplification, e.g., by PCR (the experimental embodiment set forth in Mullis, 1987, U.S. Patent No. 4,683,202), followed by the analysis of the amplified molecules using techniques well known to those of skill in the art, such as, for  
25 example, those listed above. The resulting amplified sequences can be compared to those that would be expected if the nucleic acid being amplified contained only normal copies of the mahogany gene in order to determine whether a mahogany gene mutation exists.

30 Among those mahogany nucleic acid sequences which are preferred for such amplification-related diagnostic screening analyses are oligonucleotide primers which amplify mahogany

exon sequences. The sequences of such oligonucleotide primers are, therefore, preferably derived from mahogany intron sequences so that the entire exon, or coding region, can be analyzed as discussed below. Primer pairs useful for  
5 amplification of mahogany exons are preferably derived from adjacent introns. Appropriate primer pairs can be chosen such that each of the 25 mahogany exons are amplified. Primers for the amplification of mahogany exons can be routinely designed by one of ordinary skill in the art by  
10 utilizing the exon and intron sequences of mahogany shown in Figures, particularly FIGS. 3 and 5.

Additional mahogany nucleic acid sequences which are preferred for such amplification-related analyses are those which will detect the presence of a mahogany polymorphism which differs from the consensus mahogany sequence depicted  
15 in Figures, particularly those that detect the polymorphism identified in exon 15 (Figure 7). Such polymorphisms include ones which represent mutations associated with body weight disorders such as obesity, cachexia, or anorexia.

Further, well-known genotyping techniques can be  
20 performed to type polymorphisms that are in close proximity to mutations in the mahogany gene itself, including mutations associated with weight disorders such as obesity, cachexia, or anorexia. Such polymorphisms can be used to identify individuals in families likely to carry mutations in the mahogany gene. If a polymorphism exhibits linkage  
25 disequilibrium with mutations in the mahogany gene, the polymorphism can also be used to identify individuals in the general population who are likely to carry such mutations. Polymorphisms that can be used in this way include restriction fragment length polymorphisms (RFLPs), which  
30 involve sequence variations in restriction enzyme target sequences, single-base polymorphisms, and simple sequence length polymorphisms (SSLPs).



For example, Weber (U.S. Pat. No. 5,075,217) describes a DNA marker based on length polymorphisms in blocks of (dC-dA)<sub>n</sub>-(dG-dT)<sub>n</sub> short tandem repeats. The average separation of (dC-dA)<sub>n</sub>-(dG-dT)<sub>n</sub> blocks is estimated to be 30,000-60,000  
5 bp. Markers that are so closely spaced exhibit a high frequency co-inheritance, and are extremely useful in the identification of genetic mutations, such as, for example, mutations within the mahogany gene, and the diagnosis of diseases and disorders related to mutations in the mahogany gene.

10 Also, Caskey et al. (U.S. Pat.No. 5,364,759) describe a DNA profiling assay for detecting short tri and tetra nucleotide repeat sequences. The process includes extracting the DNA of interest, such as the mahogany gene, amplifying the extracted DNA, and labelling the repeat sequences to form  
15 a genotypic map of the individual's DNA.

A mahogany probe could additionally be used to directly identify RFLPs. Further, a mahogany probe or primers derived from the mahogany sequence could be used to isolate genomic clones such as YACs, BACs, PACs, cosmids, phage, or plasmids.  
20 The DNA contained in these clones can be screened for single-base polymorphisms or SSLPs using standard hybridization or sequencing procedures.

The level of mahogany gene expression can also be assayed. For example, RNA from a cell type or tissue known, or suspected, to express the mahogany gene, such as muscle,  
25 brain, kidney, testes, heart, liver, lung, skin, hypothalamus, spleen, and adipose tissue may be isolated and tested utilizing hybridization or PCR techniques such as are described, above. The isolated cells can be derived from cell culture or from a patient. The analysis of cells taken  
30 from culture may be a necessary step in the assessment of cells to be used as part of a cell-based gene therapy technique or, alternatively, to test the effect of compounds

on the expression of the mahogany gene. Such analyses may reveal both quantitative and qualitative aspects of the expression pattern of the mahogany gene, including activation or inactivation of mahogany gene expression.

5 In one embodiment of such a detection scheme, a cDNA molecule is synthesized from an RNA molecule of interest (e.g., by reverse transcription of the RNA molecule into cDNA). All or part of the resulting cDNA is then used as the template for a nucleic acid amplification reaction, such as a  
10 PCR amplification reaction, or the like. The nucleic acid reagents used as synthesis initiation reagents (e.g., primers) in the reverse transcription and nucleic acid amplification steps of this method are chosen from among the mahogany gene nucleic acid reagents described in Section 5.1. The preferred lengths of such nucleic acid reagents are at  
15 least 9-30 nucleotides.

For detection of the amplified product, the nucleic acid amplification may be performed using radioactively or non-radioactively labeled nucleotides. Alternatively, enough amplified product may be made such that the product may be  
20 visualized by standard ethidium bromide staining or by utilizing any other suitable nucleic acid staining method.

As an alternative to amplification techniques, standard Northern analyses can be performed to determine the level of mRNA expression of the mahogany gene, if a sufficient  
25 quantity of the appropriate cells can be obtained.

Additionally, it is possible to perform such mahogany gene expression assays "in situ", i.e., directly upon tissue sections (fixed and/or frozen) of patient tissue obtained from biopsies or resections, such that no nucleic acid purification is necessary. Nucleic acid reagents such as  
30 those described in Section 5.1 may be used as probes and/or primers for such in situ procedures (see, for example, Nuovo,

G.J., 1992, "PCR In Situ Hybridization: Protocols And Applications", Raven Press, NY).

5

#### 5.4.1.2. DETECTION OF MAHOGANY GENE PRODUCTS

Mahogany gene products, including both wild-type and mutant mahogany gene products, conserved variants, and polypeptide fragments thereof, which are discussed, above, in Section 5.2, may be detected using antibodies which are  
10 directed against such mahogany gene products. Such antibodies, which are discussed in Section 5.3, below, may thereby be used as diagnostics and prognostics for a body weight disorder. Such methods may be used to detect abnormalities in the level of mahogany gene expression or of  
15 mahogany gene product synthesis, or abnormalities in the structure, temporal expression, and/or physical location of mahogany gene product. The antibodies and immunoassay methods described herein have, for example, important *in vitro* applications in assessing the efficacy of treatments  
20 for body weight disorders such as obesity, cachexia, and anorexia. Antibodies, or fragments of antibodies, such as those described below, may be used to screen potentially therapeutic compounds *in vitro* to determine their effects on mahogany gene expression and mahogany gene product  
25 production. The compounds that have beneficial effects on body weight disorders, such as obesity, cachexia, and anorexia, can thereby be identified, and a therapeutically effective dose determined.

*In vitro* immunoassays may also be used, for example, to assess the efficacy of cell-based gene therapy for a body  
30 weight disorders, including obesity, cachexia, and anorexia. Antibodies directed against mahogany gene products may be used *in vitro* to determine, for example, the level of

mahogany gene expression achieved in cells genetically engineered to produce mahogany gene product. In the case of intracellular mahogany gene products, such an assessment is done, preferably, using cell lysates or extracts. Such analysis will allow for a determination of the number of transformed cells necessary to achieve therapeutic efficacy in vivo, as well as optimization of the gene replacement protocol.

The tissue or cell type to be analyzed will generally include those that are known, or suspected, to express the mahogany gene. The protein isolation methods employed herein may, for example, be such as those described in Harlow and Lane (1988, "Antibodies: A Laboratory Manual", Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York). The isolated cells can be derived from cell culture or from a patient. The analysis of cells taken from culture may be a necessary step in the assessment of cells to be used as part of a cell-based gene therapy technique or, alternatively, to test the effect of compounds on the expression of the mahogany gene.

Preferred diagnostic methods for the detection of mahogany gene products, conserved variants or peptide fragments thereof, may involve, for example, immunoassays wherein the mahogany gene products or conserved variants or peptide fragments are detected by their interaction with an anti-mahogany gene product-specific antibody.

For example, antibodies, or fragments of antibodies, such as those described, above, in Section 5.3, may be used to quantitatively or qualitatively detect the presence of mahogany gene products or conserved variants or peptide fragments thereof. This can be accomplished, for example, by immunofluorescence techniques employing a fluorescently labeled antibody (see below, this Section) coupled with light microscopic, flow cytometric, or fluorimetric detection.

Such techniques are especially preferred for mahogany gene products that are expressed on the cell surface.

The antibodies (or fragments thereof) useful in the present invention may, additionally, be employed  
5 histologically, as in immunofluorescence or immunoelectron microscopy, for *in situ* detection of mahogany gene products, conserved variants or peptide fragments thereof. *In situ* detection may be accomplished by removing a histological specimen from a patient, and applying thereto a labeled  
10 antibody that binds to a mahogany polypeptide. The antibody (or fragment) is preferably applied by overlaying the labeled antibody (or fragment) onto a biological sample. Through the use of such a procedure, it is possible to determine not only the presence of the mahogany gene product, conserved variants or peptide fragments, but also its distribution in the  
15 examined tissue. Using the present invention, those of ordinary skill will readily recognize that any of a wide variety of histological methods (such as staining procedures) can be modified in order to achieve *in situ* detection of a mahogany gene product.

20 Immunoassays for mahogany gene products, conserved variants, or peptide fragments thereof will typically comprise: (1) incubating a sample, such as a biological fluid, a tissue extract, freshly harvested cells, or lysates of cells in the presence of a detectably labeled antibody  
25 capable of identifying mahogany gene products, conserved variants or peptide fragments thereof; and (2) detecting the bound antibody by any of a number of techniques well-known in the art.

The biological sample may be brought in contact with and immobilized onto a solid phase support or carrier, such as  
30 nitrocellulose, that is capable of immobilizing cells, cell particles or soluble proteins. The support may then be washed with suitable buffers followed by treatment with the

detectably labeled mahogany gene product specific antibody. The solid phase support may then be washed with the buffer a second time to remove unbound antibody. The amount of bound label on the solid support may then be detected by  
5 conventional means.

By "solid phase support or carrier" is intended any support capable of binding an antigen or an antibody. Well-known supports or carriers include glass, polystyrene, polypropylene, polyethylene, dextran, nylon, amylases,  
10 natural and modified celluloses, polyacrylamides, gabbros, and magnetite. The nature of the carrier can be either soluble to some extent or insoluble for the purposes of the present invention. The support material may have virtually any possible structural configuration so long as the coupled molecule is capable of binding to an antigen or antibody.  
15 Thus, the support configuration may be spherical, as in a bead, or cylindrical, as in the inside surface of a test tube, or the external surface of a rod. Alternatively, the surface may be flat such as a sheet, test strip, etc. Preferred supports include polystyrene beads. Those skilled  
20 in the art will know many other suitable carriers for binding antibody or antigen, or will be able to ascertain the same by use of routine experimentation.

One of the ways in which the mahogany gene product-specific antibody can be detectably labeled is by linking the same to an enzyme, such as for use in an enzyme immunoassay  
25 (EIA) (Voller, A., "The Enzyme Linked Immunosorbent Assay (ELISA)", 1978, Diagnostic Horizons 2, 1-7, Microbiological Associates Quarterly Publication, Walkersville, MD); Voller, A. et al., 1978, J. Clin. Pathol. 31, 507-520; Butler, J.E., 1981, Meth. Enzymol. 73, 482-523; Maggio, E. (ed.), 1980,  
30 Enzyme Immunoassay, CRC Press, Boca Raton, FL,; Ishikawa, E. et al., (eds.), 1981, Enzyme Immunoassay, Kigaku Shoin, Tokyo). The enzyme which is bound to the antibody will react

with an appropriate substrate, preferably a chromogenic substrate, in such a manner as to produce a chemical moiety that can be detected, for example, by spectrophotometric, fluorimetric or by visual means. Enzymes that can be used to  
5 detectably label the antibody include, but are not limited to, malate dehydrogenase, staphylococcal nuclease, delta-5-steroid isomerase, yeast alcohol dehydrogenase,  $\alpha$ -glycerophosphate, dehydrogenase, triose phosphate isomerase, horseradish peroxidase, alkaline phosphatase, asparaginase,  
10 glucose oxidase,  $\beta$ -galactosidase, ribonuclease, urease, catalase, glucose-6-phosphate dehydrogenase, glucoamylase and acetylcholinesterase. The detection can be accomplished by colorimetric methods that employ a chromogenic substrate for the enzyme. Detection may also be accomplished by visual  
15 comparison of the extent of enzymatic reaction of a substrate in comparison with similarly prepared standards.

Detection may also be accomplished using any of a variety of other immunoassays. For example, by radioactively labeling the antibodies or antibody fragments, it is possible to detect mahogany gene products through the use of a  
20 radioimmunoassay (RIA) (see, for example, Weintraub, B., Principles of Radioimmunoassays, Seventh Training Course on Radioligand Assay Techniques, The Endocrine Society, March, 1986). The radioactive isotope can be detected by such means as the use of a gamma counter or a scintillation counter or  
25 by autoradiography.

It is also possible to label the antibody with a fluorescent compound. When the fluorescently labeled antibody is exposed to light of the proper wave length, its presence can then be detected due to fluorescence. Among the most commonly used fluorescent labeling compounds are  
30 fluorescein isothiocyanate, rhodamine, phycoerythrin, phycocyanin, allophycocyanin, o-phthaldehyde and fluorescamine.

The antibody can also be detectably labeled using fluorescence emitting metals such as  $^{152}\text{Eu}$ , or others of the lanthanide series. These metals can be attached to the antibody using such metal chelating groups as  
5 diethylenetriaminepentacetic acid (DTPA) or ethylenediaminetetraacetic acid (EDTA).

The antibody also can be detectably labeled by coupling it to a chemiluminescent compound. The presence of the chemiluminescent-tagged antibody is then determined by  
10 detecting the presence of luminescence that arises during the course of a chemical reaction. Examples of particularly useful chemiluminescent labeling compounds are luminol, isoluminol, theromatic acridinium ester, imidazole, acridinium salt and oxalate ester.

Likewise, a bioluminescent compound may be used to label  
15 the antibody of the present invention. Bioluminescence is a type of chemiluminescence found in biological systems in which a catalytic protein increases the efficiency of the chemiluminescent reaction. The presence of a bioluminescent protein is determined by detecting the presence of  
20 luminescence. Important bioluminescent compounds for purposes of labeling are luciferin, luciferase and aequorin.

#### 5.4.2.SCREENING ASSAYS FOR COMPOUNDS THAT INTERACT WITH THE MAHOGANY GENE OR GENE PRODUCT

25 The following assays are designed to identify compounds that bind to a mahogany gene product, compounds that bind to proteins, or portions of proteins that interact with a mahogany gene product, compounds that interfere with the interaction of a mahogany gene product with proteins and  
30 compounds that modulate the activity of the mahogany gene (i.e., modulate the level of mahogany gene expression and/or modulate the level of mahogany gene product activity).

Assays may additionally be utilized that identify compounds



that bind to mahogany gene regulatory sequences (e.g., promoter sequences; see e.g., Platt, 1994, J. Biol. Chem. 269, 28558-28562), which is incorporated herein by reference in its entirety, and that can modulate the level of mahogany  
5 gene expression. Such compounds may include, but are not limited to, small organic molecules, such as ones that are able to cross the blood-brain barrier, gain to and/or entry into an appropriate cell and affect expression of the mahogany gene or some other gene involved in the body weight regulatory pathway, or intracellular proteins.

10 Methods for the identification of such proteins are described, below, in Section 5.4.2.2. Such proteins may be involved in the control and/or regulation of body weight. Further, among these compounds are compounds that affect the level of mahogany gene expression and/or mahogany gene  
15 product activity and that can be used in the therapeutic treatment of body weight disorders, including obesity, cachexia, and anorexia, as described, below, in Section 5.9.

Compounds may include, but are not limited to, peptides such as, for example, soluble peptides, including but not  
20 limited to, Ig-tailed fusion peptides, and members of random peptide libraries; (see, e.g., Lam, et al., 1991, Nature 354, 82-84; Houghten, et al., 1991, Nature 354, 84-86), and combinatorial chemistry-derived molecular library made of D- and/or L- configuration amino acids, phosphopeptides  
25 (including, but not limited to members of random or partially degenerate, directed phosphopeptide libraries; see, e.g., Songyang, et al., 1993, Cell 72, 767-778), antibodies (including, but not limited to, polyclonal, monoclonal, humanized, anti-idiotypic, chimeric or single chain antibodies, and FAb, F(ab'), and FAb expression library  
30 fragments, and epitope-binding fragments thereof), and small organic or inorganic molecules.

Compounds identified via assays such as those described herein may be useful, for example, in elaborating the biological function of the mahogany gene product and for ameliorating body weight disorders, such as obesity, cachexia, or anorexia. Assays for testing the effectiveness of compounds identified by, for example, techniques such as those described in Sections 5.4.2.1-5.4.2.3, are discussed, below, in Section 5.4.2.4.

10                   5.4.2.1. IN VITRO SCREENING ASSAYS FOR  
COMPOUNDS THAT BIND TO THE MAHOGANY  
GENE PRODUCT

In vitro systems may be designed to identify compounds capable of binding the mahogany gene products of the invention. Compounds identified may be useful, for example, 15 in modulating the activity of unimpaired and/or mutant mahogany gene products, may be useful in elaborating the biological function of the mahogany gene product, may be utilized in screens for identifying compounds that disrupt normal mahogany gene product interactions, or may in 20 themselves disrupt such interactions.

The principle of the assays used to identify compounds that bind to the mahogany gene product involves preparing a reaction mixture of the mahogany gene product and the test compound under conditions and for a time sufficient to allow the two components to interact and bind, thus forming a 25 complex that can be removed and/or detected in the reaction mixture. These assays can be conducted in a variety of ways. For example, one method to conduct such an assay involves anchoring a mahogany gene product or a test substance onto a solid support and detecting mahogany gene product/test 30 compound complexes formed on the solid support at the end of the reaction. In one embodiment of such a method, the mahogany gene product may be anchored onto a solid support,

and the test compound, which is not anchored, may be labeled, either directly or indirectly.

In practice, microtiter plates are conveniently utilized as the solid support. The anchored component may be  
5 immobilized by non-covalent or covalent attachments. Non-covalent attachment may be accomplished by simply coating the solid surface with a solution of the protein and drying. Alternatively, an immobilized antibody, preferably a monoclonal antibody, specific for the protein to be  
10 immobilized may be used to anchor the protein to the solid surface. The surfaces may be prepared in advance and stored.

In order to conduct the assay, the non-immobilized component is added to the coated surface containing the anchored component. After the reaction is complete, unreacted components are removed (e.g., by washing) under  
15 conditions such that any complexes formed will remain immobilized on the solid surface. The detection of complexes anchored on the solid surface can be accomplished in a number of ways. Where the previously non-immobilized component is pre-labeled, the detection of label immobilized on the  
20 surface indicates that complexes were formed. Where the previously non-immobilized component is not pre-labeled, an indirect label can be used to detect complexes anchored on the surface; e.g., using a labeled antibody specific for the previously non-immobilized component (the antibody, in turn, may be directly labeled or indirectly labeled with a labeled  
25 anti-Ig antibody).

Alternatively, a reaction can be conducted in a liquid phase, the reaction products separated from unreacted components, and complexes detected; e.g., using an  
30 immobilized antibody specific for mahogany gene product or the test compound to anchor any complexes formed in solution, and a labeled antibody specific for the other component of the possible complex to detect anchored complexes.

#### 5.4.2.2. ASSAYS FOR PROTEINS THAT INTERACT WITH THE MAHOGANY GENE PRODUCT

Any method suitable for detecting protein-protein interactions may be employed for identifying mahogany gene product-protein interactions.

Among the traditional methods that may be employed are co-immunoprecipitation, cross-linking and co-purification through gradients or chromatographic columns. Utilizing procedures such as these allows for the identification of proteins that interact with mahogany gene products. Such proteins can include, but are not limited, the mahoganoid gene product.

Once isolated, such a protein can be identified and can be used in conjunction with standard techniques, to identify proteins it interacts with. For example, at least a portion of the amino acid sequence of a protein that interacts with the mahogany gene product can be ascertained using techniques well known to those of skill in the art, such as via the Edman degradation technique (see, e.g., Creighton, 1983, "Proteins: Structures and Molecular Principles," W.H. Freeman & Co., N.Y., pp.34-49). The amino acid sequence obtained may be used as a guide for the generation of oligonucleotide mixtures that can be used to screen for gene sequences encoding such proteins. Screening may be accomplished, for example, by standard hybridization or PCR techniques. Techniques for the generation of oligonucleotide mixtures and the screening are well-known. (See, e.g., Ausubel, *supra*, and 1990, "PCR Protocols: A Guide to Methods and Applications," Innis, et al., eds. Academic Press, Inc., New York).

Additionally, methods may be employed that result in the simultaneous identification of genes that encode a protein which interacts with a mahogany gene product. These methods include, for example, probing expression libraries with

labeled mahogany gene product, using mahogany gene product in a manner similar to the well known technique of antibody probing of  $\lambda$ gt11 libraries.

One method that detects protein interactions *in vivo*,  
5 the two-hybrid system, is described in detail for illustration only and not by way of limitation. One version of this system has been described (Chien, et al., 1991, Proc. Natl. Acad. Sci. USA, 88, 9578-9582) and is commercially available from Clontech (Palo Alto, CA).

10 Briefly, utilizing such a system, plasmids are constructed that encode two hybrid proteins: one consists of the DNA-binding domain of a transcription activator protein fused to the mahogany gene product and the other consists of the transcription activator protein's activation domain fused to an unknown protein that is encoded by a cDNA that has been  
15 recombined into this plasmid as part of a cDNA library. The DNA-binding domain fusion plasmid and the cDNA library are transformed into a strain of the yeast *Saccharomyces cerevisiae* that contains a reporter gene (e.g., HBS or *lacZ*) whose regulatory region contains the transcription  
20 activator's binding site. Either hybrid protein alone cannot activate transcription of the reporter gene: the DNA-binding domain hybrid cannot because it does not provide activation function and the activation domain hybrid cannot because it cannot localize to the activator's binding sites.  
25 Interaction of the two hybrid proteins reconstitutes the functional activator protein and results in expression of the reporter gene, which is detected by an assay for the reporter gene product.

The two-hybrid system or related methodologies may be used to screen activation domain libraries for proteins that  
30 interact with the "bait" gene product. By way of example, and not by way of limitation, mahogany gene products may be used as the bait gene product. Total genomic or cDNA

sequences are fused to the DNA encoding an activation domain. This library and a plasmid encoding a hybrid of a bait mahogany gene product fused to the DNA-binding domain are co-transformed into a yeast reporter strain, and the resulting  
5 transformants are screened for those that express the reporter gene. For example, a bait mahogany gene sequence, such as the open reading frame of the mahogany gene, can be cloned into a vector such that it is translationally fused to the DNA encoding the DNA-binding domain of the GAL4 protein. These colonies are purified and the library plasmids  
10 responsible for reporter gene expression are isolated. DNA sequencing is then used to identify the proteins encoded by the library plasmids.

A cDNA library of the cell line from which proteins that interact with bait mahogany gene product are to be detected  
15 can be made using methods routinely practiced in the art. According to the particular system described herein, for example, the cDNA fragments can be inserted into a vector such that they are translationally fused to the transcriptional activation domain of GAL4. Such a library  
20 can be co-transformed along with the bait mahogany gene-GAL4 fusion plasmid into a yeast strain that contains a lacZ gene driven by a promoter that contains GAL4 activation sequence. A cDNA encoded protein, fused to a GAL4 transcriptional activation domain that interacts with bait mahogany gene  
25 product will reconstitute an active GAL4 protein and thereby drive expression of the HIS3 gene. Colonies that express HIS3 can be detected by their growth on petri dishes containing semi-solid agar based media lacking histidine. The cDNA can then be purified from these strains, and used to produce and isolate the bait mahogany gene product-  
30 interacting protein using techniques routinely practiced in the art.

5.4.2.3. ASSAYS FOR COMPOUNDS THAT INTERFERE  
WITH MAHOGANY GENE PRODUCT  
MACROMOLECULE INTERACTION

The mahogany gene products may, *in vivo*, interact with  
5 one or more macromolecules, such as proteins. For example,  
the mahogany gene products may, *in vivo*, interact with the  
mahoganoid gene products. Other macromolecules which  
interact with the mahogany gene products may include, but are  
not limited to, nucleic acid molecules and those proteins  
10 identified via methods such as those described, above, in  
Sections 5.4.2.1 - 5.4.2.2. For purposes of this discussion,  
the macromolecules are referred to herein as "binding  
partners". Compounds that disrupt mahogany gene product  
binding to a binding partner may be useful in regulating the  
activity of the mahogany gene product, especially mutant  
15 mahogany gene products. Such compounds may include, but are  
not limited to molecules such as peptides, and the like, as  
described, for example, in Section 5.4.2.1 above.

The basic principle of an assay system used to identify  
compounds that interfere with the interaction between the  
20 mahogany gene product and a binding partner or partners  
involves preparing a reaction mixture containing the mahogany  
gene product and the binding partner under conditions and for  
a time sufficient to allow the two to interact and bind, thus  
forming a complex. In order to test a compound for  
25 inhibitory activity, the reaction mixture is prepared in the  
presence and absence of the test compound. The test compound  
may be initially included in the reaction mixture, or may be  
added at a time subsequent to the addition of mahogany gene  
product and its binding partner. Control reaction mixtures  
are incubated without the test compound or with a compound  
30 which is known not to block complex formation. The formation  
of any complexes between the mahogany gene product and the  
binding partner is then detected. The formation of a complex

in the control reaction, but not in the reaction mixture containing the test compound, indicates that the compound interferes with the interaction of the mahogany gene product and the binding partner. Additionally, complex formation within reaction mixtures containing the test compound and normal mahogany gene product may also be compared to complex formation within reaction mixtures containing the test compound and a mutant mahogany gene product. This comparison may be important in those cases wherein it is desirable to identify compounds that disrupt interactions of mutant but not normal mahogany gene product.

The assay for compounds that interfere with the interaction of the mahogany gene products and binding partners can be conducted in a heterogeneous or homogeneous format. Heterogeneous assays involve anchoring either the mahogany gene product or the binding partner onto a solid support and detecting complexes formed on the solid support at the end of the reaction. In homogeneous assays, the entire reaction is carried out in a liquid phase. In either approach, the order of addition of reactants can be varied to obtain different information about the compounds being tested. For example, test compounds that interfere with the interaction between the mahogany gene products and the binding partners, e.g., by competition, can be identified by conducting the reaction in the presence of the test substance; i.e., by adding the test substance to the reaction mixture prior to or simultaneously with the mahogany gene product and interactive intracellular binding partner. Alternatively, test compounds that disrupt preformed complexes, e.g., compounds with higher binding constants that displace one of the components from the complex, can be tested by adding the test compound to the reaction mixture after complexes have been formed. The various formats are described briefly below.



In a heterogeneous assay system, either the mahogany gene product or the interactive binding partner, is anchored onto a solid surface, while the non-anchored species is labeled, either directly or indirectly. In practice, 5 microtiter plates are conveniently utilized. The anchored species may be immobilized by non-covalent or covalent attachments. Non-covalent attachment may be accomplished simply by coating the solid surface with a solution of the mahogany gene product or binding partner and drying. Alternatively, an immobilized antibody specific for the 10 species to be anchored may be used to anchor the species to the solid surface. The surfaces may be prepared in advance and stored.

In order to conduct the assay, the partner of the immobilized species is exposed to the coated surface with or 15 without the test compound. After the reaction is complete, unreacted components are removed (e.g., by washing) and any complexes formed will remain immobilized on the solid surface. The detection of complexes anchored on the solid surface can be accomplished in a number of ways. Where the 20 non-immobilized species is pre-labeled, the detection of label immobilized on the surface indicates that complexes were formed. Where the non-immobilized species is not pre-labeled, an indirect label can be used to detect complexes anchored on the surface; e.g., using a labeled antibody specific for the initially non-immobilized species (the 25 antibody, in turn, may be directly labeled or indirectly labeled with a labeled anti-Ig antibody). Depending upon the order of addition of reaction components, test compounds that inhibit complex formation or that disrupt preformed complexes can be detected.

30 Alternatively, the reaction can be conducted in a liquid phase in the presence or absence of the test compound, the reaction products separated from unreacted components, and

complexes detected; e.g., using an immobilized antibody specific for one of the binding components to anchor any complexes formed in solution, and a labeled antibody specific for the other partner to detect anchored complexes. Again, depending upon the order of addition of reactants to the liquid phase, test compounds that inhibit complex formation or that disrupt preformed complexes can be identified.

In an alternate embodiment of the invention, a homogeneous assay can be used. In this approach, a preformed complex of the mahogany gene product and the interactive binding partner is prepared in which either the mahogany gene product or its binding partners is labeled, but the signal generated by the label is quenched due to complex formation (see, e.g., U.S. Patent No. 4,109,496 by Rubenstein which utilizes this approach for immunoassays). The addition of a test substance that competes with and displaces one of the species from the preformed complex will result in the generation of a signal above background. In this way, test substances that disrupt mahogany gene product/binding partner interaction can be identified.

In another embodiment of the invention, these same techniques can be employed using peptide fragments that correspond to the binding domains of the mahogany gene product and/or the binding partner (in cases where the binding partner is a protein), in place of one or both of the full length proteins. Any number of methods routinely practiced in the art can be used to identify and isolate the binding sites. These methods include, but are not limited to, mutagenesis of the gene encoding one of the proteins and screening for disruption of binding in a co-immunoprecipitation assay. Compensating mutations in the gene encoding the second species in the complex can then be selected. Sequence analysis of the genes encoding the respective proteins will reveal the mutations that correspond

to the region of the protein involved in interactive binding. Alternatively, one protein can be anchored to a solid surface using methods described in this Section above, and allowed to interact with and bind to its labeled binding partner, which  
5 has been treated with a proteolytic enzyme, such as trypsin. After washing, a short, labeled peptide comprising the binding domain may remain associated with the solid material, which can be isolated and identified by amino acid sequencing. Also, once the gene coding for the segments is engineered to express peptide fragments of the protein, it  
10 can then be tested for binding activity and purified or synthesized.

For example, and not by way of limitation, a mahogany gene product can be anchored to a solid material as described, above, in this Section by making a GST-1 fusion  
15 protein and allowing it to bind to glutathione agarose beads. The binding partner can be labeled with a radioactive isotope, such as  $^{35}\text{S}$ , and cleaved with a proteolytic enzyme such as trypsin. Cleavage products can then be added to the anchored GST-1 fusion protein and allowed to bind. After  
20 washing away unbound peptides, labeled bound material, representing the binding partner binding domain, can be eluted, purified, and analyzed for amino acid sequence by well-known methods. Peptides so identified can be produced synthetically or produced using recombinant DNA technology.

25

#### 5.4.2.4. ASSAYS FOR THE IDENTIFICATION OF COMPOUNDS THAT AMELIORATE BODY WEIGHT DISORDERS

Compounds, including but not limited to binding  
compounds identified via assay techniques such as those  
30 described, above, in Sections 5.4.2.1 - 5.4.2.3, can be tested for the ability to ameliorate body weight disorder symptoms, including obesity, cachexia, and anorexia. It

should be noted that the assays described herein can identify compounds that affect mahogany activity by either affecting mahogany gene expression or by affecting the level of mahogany gene product activity. For example, compounds may  
5 be identified that are involved in another step in the pathway in which the mahogany gene and/or mahogany gene product is involved, such as, for example, a step which is either "upfield" or "downfield" of the step in the pathway mediated by the mahogany gene. Such compounds may, by  
10 affecting this same pathway, modulate the effect of mahogany on the development of body weight disorders. Such compounds can be used as part of a therapeutic method for the treatment of the disorder.

Described below are cell-based and animal model-based assays for the identification of compounds exhibiting such an  
15 ability to ameliorate body weight disorder symptoms.

First, cell-based systems can be used to identify compounds that may act to ameliorate body weight disorder symptoms. Such cell systems can include, for example, recombinant or non-recombinant cell, such as cell lines, that  
20 express the mahogany gene.

In utilizing such cell systems, cells that express mahogany may be exposed to a compound suspected of exhibiting an ability to ameliorate body weight disorder symptoms, at a sufficient concentration and for a sufficient time to elicit such an amelioration of such symptoms in the exposed cells.  
25 After exposure, the cells can be assayed to measure alterations in the expression of the mahogany gene, e.g., by assaying cell lysates for mahogany mRNA transcripts (e.g., by Northern analysis) or for mahogany gene products expressed by the cell; compounds that modulate expression of the mahogany  
30 gene are good candidates as therapeutics.

In addition, animal-based systems or models for a mammalian body weight disorder, for example, transgenic mice

containing a human or altered form of mahogany gene, may be used to identify compounds capable of ameliorating symptoms of the disorder. Such animal models may be used as test substrates for the identification of drugs, pharmaceuticals, therapies and interventions. For example, animal models may be exposed to a compound suspected of exhibiting an ability to ameliorate symptoms, at a sufficient concentration and for a sufficient time to elicit such an amelioration of body weight disorder symptoms. The response of the animals to the exposure may be monitored by assessing the reversal of the symptoms of the disorder.

With regard to intervention, any treatments that reverse any aspect of body weight disorder-like symptoms should be considered as candidates for human therapeutic intervention in such a disorder. Dosages of test agents may be determined by deriving dose-response curves, as discussed in Section 5.5.1, below.

#### 5.4.3.COMPOUNDS AND METHODS FOR THE TREATMENT OF BODY WEIGHT DISORDERS

Described below are methods and compositions whereby body weight disorders, including obesity, cachexia, and anorexia, may be treated. Such methods can comprise, for example administering compounds which modulate the expression of a mammalian mahogany gene and/or the synthesis or activity of a mammalian mahogany gene product, so that symptoms of the body weight disorder are ameliorated. Alternatively, in those instances whereby the mammalian body weight disorder results from mahogany gene mutations, such methods can comprise supplying the mammal with a nucleic acid molecule encoding an unimpaired mahogany gene product such that an unimpaired mahogany gene product is expressed and symptoms of the disorder are ameliorated.

In another embodiment of methods for the treatment of mammalian body weight disorders resulting from mahogany gene mutations, such methods can comprise supplying the mammal with a cell comprising a nucleic acid molecule that encodes an unimpaired mahogany gene product such that the cell expresses the unimpaired mahogany gene product, and symptoms of the disorder are ameliorated.

Because a loss of normal mahogany gene function results in the restoration of a non-obese phenotype in individuals exhibiting an agouti mutation (e.g. individuals that ectopically express the agouti gene in all tissues) a decrease or elimination of normal mahogany gene product would facilitate progress towards a normal body weight state in such individuals. Methods for inhibiting or reducing the level of mahogany gene product synthesis or expression can include, for example, methods such as those described in Section 5.4.3.1.

Alternatively, symptoms of certain body weight disorders such as, for example, cachexia and anorexia, which involve a lower than normal body weight phenotype, may be ameliorated by increasing the level of mahogany gene expression and/or mahogany gene product activity. Methods for enhancing the expression or synthesis of mahogany can include, for example, methods such as those described below, in Section 5.4.3.2

#### 5.4.3.1. INHIBITORY ANTISENSE, RIBOZYME AND TRIPLE HELIX APPROACHES

In another embodiment, symptoms of body weight disorders may be ameliorated by decreasing the level of mahogany gene expression and/or mahogany gene product activity by using mahogany gene sequences in conjunction with well-known antisense, gene "knock-out," ribozyme and/or triple helix methods to decrease the level of mahogany gene expression. Among the compounds that may exhibit the ability to modulate

the activity, expression or synthesis of the mahogany gene, including the ability to ameliorate the symptoms of a mammalian body weight disorder, are antisense, ribozyme, and triple helix molecules. Such molecules may be designed to  
5 reduce or inhibit either unimpaired, or if appropriate, mutant target gene activity. Techniques for the production and use of such molecules are well known to those of skill in the art.

Antisense RNA and DNA molecules act to directly block the translation of mRNA by hybridizing to targeted mRNA and  
10 preventing protein translation. Antisense approaches involve the design of oligonucleotides that are complementary to a target gene mRNA. The antisense oligonucleotides will bind to the complementary target gene mRNA transcripts and prevent translation. Absolute complementarity, although preferred,  
15 is not required.

A sequence "complementary" to a portion of an RNA, as referred to herein, means a sequence having sufficient complementarity to be able to hybridize with the RNA, forming a stable duplex; in the case of double-stranded antisense  
20 nucleic acids, a single strand of the duplex DNA may thus be tested, or triplex formation may be assayed. The ability to hybridize will depend on both the degree of complementarity and the length of the antisense nucleic acid. Generally, the longer the hybridizing nucleic acid, the more base mismatches  
25 with an RNA it may contain and still form a stable duplex (or triplex, as the case may be). One skilled in the art can ascertain a tolerable degree of mismatch by use of standard procedures to determine the melting point of the hybridized complex.

In one embodiment, oligonucleotides complementary to  
30 non-coding regions of the mahogany gene could be used in an antisense approach to inhibit translation of endogenous mahogany mRNA. Antisense nucleic acids should be at least

six nucleotides in length, and are preferably oligonucleotides ranging from 6 to about 50 nucleotides in length. In specific aspects the oligonucleotide is at least 10 nucleotides, at least 17 nucleotides, at least 25  
5 nucleotides or at least 50 nucleotides.

Regardless of the choice of target sequence, it is preferred that *in vitro* studies are first performed to quantitate the ability of the antisense oligonucleotide to inhibit gene expression. It is preferred that these studies  
10 utilize controls that distinguish between antisense gene inhibition and nonspecific biological effects of oligonucleotides. It is also preferred that these studies compare levels of the target RNA or protein with that of an internal control RNA or protein. Additionally, it is  
15 envisioned that results obtained using the antisense oligonucleotide are compared with those obtained using a control oligonucleotide. It is preferred that the control oligonucleotide is of approximately the same length as the test oligonucleotide and that the nucleotide sequence of the oligonucleotide differs from the antisense sequence no more  
20 than is necessary to prevent specific hybridization to the target sequence.

The oligonucleotides can be DNA or RNA or chimeric mixtures or derivatives or modified versions thereof, single-stranded or double-stranded. The oligonucleotide can be  
25 modified at the base moiety, sugar moiety, or phosphate backbone, for example, to improve stability of the molecule, hybridization, etc. The oligonucleotide may include other appended groups such as peptides (e.g., for targeting host cell receptors *in vivo*), or agents facilitating transport  
30 across the cell membrane (see, e.g., Letsinger, et al., 1989, Proc. Natl. Acad. Sci. U.S.A. 86, 6553-6556; Lemaitre, et al., 1987, Proc. Natl. Acad. Sci. U.S.A. 84, 648-652; PCT Publication No. WO88/09810, published December 15, 1988) or



the blood-brain barrier (see, e.g., PCT Publication No. WO89/10134, published April 25, 1988), hybridization-triggered cleavage agents (see, e.g., Krol et al., 1988, BioTechniques 6, 958-976) or intercalating agents (see, e.g.,  
5 Zon, 1988, Pharm. Res. 5, 539-549). To this end, the oligonucleotide may be conjugated to another molecule, e.g., a peptide, hybridization triggered cross-linking agent, transport agent, hybridization-triggered cleavage agent, etc.

The antisense oligonucleotide may comprise at least one  
10 modified base moiety which is selected from the group including but not limited to 5-fluorouracil, 5-bromouracil, 5-chlorouracil, 5-iodouracil, hypoxanthine, xanthine, 4-acetylcytosine, 5-(carboxyhydroxymethyl) uracil, 5-carboxymethylaminomethyl-2-thiouridine, 5-carboxymethylaminomethyluracil, dihydrouracil, beta-D-  
15 galactosylqueosine, inosine, N6-isopentenyladenine, 1-methylguanine, 1-methylinosine, 2,2-dimethylguanine, 2-methyladenine, 2-methylguanine, 3-methylcytosine, 5-methylcytosine, N6-adenine, 7-methylguanine, 5-methylaminomethyluracil, 5-methoxyaminomethyl-2-thiouracil, 20 beta-D-mannosylqueosine, 5'-methoxycarboxymethyluracil, 5-methoxyuracil, 2-methylthio-N6-isopentenyladenine, uracil-5-oxyacetic acid (v), wybutoxosine, pseudouracil, queosine, 2-thiocytosine, 5-methyl-2-thiouracil, 2-thiouracil, 4-thiouracil, 5-methyluracil, uracil-  
25 5-oxyacetic acid methylester, uracil-5-oxyacetic acid (v), 5-methyl-2-thiouracil, 3-(3-amino-3-N-2-carboxypropyl) uracil, (acp3)w, and 2,6-diaminopurine.

The antisense oligonucleotide may also comprise at least one modified sugar moiety selected from the group including  
30 but not limited to arabinose, 2-fluoroarabinose, xylulose, and hexose.

In yet another embodiment, the antisense oligonucleotide comprises at least one modified phosphate backbone selected

from the group consisting of a phosphorothioate, a phosphorodithioate, a phosphoramidothioate, a phosphoramidate, a phosphordiamidate, a methylphosphonate, an alkyl phosphotriester, and a formacetal or analog thereof.

5 In yet another embodiment, the antisense oligonucleotide is an  $\alpha$ -anomeric oligonucleotide. An  $\alpha$ -anomeric oligonucleotide forms specific double-stranded hybrids with complementary RNA in which, contrary to the usual  $\beta$ -units, the strands run parallel to each other (Gautier, et al., 1987, Nucl. Acids Res. 15, 6625-6641). The oligonucleotide  
10 is a 2'-O-methylribonucleotide (Inoue, et al., 1987, Nucl. Acids Res. 15, 6131-6148), or a chimeric RNA-DNA analogue (Inoue, et al., 1987, FEBS Lett. 215, 327-330).

Oligonucleotides of the invention may be synthesized by standard methods known in the art, e.g., by use of an  
15 automated DNA synthesizer (such as are commercially available from Biosearch, Applied Biosystems, etc.). As examples, phosphorothioate oligonucleotides may be synthesized by the method of Stein, et al. (1988, Nucl. Acids Res. 16, 3209), methylphosphonate oligonucleotides can be prepared by use of  
20 controlled pore glass polymer supports (Sarin, et al., 1988, Proc. Natl. Acad. Sci. U.S.A. 85, 7448-7451), etc.

While antisense nucleotides complementary to the target gene coding region sequence could be used, those complementary to the transcribed, untranslated region are  
25 most preferred.

Antisense molecules should be delivered to cells that express the target gene in vivo. A number of methods have been developed for delivering antisense DNA or RNA to cells; e.g., antisense molecules can be injected directly into the tissue site, or modified antisense molecules, designed to  
30 target the desired cells (e.g., antisense linked to peptides or antibodies that specifically bind receptors or antigens

expressed on the target cell surface) can be administered systemically.

However, it is often difficult to achieve intracellular concentrations of the antisense sufficient to suppress translation of endogenous mRNAs. Therefore a preferred approach utilizes a recombinant DNA construct in which the antisense oligonucleotide is placed under the control of a strong pol III or pol II promoter. The use of such a construct to transfect target cells in the patient will result in the transcription of sufficient amounts of single stranded RNAs that will form complementary base pairs with the endogenous target gene transcripts and thereby prevent translation of the target gene mRNA. For example, a vector can be introduced e.g., such that it is taken up by a cell and directs the transcription of an antisense RNA. Such a vector can remain episomal or become chromosomally integrated, as long as it can be transcribed to produce the desired antisense RNA. Such vectors can be constructed by recombinant DNA technology methods standard in the art. Vectors can be plasmid, viral, or others known in the art, used for replication and expression in mammalian cells. Expression of the sequence encoding the antisense RNA can be by any promoter known in the art to act in mammalian, preferably human cells. Such promoters can be inducible or constitutive. Such promoters include but are not limited to: the SV40 early promoter region (Bernoist and Chambon, 1981, Nature 290, 304-310), the promoter contained in the 3' long terminal repeat of Rous sarcoma virus (Yamamoto, et al., 1980, Cell 22, 787-797), the herpes thymidine kinase promoter (Wagner, et al., 1981, Proc. Natl. Acad. Sci. U.S.A. 78, 1441-1445), the regulatory sequences of the metallothionein gene (Brinster, et al., 1982, Nature 296, 39-42), etc. Any type of plasmid, cosmid, YAC or viral vector can be used to prepare the recombinant DNA construct which can be introduced

directly into the tissue site. Alternatively, viral vectors can be used that selectively infect the desired tissue, in which case administration may be accomplished by another route (e.g., systemically).

5        Ribozyme molecules designed to catalytically cleave target gene mRNA transcripts can also be used to prevent translation of target gene mRNA and, therefore, expression of target gene product. (See, e.g., PCT International Publication WO90/11364, published October 4, 1990; Sarver, et al., 1990, Science 247, 1222-1225).

10        Ribozymes are enzymatic RNA molecules capable of catalyzing the specific cleavage of RNA. (For a review, see Rossi, 1994, Current Biology 4, 469-471). The mechanism of ribozyme action involves sequence specific hybridization of the ribozyme molecule to complementary target RNA, followed  
15 by an endonucleolytic cleavage event. The composition of ribozyme molecules must include one or more sequences complementary to the target gene mRNA, and must include the well known catalytic sequence responsible for mRNA cleavage. For this sequence, see, e.g., U.S. Patent No. 5,093,246,  
20 which is incorporated herein by reference in its entirety.

While ribozymes that cleave mRNA at site specific recognition sequences can be used to destroy target gene mRNAs, the use of hammerhead ribozymes is preferred. Hammerhead ribozymes cleave mRNAs at locations dictated by  
25 flanking regions that form complementary base pairs with the target mRNA. The sole requirement is that the target mRNA have the following sequence of two bases: 5'-UG-3'. The construction and production of hammerhead ribozymes is well known in the art and is described more fully in Myers, 1995, *Molecular Biology and Biotechnology: A Comprehensive Desk*  
30 *Reference*, VCH Publishers, New York, (see especially Figure 4, page 833) and in Haseloff and Gerlach, 1988, Nature, 334,

585-591, which is incorporated herein by reference in its entirety.

Preferably the ribozyme is engineered so that the cleavage recognition site is located near the 5' end of the target gene mRNA, i.e., to increase efficiency and minimize the intracellular accumulation of non-functional mRNA transcripts.

The ribozymes of the present invention also include RNA endoribonucleases (hereinafter "Cech-type ribozymes") such as the one that occurs naturally in *Tetrahymena thermophila* (known as the IVS, or L-19 IVS RNA) and that has been extensively described by Thomas Cech and collaborators (Zaug, et al., 1984, Science, 224, 574-578; Zaug and Cech, 1986, Science, 231, 470-475; Zaug, et al., 1986, Nature, 324, 429-433; published International patent application No. WO 88/04300 by University Patents Inc.; Been and Cech, 1986, Cell, 47, 207-216). The Cech-type ribozymes have an eight base pair active site which hybridizes to a target RNA sequence whereafter cleavage of the target RNA takes place. The invention encompasses those Cech-type ribozymes which target eight base-pair active site sequences that are present in the target gene.

As in the antisense approach, the ribozymes can be composed of modified oligonucleotides (e.g., for improved stability, targeting, etc.) and should be delivered to cells that express the target gene *in vivo*. A preferred method of delivery involves using a DNA construct "encoding" the ribozyme under the control of a strong constitutive pol III or pol II promoter, so that transfected cells will produce sufficient quantities of the ribozyme to destroy endogenous target gene messages and inhibit translation. Because ribozymes unlike antisense molecules, are catalytic, a lower intracellular concentration is required for efficiency.

Endogenous target gene expression can also be reduced by inactivating or "knocking out" the target gene or its promoter using targeted homologous recombination (e.g., see Smithies, et al., 1985, Nature 317, 230-234; Thomas and  
5 Capecchi, 1987, Cell 51, 503-512; Thompson, et al., 1989, Cell 5, 313-321; each of which is incorporated by reference herein in its entirety). For example, a mutant, non-functional target gene (or a completely unrelated DNA  
10 sequence) flanked by DNA homologous to the endogenous target gene (either the coding regions or regulatory regions of the target gene) can be used, with or without a selectable marker and/or a negative selectable marker, to transfect cells that express the target gene *in vivo*. Insertion of the DNA  
construct, via targeted homologous recombination, results in  
15 inactivation of the target gene. Such approaches are particularly suited in the agricultural field where modifications to ES (embryonic stem) cells can be used to generate animal offspring with an inactive target gene (e.g., see Thomas and Capecchi, 1987 and Thompson, 1989, *supra*). However this approach can be adapted for use in humans  
20 provided the recombinant DNA constructs are directly administered or targeted to the required site *in vivo* using appropriate viral vectors.

Alternatively, endogenous target gene expression can be reduced by targeting deoxyribonucleotide sequences  
25 complementary to the regulatory region of the target gene (i.e., the target gene promoter and/or enhancers) to form triple helical structures that prevent transcription of the target gene in target cells in the body. (See generally, Helene, 1991, Anticancer Drug Des., 6(6), 569-584; Helene, et al., 1992, Ann. N.Y. Acad. Sci., 660, 27-36; and Maher, 1992,  
30 Bioassays 14(12), 807-815).

Nucleic acid molecules to be used in triplex helix formation for the inhibition of transcription should be

single stranded and composed of deoxynucleotides. The base composition of these oligonucleotides must be designed to promote triple helix formation via Hoogsteen base pairing rules, which generally require sizeable stretches of either  
5 purines or pyrimidines to be present on one strand of a duplex. Nucleotide sequences may be pyrimidine-based, which will result in TAT and CGC triplets across the three associated strands of the resulting triple helix. The pyrimidine-rich molecules provide base complementarity to a  
10 purine-rich region of a single strand of the duplex in a parallel orientation to that strand. In addition, nucleic acid molecules may be chosen that are purine-rich, for example, contain a stretch of G residues. These molecules will form a triple helix with a DNA duplex that is rich in GC pairs, in which the majority of the purine residues are  
15 located on a single strand of the targeted duplex, resulting in GGC triplets across the three strands in the triplex.

Alternatively, the potential sequences that can be targeted for triple helix formation may be increased by creating a so called "switchback" nucleic acid molecule.  
20 Switchback molecules are synthesized in an alternating 5'-3', 3'-5' manner, such that they base pair with first one strand of a duplex and then the other, eliminating the necessity for a sizeable stretch of either purines or pyrimidines to be present on one strand of a duplex.

In instances wherein the antisense, ribozyme, and/or  
25 triple helix molecules described herein are utilized to inhibit mutant gene expression, it is possible that the technique may so efficiently reduce or inhibit the transcription (triple helix) and/or translation (antisense, ribozyme) of mRNA produced by normal target gene alleles that  
30 the possibility may arise wherein the concentration of normal target gene product present may be lower than is necessary for a normal phenotype. In such cases, to ensure that

substantially normal levels of target gene activity are maintained, therefore, nucleic acid molecules that encode and express target gene polypeptides exhibiting normal target gene activity may, be introduced into cells via gene therapy methods such as those described, below, in Section 5.9.2 that do not contain sequences susceptible to whatever antisense, ribozyme, or triple helix treatments are being utilized. Alternatively, in instances whereby the target gene encodes an extracellular protein, it may be preferable to co-administer normal target gene protein in order to maintain the requisite level of target gene activity.

Anti-sense RNA and DNA, ribozyme, and triple helix molecules of the invention may be prepared by any method known in the art for the synthesis of DNA and RNA molecules, as discussed above. These include techniques for chemically synthesizing oligodeoxyribonucleotides and oligoribonucleotides well known in the art such as for example solid phase phosphoramidite chemical synthesis. Alternatively, RNA molecules may be generated by *in vitro* and *in vivo* transcription of DNA sequences encoding the antisense RNA molecule. Such DNA sequences may be incorporated into a wide variety of vectors that incorporate suitable RNA polymerase promoters such as the T7 or SP6 polymerase promoters. Alternatively, antisense cDNA constructs that synthesize antisense RNA constitutively or inducibly, depending on the promoter used, can be introduced stably into cell lines.

#### 5.4.3.2. GENE REPLACEMENT THERAPY

Mahogany gene nucleic acid sequences, described above in Section 5.1, can be utilized for the treatment of a mammalian body weight disorders, including obesity, cachexia, and anorexia. Such treatment can be in the form of gene replacement therapy. Specifically, one or more copies of a



normal mahogany gene or a portion of the mahogany gene that directs the production of a mahogany gene product exhibiting normal mahogany gene function, may be inserted into the appropriate cells within a patient, using vectors that  
5 include, but are not limited to adenovirus, adeno-associated virus, and retrovirus vectors, in addition to other particles that introduce DNA into cells, such as liposomes.

Because the mahogany gene is expressed in the brain, such gene replacement therapy techniques should be capable  
10 delivering mahogany gene sequences to these cell types within patients. Thus, in one embodiment, techniques that are well known to those of skill in the art (see, e.g., PCT Publication No. WO89/10134, published April 25, 1988) can be used to enable mahogany gene sequences to cross the blood-brain barrier readily and to deliver the sequences to cells  
15 in the brain. With respect to delivery that is capable of crossing the blood-brain barrier, viral vectors such as, for example, those described above, are preferable.

In another embodiment, techniques for delivery involve direct administration of such mahogany gene sequences to the  
20 site of the cells in which the mahogany gene sequences are to be expressed.

Additional methods that may be utilized to increase the overall level of mahogany gene expression and/or mahogany gene product activity include using target homologous  
25 recombination methods, discussed in Section 5.2, above, to modify the expression characteristic of an endogenous mahogany gene in a cell or microorganism by inserting a heterologous DNA regulatory element such that the inserted regulatory element is operatively linked with the endogenous mahogany gene in question. Targeted homologous recombination  
30 can be thus used to activated transcription of an endogenous mahogany gene that is "transcriptionally silent", i.e., is

not normally expressed, or to enhance the expression of an endogenous mahogany gene that is normally expressed.

Further, the overall level of mahogany gene expression and/or mahogany gene product activity may be increased by the  
5 introduction of appropriate mahogany-expressing cells, preferably autologous cells, into a patient at positions and in numbers that are sufficient to ameliorate body weight disorder symptoms. Such cells may be either recombinant or non-recombinant.

10 Among the cells that can be administered to increase the overall level of mahogany gene expression in a patient are normal cells, preferably brain cells, that express the mahogany gene. Alternatively, cells, preferably autologous cells, can be engineered to express mahogany gene sequences, and may then be introduced into a patient in positions  
15 appropriate for the amelioration of the body weight disorder symptoms. Alternately, cells that express an unimpaired mahogany gene and that are from a MHC matched individual can be utilized, and may include, for example, brain cells. The expression of the mahogany gene sequences is controlled by  
20 the appropriate gene regulatory sequences to allow such expression in the necessary cell types. Such gene regulatory sequences are well known to the skilled artisan. Such cell-based gene therapy techniques are well known to those skilled in the art, see, e.g., Anderson, U.S. Patent No. 5,399,349.

25 When the cells to be administered are non-autologous cells, they can be administered using well known techniques that prevent a host immune response against the introduced cells from developing. For example, the cells may be introduced in an encapsulated form which, while allowing for an exchange of components with the immediate extracellular  
30 environment, does not allow the introduced cells to be recognized by the host immune system.

Additionally, compounds, such as those identified via techniques such as those described, above, in Section 5.4.2, that are capable of modulating mahogany gene product activity can be administered using standard techniques that are well known to those of skill in the art. In instances in which the compounds to be administered are to involve an interaction with brain cells, the administration techniques should include well known ones that allow for a crossing of the blood-brain barrier.

10

#### 5.5. PHARMACEUTICAL PREPARATIONS AND METHODS OF ADMINISTRATION

The compounds that are determined to affect mahogany gene expression or gene product activity can be administered to a patient at therapeutically effective doses to treat or ameliorate body weight disorders, such as obesity, anorexia, or cachexia. A therapeutically effective dose refers to that amount of the compound sufficient to result in amelioration of symptoms of such a disorder.

20

##### 5.5.1. EFFECTIVE DOSE

Toxicity and therapeutic efficacy of such compounds can be determined by standard pharmaceutical procedures in cell cultures or experimental animals, e.g., for determining the  $LD_{50}$  (the dose lethal to 50% of the population) and the  $ED_{50}$  (the dose therapeutically effective in 50% of the population). The dose ratio between toxic and therapeutic effects is the therapeutic index and it can be expressed as the ratio  $LD_{50}/ED_{50}$ . Compounds that exhibit large therapeutic indices are preferred. While compounds that exhibit toxic side effects may be used, care should be taken to design a delivery system that targets such compounds to the site of affected tissue in order to minimize potential damage to uninfected cells and, thereby, reduce side effects.

The data obtained from the cell culture assays and animal studies can be used in formulating a range of dosage for use in humans. The dosage of such compounds lies preferably within a range of circulating concentrations that include the  $ED_{50}$  with little or no toxicity. The dosage may vary within this range depending upon the dosage form employed and the route of administration utilized. For any compound used in the method of the invention, the therapeutically effective dose can be estimated initially from cell culture assays. A dose may be formulated in animal models to achieve a circulating plasma concentration range that includes the  $IC_{50}$  (i.e., the concentration of the test compound that achieves a half-maximal inhibition of symptoms) as determined in cell culture. Such information can be used to more accurately determine useful doses in humans. Levels in plasma may be measured, for example, by high performance liquid chromatography.

#### 5.5.2. FORMULATIONS AND USE

Pharmaceutical compositions for use in accordance with the present invention may be formulated in conventional manner using one or more physiologically acceptable carriers or excipients.

Thus, the compounds and their physiologically acceptable salts and solvates may be formulated for administration by inhalation or insufflation (either through the mouth or the nose) or oral, buccal, parenteral or rectal administration.

For oral administration, the pharmaceutical compositions may take the form of, for example, tablets or capsules prepared by conventional means with pharmaceutically acceptable excipients such as binding agents (e.g., pregelatinised maize starch, polyvinylpyrrolidone or hydroxypropyl methylcellulose); fillers (e.g., lactose, microcrystalline cellulose or calcium hydrogen phosphate);

lubricants (e.g., magnesium stearate, talc or silica);  
disintegrants (e.g., potato starch or sodium starch  
glycolate); or wetting agents (e.g., sodium lauryl sulphate).  
The tablets may be coated by methods well known in the art.  
5 Liquid preparations for oral administration may take the form  
of, for example, solutions, syrups or suspensions, or they  
may be presented as a dry product for constitution with water  
or other suitable vehicle before use. Such liquid  
preparations may be prepared by conventional means with  
10 pharmaceutically acceptable additives such as suspending  
agents (e.g., sorbitol syrup, cellulose derivatives or  
hydrogenated edible fats); emulsifying agents (e.g., lecithin  
or acacia); non-aqueous vehicles (e.g., almond oil, oily  
esters, ethyl alcohol or fractionated vegetable oils); and  
15 preservatives (e.g., methyl or propyl-p-hydroxybenzoates or  
sorbic acid). The preparations may also contain buffer  
salts, flavoring, coloring and sweetening agents as  
appropriate.

Preparations for oral administration may be suitably  
formulated to give controlled release of the active compound.

20 For buccal administration the compositions may take the  
form of tablets or lozenges formulated in conventional  
manner.

For administration by inhalation, the compounds for use  
according to the present invention are conveniently delivered  
25 in the form of an aerosol spray presentation from pressurized  
packs or a nebulizer, with the use of a suitable propellant,  
e.g., dichlorodifluoromethane, trichlorofluoromethane,  
dichlorotetrafluoroethane, carbon dioxide or other suitable  
gas. In the case of a pressurized aerosol the dosage unit  
may be determined by providing a valve to deliver a metered  
30 amount. Capsules and cartridges of e.g., gelatin for use in  
an inhaler or insufflator may be formulated containing a

powder mix of the compound and a suitable powder base such as lactose or starch.

The compounds may be formulated for parenteral administration by injection, e.g., by bolus injection or  
5 continuous infusion. Formulations for injection may be presented in unit dosage form, e.g., in ampoules or in multi-dose containers, with an added preservative. The compositions may take such forms as suspensions, solutions or emulsions in oily or aqueous vehicles, and may contain  
10 formulatory agents such as suspending, stabilizing and/or dispersing agents. Alternatively, the active ingredient may be in powder form for constitution with a suitable vehicle, e.g., sterile pyrogen-free water, before use.

The compounds may also be formulated in rectal compositions such as suppositories or retention enemas, e.g.,  
15 containing conventional suppository bases such as cocoa butter or other glycerides.

In addition to the formulations described previously, the compounds may also be formulated as a depot preparation. Such long acting formulations may be administered by  
20 implantation (for example subcutaneously or intramuscularly) or by intramuscular injection. Thus, for example, the compounds may be formulated with suitable polymeric or hydrophobic materials (for example as an emulsion in an acceptable oil) or ion exchange resins, or as sparingly  
25 soluble derivatives, for example, as a sparingly soluble salt.

The compositions may, if desired, be presented in a pack or dispenser device that may contain one or more unit dosage forms containing the active ingredient. The pack may for  
30 example comprise metal or plastic foil, such as a blister pack. The pack or dispenser device may be accompanied by instructions for administration.

6. **EXAMPLE: GENETIC AND PHYSICAL MAPPING  
OF THE MAHOGANY LOCUS**

In the Example presented herein, studies are described which, first, define the genetic interval on mouse chromosome 2 within which the mahogany gene lies, and second, successfully narrow the interval to approximately 0.29 cM. Further, the physical mapping of this interval is described.

Mouse crosses were performed to obtain homozygous mg/mg mice. First, LDJ-Le-mg mice were crossed with CAST/Ei mice. The F1s were back-crossed with LDJ-Le-mg mice and the resulting litters scored for coat color. Mice showing coat color of mg/mg homozygotes were genotyped to using D2/NDS3 and D2/MIT19 markers to identify meiotic events. Mice showing recombinant events were fine structure mapped using various markers shown in FIG. 1. All genotyping was performed using PCR-SSLP and then analyzed using PAGE.

After 2300 meioses, the mahogany gene was mapped to a 0.99 cM interval FIG. 1. This corresponded to an interval width of 700 kb.

Physical Mapping of the Genetic Interval: The 700 kb mahogany region on mouse chromosome 2 is shown in FIG. 1. Genetic markers, clones spanning the region and open reading frames in the interval are shown in the figure.

7. **EXAMPLE: IDENTIFICATION OF A CANDIDATE  
MAHOGANY GENE**

In the Example presented herein, a gene is identified within the cloned DNA described in the Example in Section 6, above, which corresponds to a candidate mahogany gene.

Clones spanning the 700kb region were sequenced and open reading frames were identified and analyzed through this interval. Nucleic acid sequencing was performed using ABI sequencers and the manufactures recommended procedures. Many

novel sequences encoding proteins are located in this integral, see the bottom of FIG. 1. With each open reading frame identified, mutational analysis, primarily via SSCP analysis, was used with the three alleles of the mahogany phenotype mice to identify which of the open reading frames within this interval contain a mutation in an mg mouse.

A mutation was found in one of the genomic/cDNA sequences found in the integral in mg3J mice. Figures 3 and 2 provide the genomic and cDNA sequences surrounding the mutation, FIG. 6 shows the mutation in mg3J, and FIGS. 8 and 9 show splice variants in the 5' end of the murine mg gene. The mutation in mg3J mice is a deletion of a GCTGC sequence which results in the creation of a frameshift. Based on the chromosomal location and mutation identification, the cDNA provided in Figure 2 and the corresponding genomic DNA which contains the contigs provided in Figure 3 represent the mg gene/locus.

Further analysis of cDNA clones identified two distinct splice variants in the 5' end of the mg gene. Figure 7 provides an analysis of the structure of the two splice variants, denoted akml003 and akml004. Figures 8 and 9 provide the nucleic acid and amino acid sequence of the 5' ends of these splice variants and structural analysis of the protein encoded by the 5' regions.

Analysis of libraries of human cDNA sequences led to the identification of three forms of the human ortholog of the mg gene: a long form (FIG. 18) and two shorter splice forms, each of which is shown in FIGS. 19 and 20.

#### 8. EXAMPLE: CHARACTERIZATION OF THE MAHOGANY GENE

In the example presented herein, the nucleic acid sequence of the mahogany gene transcript identified in the example presented in Section 7, above, is used to generate



Northern analysis data which characterize the expression of the mahogany transcript in a number of tissues both of wild type mice, and of mice exhibiting the mahogany phenotype.

The results presented in this example are consistent with the  
5 mg gene being the mahogany gene.

For Northern analysis, polyA RNA was isolated from wild-type and the original mg mutant, mg3J and mg-Lester mice and utilized from the Northern analysis following standard protocols. Northern blots prepared from this mRNA was  
10 hybridized with a probe obtained from sequences common to the akml003 and akml004 sequences. Specifically PCR primers TTCCTCACTGG and GGACACACAG were used to amplify cDNA from the akml003 sequence which had been radiolabelled by random priming using a Gibco-BRL kit according to the manufacturer's recommended protocol.

15 An mg transcript was found in all mice examined in mRNA isolated from brain (minus the hypothalamus), kidney, heart, testes, liver, skin, and hypothalamus. No expression was seen in muscle.

In a Northern blot run on RNA samples from mahogany  
20 mice, the mg transcript was found to be expressed at a reduced level in all tissues in mRNA isolated from mg3J mice, as a varied size fragment in mg-Lester derived mRNA, and at different levels and sizes in original mg mutant mice derived mRNA.

25 These results are consistent with the mg gene disclosed herein as being the mahogany gene.

#### 9. EXAMPLE: EFFECTS OF THE MAHOGANY GENE ON GENETIC AND DIETARY OBESITY

This section describes experiments which examine whether  
30 the mg gene acts specifically within the agouti pathway. Specifically, these experiments test whether mg can suppress the obesity of other monogenic obese mutants as well as

whether it can suppress diet-induced obesity. The results show that *mg* does not suppress obesity in any of the monogenic obese mutants. However, *mg* can suppress diet-induced obesity. Thus, the *mg* gene and its corresponding gene product and compounds that modulate *mg* expression and/or activity have implications in the treatment of diet-induced obesity disorders, as well as in the treatment of disorders related directly to the *mg* or agouti gene.

## 9.1.

MATERIALS AND METHODS

Genetic crosses: The crosses, and the number of animals for each (n) were (LDJ/Le-*mg*/*mg* X CAST/Ei) X LDJ/Le-*mg*/*mg* (n=1588), (C3HeB/FeJ-*mg*<sup>jj</sup>/ *mg*<sup>jj</sup> X CAST/Ei) X C3HeB/FeJ-*mg*<sup>jj</sup>/ *mg*<sup>jj</sup> (n=324), (C3HeB/FeJ-*mg*<sup>jj</sup>/ *mg*<sup>jj</sup> X MOLF/Ei) X C3HeB/FeJ-*mg*<sup>jj</sup>/ *mg*<sup>jj</sup> (n=216) and (C3HeB/FeJ-*mg*<sup>jj</sup>/ *mg*<sup>jj</sup> X C57BL6/J) X C3HeB/FeJ-*mg*<sup>jj</sup>/ *mg*<sup>jj</sup> (n=309). The 2437 N<sub>2</sub> mice were analysed by coat colour to determine their genotype at the *mg* locus. As mice change color slightly at each hair molt and because the phenotype of *mg*/*mg* vs. *mg*/+ can be subtle, all mice were phenotyped at the same age by a single person. Genomic DNA was made from a tail biopsy of each mouse and analysed for multiple simple sequence length repeat polymorphism (SSLP) markers. The first ~100 mice were typed for a series of polymorphic Mit genetic markers (Deitrich, W.F. et al., 1996, *Nature* 380:149-152) from distal mouse chromosome 2 in order to accurately delimit the position of *mg*. With the first ~100 mice it was determined that *mg* mapped approximately 15cM proximal of Agouti between markers *D2Mit19* and *D2Nds3* (FIG. 13). All remaining animals were genotyped for *D2Mit19* and *D2Nds3*. Animals recombinant in that interval were typed with all available Mit markers between and for the ever growing number of markers developed during the project which, finally totaled 265 markers.

## 9.2.

RESULTS

The murine mahogany (*mg*) gene is known to act in a dosage dependent manner within the agouti pathway, to compensate for the agouti overexpression and for lack of signaling from the nul allele *McIr* (Miller, K.A. et al., 1997, *Genetics* 146:1407-1415; Dinulescu, D.M. et al., *Proc. Natl. Acad. Sci.*, in press; Robbins, L.S. et al., 1993, *Cell* 72:827-834). The phenotype of mice homozygous for both *mg* and a null allele of *McIr* (recessive yellow, *McIr<sup>e</sup>*) is yellow, the same as the phenotype of *McIr<sup>e</sup>/McIr<sup>e</sup>* mice, indicating that *mg* is not acting downstream of *McIr*. A similar experiment was performed with obese *Mcr4* knock out mice (FIG. 11). For both sexes, all the animals homozygous for *Mc4r*<sup>-/-</sup> were approximately equally obese and were heavier than the mice wild-type at *Mc4r* independent of the genotype for *mg*. This data strengthens and confirms the *McIr* data previously published, strongly suggesting that *mg* acts at or upstream of both melanocortin receptors.

To test whether *mg* acts specifically within the agouti pathway, experiments were performed to determine whether *mg* can suppress the obesity of other monogenic obese mutants of the mouse and whether it could suppress diet-induced obesity. Appropriate genetic crosses were set up to produce mice segregating *mg* and one of the mouse obesity mutations *Cpe<sup>fat</sup>*, *tub*, or *Lepr<sup>db</sup>* such that all combinations of homozygous and heterozygous animals were on the same mix of genetic background. No suppression of obesity was seen for any of the monogenic obese mutants (FIG. 12) lending credence to the assumed specificity of action within the agouti pathway. To ask whether *mg* can suppress diet induced obesity C3HeB/FeJ-*mg<sup>jj</sup>* and C3H/HeJ mice were placed, at weaning, either on normal chow having a physiological fuel value (PFV) of 3.63 kcal/gm with 9% fat, or onto a high fat diet having a PFV of 4.53 kcal/gm with 42.2% fat. Food consumption and body

weight were measured weekly. Converting the grams of food consumed to calories indicated that C3H/HeJ mice on normal chow and high fat diet consumed ~97 kCal/week and ~96 kCal/week, respectively. C3HeB/FeJ-*mg*<sup>+/+</sup> mice on normal chow and high fat diet consumed ~83 kCal/week and ~81 kCal/week, respectively. Despite the equal calorie intake, the C3H/HeJ mice on the high fat diet readily gained more weight than the C3H/HeJ mice on normal chow ( $p=0.0004$ ). In stark contrast, the C3HeB/FeJ-*mg*<sup>+/+</sup> mice on either diet showed no statistically significant difference in weight (FIG. 12D). Female data showed the same trends, although there was no statistical significance between any of the mice on either diet.

10. EXPERIMENT: MAPPING AND SEQUENCING  
OF THE MAHOGANY GENE

15 This section describes experiments wherein the murine mahogany gene was genetically and physically mapped to an approximately 0.6 cM interval, and then sequenced. The murine *mg* sequence obtained was then used to isolate and sequence the human *mg* gene. Northern and *in situ* analyses of *mg* expression in mouse tissue are also described, and sequence motifs of the predicted MG polypeptide are discussed.

10.1. MATERIALS AND METHODS

25 Physical Mapping: More than 36,000 individual sequences from the region were compared by BLAST (Altschul, S.F. et al., 1990, *J. Mol. Biol.* 215:403-410) to publicly available sequence databases and analyzed using GRAIL (Guan, X. et al., 1992, *Proc. Eighth IEEE Conference on AI Applications*:9-13) to identify potential coding sequence. In addition, 30 sequences from overlapping BACs were assembled using phrap (Sing, C.F. et al., 1998, *Genome Res.* 8:175-185; Ewing B. and Green, P., 1998, *Genome Res.* 8:186-194; Gordon, D. et al.,

1998, *Genome Res.* 8:195-202), and the resulting contigs were also analyzed using BLAST and GRAIL to aid in gene prediction. This data was displayed in ACEDb (Durbin, Richard and Mieg, Jean Thierry, 1991, *A C. elegans Database*, Documentation, code, and data available from anonymous FTP servers at lirmm.lirmm.fr, cele, mrc-lmb.cam.ac.uk, and ncbi.nlm.nih.gov) to further visualize predicted exons and their relationships to each other.

10     Northern Blot Analysis: PolyA<sup>+</sup> RNA was extracted from the tissues indicated from wild-type, C3H/HeJ and the three mutant alleles of *mg*, C3HeB/FeJ-*mg*<sup>W</sup>, LDJ/Le-*mg*, and C3H/HeJ-*mg*<sup>L</sup>, according to the manufacturer's instructions. RNA STAT-60 (Tel-Test, Inc., 1511 Sounty Rd. 129, Friendswood, TX 77546) was used to isolate total RNA. PolyA<sup>+</sup> was isolated  
15 using Poly(A)Pure™ mRNA purification kit (Ambion, Inc., 2130 Woodward St. #200, Austin, TX 78744). 2 µg of each mRNA was separated on a 1% agarose-formaldehyde gel, transferred to nylon, and hybridized with a probe for *mg* corresponding to nt 990-1406 of the murine cDNA sequence with Rapid-hyb Buffer  
20 (Amersham LIFE SCIENCE, Gaithersberg, MD). Filters were washed with 0.11x SSC, 0.1% SDS and exposed to KODAK X-omat film overnight.

## 10.2. RESULTS

25     A positional cloning strategy was undertaken to identify the *mg* gene. Multiple genetic crosses were set up to produce second generation mice (n=2437) segregating *mg* which were used to genetically localise the *mg* locus (FIG 13B). When the genetic map critical interval for *mg* was resolved to  
30 ~0.6 cM physical mapping was initiated. Approximately 1 Mb was contiged with 30 BACs (FIG. 13C), most of which were made into random sheared libraries for shot gun sequencing. At completion of the project it was estimated that 85% sequence

coverage across the interval had been achieved and that all genes within the region had been found. Twenty-nine genes were identified, 15 of which are novel genes. Within the final minimal interval for *mg*, indicated by the arrows in FIG. 13, there were eleven genes of which nine were unknown. All of these genes were tested as candidates for *mg* by examining the three mutant alleles of the mahogany locus, the original allele, *mg*, that arose in a stock of Swiss x C3H mice, and two alleles that have independently arisen on the C3H background, C3HeB/FeJ-*mg*<sup>3J</sup>/*mg*<sup>3J</sup> and C3H/He-*mg*<sup>L</sup>/*mg*<sup>L</sup>. Each gene was examined by Northern blot analysis and RT-PCR analysis of RNA from tissues from wild-type and *mg* mutant mice, by Southern blot analysis of DNA from wild-type and *mg* mutant mice, and by SSCP analysis of genomic PCR products designed to cover the intron-exon boundaries of much of each of the genes. In all, 20 genes were analyzed in this manner, one of which showed a northern blot difference between the wild type and mutant alleles (FIG. 14).

The wild type expression pattern of this gene gives three bands of size ~9 kb, 4.5 kb, and 3.8 kb, of which the largest message is the most prominent (FIG 14). The smaller two bands can be seen in all tissues but, depending upon tissue, may require extended exposure. Each of the different *mg* alleles gave a different expression pattern. C3HeB/FeJ-*mg*<sup>3J</sup>/*mg*<sup>3J</sup> has extremely low expression, the 9 kb message only being very faint in brain, hypothalamus, and fat on northern blots. C3H/He-*mg*<sup>L</sup>/*mg*<sup>L</sup> expresses a single aberrant band of approximately 9.5-10 kb in kidney, heart, muscle, fat, and, most prominently, brain and hypothalamus. The LDJ/Le-*mg*/*mg* shows an altered ratio of the three wild type messages: the 9 kb message is reduced, while the two smaller messages are more highly expressed, in particular being very abundant in fat and hypothalamus. *In situ* analysis was used to look more closely at *mg* expression in the brain and specifically the

hypothalamus. Overall hybridization in LDJ/Le-mg/mg looks equivalent to that of wild type, and the C3HeB/FeJ-mg<sup>3J</sup>/mg<sup>3J</sup> shows an overall reduction of expression. Close examination of the hypothalamic region in both wild type and mutant  
 5 alleles revealed differences in the ventromedial hypothalamic nucleus (VMH). Both C3HeB/FeJ-mg<sup>3J</sup>/mg<sup>3J</sup> and the LDJ/Le-mg/mg have reduced VMH expression (FIG. 15) which is particularly interesting as many neuropeptides and receptors known to be involved in body weight regulation are expressed in the VMH, including Mc4r.

10 Initially, two overlapping mouse cDNAs of 1051 bps and 2419 bps were identified. Using these cDNAs as a starting point it was possible to build over 7990 bps of human sequences, using both the public EST database and an in house database, as well as identifying one cDNA clone from a human  
 15 liver library. The 23 ESTs used in the contigging are listed in Table I below. Using the derived human sequence, it was then possible to estimate the intron-exon boundaries within the mouse genomic sequence. These were verified by PCR amplification and sequencing. In total, 4079 bps of mouse  
 20 sequence was obtained, of which 4011 bp are coding sequence. The mouse genomic locus spans over 160 kb, and has 31 identified exons, at least one of which is differentially spliced.

25

TABLE I

<u>Gene Bank Accession #</u>	<u>Clone ID #</u>	<u>Clone Source</u>
NA	NA	Human Endothelial Cell (MPI)
AA062169	482948	Soares mouse P3NMF19.5
NA	NA	Human Liver (MPI)
30 AA350292	151062	Infant Brain
R87660	194640	Soares Fetal Liver Spleen 1 NFLS

	T69367	82898	Stratagene Liver
	T92696	118881	Stratagene Lung
	H11351	47626	Soares Infant Brain 1 NIB
5	AA350293	151062	Infant Brain
	AA297697	149184	Fetal Heart II
	AB011120	NA	Human Male Brain
	AA297214	129808	Embryo, 12 week I
	AA298732	184690	T-Lymphocyte
10	AI076479	1676623	Soares Total Fetus Nb2HF8 9W
	AA771958	1359202	Soares parathyroid tumor NbHPA
	R84298	194640	Soares Fetal Liver Spleen 1NFLS
	D81046	1178923	Human Fetal Brain (Tfujiwara)
15	AA378603	183010	Synovial Sarcoma
	D60710	962349	Clontech Human Fetal Brain (#6535)
	D20236	pml235	Human Promyelocyte
	AA345684	147210	Gall Bladder I
20	H45413	182870	Soares Breast 3NbHBst
	AA044305	486349	Soares Pregnant Uterus NbHPu

The mutant mahogany alleles were also sequenced, checking all intron-exon boundaries. A 5 bp deletion at 2809 nt was found in the coding sequence of the *mg* gene from C3HeB/FeJ-*mg<sup>3J</sup>/mg<sup>3J</sup>* which introduces a stop codon a position 937, two codons 3' of the deletion. This mutation will result in a seriously truncated protein lacking many interesting domains, as discussed below. The *mg<sup>3J</sup>* allele is the same allele that showed extremely low expression levels. The combined Northern blot analysis, *in situ* hybridization



analysis, and sequence analysis of the mutant *mg<sup>3J</sup>* allele strongly suggest that this gene is the mouse mahogany gene.

The 4011 bp of open reading frame (ORF) of mouse MG predicts a 1336 amino acid polypeptide with molecular mass of 148,706 D (FIG. 17, top sequence). BLAST searches of the NCBI and SwissProt protein databases identified two human paralogues with a similar modular architecture (KIAA0534, Genbank accession no. 3043592; and MEGF8, Genbank accession no. AB011541), as well as a *C. elegans* homologue (YC81\_CAEEL, Genbank accession no. Q19981).

Another human protein, Attractin or DPPT-L (Duke-Cohen, J.S. et al., 1998, *Proc. Natl. Acad. Sci. U.S.A.* 95:11336-11341), appears to be a 1198 amino acid residue, approximately 134,000 D, secreted splice variant of the MG polypeptide. An alignment of the predicted MG (top) and Attractin (bottom) amino acid sequences is shown in FIG. 17. Attractin has not identified as being involved in the regulation of body weight. Rather, the protein is reported to mediate an interaction between T lymphocytes and monocytes that leads to the adherence and spreading of monocytes that become foci for T lymphocyte clustering (see Duke-Cohen et al., *supra*).

Searching the MG polypeptide with the SMART domain tool (Schultz, J. et al., 1998, *Proc. Natl. Acad. Sci. U.S.A.* 95:5857-5864) revealed sequence motifs that may provide further clues to its biological function (FIG 16B, FIG. 17). The single transmembrane spanning MG protein has a large extracellular sequence of 1289 amino acids containing three EGF domains (Nakayama, M. et al., 1998, *Genomics* 51:27-34), two laminin-like EGF repeats, a CUB domain (Bork, P. and Beckmann, G., 1993, *Mol. Biol.* 231:539-545), a C-type lectin domain (Drickamer, K., 1995, *Nat. Struct. Biol.* 6:437-439; Weis W. I., and Drickamer, K., 1996, *Ann. Rev. Biochem.* 65:441-473), two plexin-like repeats (Maestrini, E. et al.,

1996, *Proc. Natl. Acad. Sci. U.S.A.* 93:674-678), and six consecutive kelch repeats (Bork, P. and Doolittle, R.F., 1994, *J. Mol. Biol.* 236:1277-1282). Multiple EGF domains are commonly found in Type-1 membrane proteins involved in cell  
5 adhesion and receptor-ligand interactions (Schultz, J. et al, 1998, *Proc. Natl. Acad. Sci. USA* 95:5857-5864). Laminin-EGF-like modules are found in a variety of proteoglycans such as perlecan and heparin sulphate proteoglycan. As CUB domains also frequently occur in glycosylated proteins and c-type  
10 lectins are known to be carbohydrate binders, it is likely that MG is heavily glycosylated and that carbohydrate interactions are essential for its function. Many kelch motif containing proteins have been found that, like MG, have multiple consecutive domains. Such consecutive four-stranded  $\beta$ -sheet Kelch motifs form a bladed beta "propeller fold" that  
15 is common in many sialidases and other enzymes (Maestrini, E. et al., *supra*). Unlike the other well recognized domains, the "plexin" repeat is less well defined. It was first recognized as a triple repeat in the *Xenopus* gene plexin that has similarity to MET (Bork, P. and Beckmann, G., 1993, *Mol.*  
20 *Biol.* 231:539-545). Since then, this cysteine rich repeat has been found in 6 MET gene family members, three of which signal via tyrosine kinase and three of which are hypothesized to have putative signaling function via a novel conserved cytoplasmic domain. However, it is fascinating  
25 that there is an eight amino acid stretch that is 100% conserved in the four proteins shown in FIG 16A from human, mouse, and *C. elegans*. The conservation of sequence across such widely evolutionary divergent species strongly indicates a functional domain, possible a putative signaling motif.

30 The multi-domain structure of MG is complex, but draws many similarities from receptor and receptor-like proteins. The full-length MG polypeptide is predicted to be a large membrane-spanning protein with multiple extracellular domains

that may have a binding or gathering function as well as a highly conserved putative signaling motif in the cytoplasmic tail.

5

The present invention is not to be limited in scope by the specific embodiments described herein, which are intended as single illustrations of individual aspects of the invention. Functionally equivalent methods and components are within the scope of the present invention. Indeed,  
10 various modifications of the invention, in addition to those shown and described herein, will become apparent to those skilled in the art from the foregoing description and accompanying drawings.

All publications and patent applications mentioned in  
15 the specification are herein incorporated by reference to the same extent as if each individual publication or patent application was specifically and individually indicated to be incorporated by reference.

20

25

30

WHAT IS CLAIMED IS:

1. An isolated nucleic acid molecule comprising the nucleotide sequence of SEQ ID NO: 1 (FIG. 2A), SEQ ID NO: 8 (FIG. 8A), SEQ ID NO: 10 (FIG. 9), SEQ ID NO: 12 (FIG. 10),  
5 SEQ ID NO: 14 (FIG. 18A), SEQ ID NO: 16 (FIG. 19A), or SEQ ID NO: 18 (FIG. 20A).
2. The isolated nucleic acid molecule of Claim 1,  
wherein the nucleic acid molecule comprises the nucleotide  
10 sequence of SEQ ID NO: 1 (FIG. 2A).
3. The isolated nucleic acid molecule of Claim 1,  
wherein the nucleic acid molecule comprises the nucleotide  
sequence of SEQ ID NO: 8 (FIG. 8A).
- 15 4. The isolated nucleic acid molecule of Claim 1,  
wherein the nucleic acid molecule comprises the nucleotide  
sequence of SEQ ID NO: 10 (FIG. 9).
5. The isolated nucleic acid molecule of Claim 1,  
20 wherein the nucleic acid molecule comprises the nucleotide  
sequence of SEQ ID NO: 12 (FIG. 10).
6. The isolated nucleic acid molecule of Claim 1,  
wherein the nucleic acid molecule comprises the nucleotide  
25 sequence of SEQ ID NO: 14 (FIG. 18A).
7. The isolated nucleic acid molecule of Claim 1,  
wherein the nucleic acid molecule comprises the nucleotide  
sequence of SEQ ID NO: 16 (FIG. 19A).
- 30 8. The isolated nucleic acid molecule of Claim 1,  
wherein the nucleic acid molecule comprises the nucleotide  
sequence of SEQ ID NO: 18 (FIG. 20A).

9. A vector comprising the isolated nucleic acid molecule of any one of Claims 1-8.

10. An isolated host cell genetically engineered to  
5 express the nucleic acid of any one of Claims 1-8.

11. An isolated nucleic acid molecule comprising a nucleotide sequence that hybridizes to the complement of SEQ ID NO: 1 (FIG. 2A), SEQ ID NO: 8 (FIG. 8A), SEQ ID NO: 10 (FIG. 9), SEQ ID NO: 12 (FIG. 10), SEQ ID NO: 14 (FIG. 18A),  
10 SEQ ID NO: 16 (FIG. 19A), or SEQ ID NO: 18 (FIG. 20A) under stringent conditions comprising hybridization in 0.5 M NaHPO<sub>4</sub>, 7% SDS, 1 mM EDTA at 68 °C.

12. A vector comprising the isolated nucleic acid  
15 molecule Claim 11.

13. An isolated host cell genetically engineered to express the nucleic acid of Claim 11.

20 14. A method of producing a mg gene product comprising culturing the genetically engineered host cell of Claim 10 so that the mg gene product is expressed in cell culture, and recovering the mg gene product from the cell culture.

25 15. A method of producing a mg gene product comprising culturing the genetically engineered host cell of Claim 14 so that the mg gene product is expressed in cell culture, and recovering the mg gene product from the cell culture.

16. An isolated gene product encoded by the nucleic  
30 acid molecule of any one of Claims 1-8.

17. The isolated gene product of Claim 16, wherein the gene product comprises the amino acid sequence shown in Figure 2B (SEQ. ID NO. 2), Figure 8B (SEQ. ID NO. 9), Figure 9 (SEQ. ID NO. 11), Figure 10B (SEQ. ID NO. 13), Figure 18B  
5 (SEQ. ID NO. 15), Figure 19B (SEQ. ID NO. 17), or Figure 20B (SEQ. ID NO. 19).

18. An antibody that immunospecifically binds the gene product of Claim 16.

10 19. A method for diagnosing a body weight disorder in a mammal, comprising: measuring the level of *mg* gene expression in a patient sample and comparing the level to that of a control sample, so that if a difference between the levels is detected, a body weight disorder is diagnosed.

15 20. A method for diagnosing a body weight disorder in a mammal, comprising detecting a *mg* gene mutation contained in the genome of the mammal that correlates with presence of the disorder.

20 21. A method for diagnosing a body weight disorder in a mammal, comprising: measuring the level of *mg* activity in a patient sample and comparing the level to that of a control sample, so that if a difference between the levels is  
25 detected, a body weight disorder is diagnosed.

22. A method for identifying a compound that modulates *mg* activity, comprising:

- a. contacting a compound to a cell that expresses a *mg* gene;
- 30 b. measuring the level of *mg* gene expression in the cell; and

- c. comparing the level obtained in (b) to mg gene expression level obtained in the absence of the compound;

such that if the level obtained in (b) differs from that  
5 obtained in the absence of the compound, a compound that modulates a mg activity is identified.

23. A method for identifying a compound that modulates a mg activity, comprising:

- 10 a. contacting a compound to a cell that contains a mg polypeptide;
- b. measuring the level of mg polypeptide or activity in the cell; and
- c. comparing the level obtained in (b) to the level of  
15 mg polypeptide or activity obtained in the absence of the compound;

such that if the level obtained in (b) differs from that obtained in the absence of the compound, a compound that modulates a mg activity is identified.

- 20 24. The method of Claim 22 or 23 wherein the compound identified is capable of treating a body weight disorder.

25. A pharmaceutical composition comprising the compound identified by the method of claim 24.

- 25 26. The use of the pharmaceutical composition of Claim 25 for treating a body weight disorder in a mammal.

27. The use of the antibody of claim 18 for treating a body weight disorder in a mammal.  
30

28. The use of a mg antisense, ribozyme or triple helix molecule for treating a body weight disorder in a mammal.




FIG. 1



GAATTCGGGGCGAAGGGGAGCCGGCGTGGGGGTGTGTATGTGTTGCTGGGCGCCGGCTCAGCCCCAGGAAGATGGTG  
GCGGTGGCGGCGCGGGCGGCGACTGAGGCGCGGCTGAGGGGGAGCAGAGGACGACAGCAGCGGCTGCGGGCAGGAAGG  
GCAGGCAGCACCGACCCCTGCACCGGACAGGGGCTGGAGGCGGGGACCGCGCGCCCGGCTGTGTCTCCCGCGGGTGCT  
GTGCGGGGCGCTGCCCGCGCGCGCGCTGCTGCGGCTGCTCTTTTGGCTGTGCTGCTGCGCGCTGCCCGGAGGCGGAG  
GCGGCTGGGTGGCGGGCGGGTGTCCGGCTCGGCGGAGCGGAGGCCAAGGAATGTGACCGGCGGTGTGTCAACGGCG  
GCGGCTGCAACCCCTGGCACCGGCCAGTGGCTGCGCCACGGGCTGGGTGGGCGAGCAATGCCAGCTGTGGGGGCGG  
CTTCAGGACATCTGTCTCAGCCTATAATCAGCTGTTCGGAAGGTGAGGCTGGAGGAACAGTTGAGGCAAGCTTCG  
GCTACAGAATAAGTTCAAGAGTAACCTGGGGCAACTTGGGCTGTCTCCAAAACCAAATGAGCGAAAAAGGAGCAAGCT  
AGAGTCTTTTGGGAAAATTTAGCTGACTAATTTTTCACCGAGAACTAAGTGGCTCTTCTGGATTTGTAAACAGATGGAC  
CTGGGAATTATAATATAAGACGAAGTGCACATGGCTCATTTGAAGGACAGCCAAATAGAATAATGAGACTTCGCTTCAA  
CCATTTTGTACAGAAATGTAGCTGGGACCATTTATATGTTTATGATGGGACTCAATCTACGCACCTCTGATTGCTGCC  
TTTAGTGGCTCATTTGTTCTGAAAGAGATGGCAATGAGACGGCTCCTGAGGTCACTGTCACTTCAGGTTATGCACTGC  
TGCAATTTTTCAGTGATGCTGCTTATAATCTGACTGGATTTAATATCACTTACAATTTTGACATGTGTGGAATAATTG  
CTCAGGCGAGGAGAGTGTAAAGAGCAGTAACAGCAGCAGCGCTGTTGAGTGTGAATGTTCTGAAAACTGAAAGGGGAG  
TGCTGTGACATTCCTCACTGTACAGACAAGTGTGGCTTTCCTCAGCGAGGCATCTGTAATGCAAGCGATACCAGAGGGT  
GCTCCTGCTTTCCTCACTGGCAGGGTCTGGATGTTCAATTCCTGTGCCAGCTAACCACTCTTTTGGACTCGAGAAGA  
ATATCTGATTTAAAGCTTCCAGAGCCTCTCATAAAGCTGTGGTCAATGGAAATATAATGTGGGTGTTGGCGGATAT  
ATGTTCAACCATTCAGATTACAGCATGGTTTAGCGTATGACCTGACTTCTAGGGAATGGCTTCCACTAAACCATTCCTG  
TGAACAGTGTGGTTGTAAGATATGGTCATTTCTTGGCATTACATAAGGATAAAATCTACATGTATGGAGGAAAAATGGA  
TTCAACAGGGAACTGACCAATGAGCTGAGAGTATTTTCATATTCATAATGAATCATGGGTATGTTAACTCCGAAAGCT  
AAGGATCAGTATGCACTGGTTGGACACTCAGCACACATGTTACACTGGCATCTGGCCGTGGGTCAATGTTGGTCATCT  
TCGGTCATTTGCCACTCTATGGATATATAAGCGTTGTGCAGGAATATGACTTGGAAAAGAACACATGGAGTATATTACA  
TACTCAGGGTGTCTTGTGCAAGGGGTTATGGCCACAGTAGTGTATTATGATGACAGGACCAAGGCTCTGTACGTTTCA  
GGTGGCTACAAGGCTTTCAGCGCAACAAATACCGGCTTGAGATGACCTCTACAGATACGATGTGGATACTCAGATGT  
GGAOCATTCTTAAGGACAGCGATTTTCCGTTACTTGACATACAGCTGTGATAGTGAGTGGAAACCATGCTGGTGTGTTGG  
AGGGAACACACACAATGACACTTCCATGAGCCAGGTGCCAAATGCTTCTCTCGGACTTCATGGCTTATGACATTGCT  
TGTGACCGATGGTCAGTGCTTCCAGACCTGAGCTCCATCATGATGTCAACAGATTGGCCATTACAGAGTCTTGTACA  
ACAGCACCATGTATGTGTTCGGCGGCTTCAACAGCTCCTCCTCAGTGACGTCTTGGTCTTTACCTCGGAGCAGTGOGA  
TGCAACCGCAGTGAAGCTGCTTGTGTGGCAGCAGGACCTGGTATCCGGTGTCTGTGGGACACACAGTGGTCTCGATGT  
ACCTCCTGGGAGTTGGCAACTGAAGAACAAGCAGAAAAGTTAAATCAGAGTGTTTTTCTAAAAGAACCTTGACCATG  
ACAGATGTGACAGCACACAGATTGTTACAGCTGCACAGCCAATACCAATGACTGCCACTGGTGCAATGATCACTGTGT  
CCCTGTGAACCAAGCTGCACAGAAGGCCAGATCTCCATTGCCAAGTATGAGAGTTGCCCCAAGGATAAOCCTATGTAC  
TACTGCAATAAGAAAACAGCTGCAGGAGCTGTGCCCTAGACCAGAACTGCCAGTGGGAGCCCCGGAATCAAGAGTGCA  
TCGCCCTGCGGAAAAATATCTGTGGCAATGGCTGGCATTGGTTGGAAACTCGTGTCTGAAAATCACTACTGCTAAGGA  
GAATTATGCAATGCTAAATGTCTGTAGGAACCAATGCCCTTTTGGCTTCCCTCACATCCAGAAAGAGGTGGAG  
TTTGTCTTAAGCAGCTTCGATTAATGCAATCATCTCAAAGTATGTCCAAGCTCACTCTGACTCCATGGGTGGTCTTC  
GGAAGATCAATGTCTTACTGGTGTGGGAGGATATGTCTCCATTCAAAATAGTTTGTGTCAGTGGATGCCATCTGA

FIG. 2A(1)

GCCAGTATGATCTGGCTTCTGTGGGATCTGTGACAGCCTAGTACTCGGGGATTAAAGGCTGCAACCTGCATCAACCCCT  
 CTCAATGGCAGCGTCTGTGAAAGGCGCTGCAAAACACAGTGCCAAGCAGTGCCGGACACCATGTGCOCTGCGGACAGCGT  
 GTGGCGAGTGCACTAGCAGCAGCTGGGAGTGCAATGTGGTGACGTAACATGAAGCAGTGTGTGGACTCCAATGCCTAAGT  
 GGCTCCTTCCCTTTTGGCCAGTGTATGGAATGGTATACGATGAGCAGCTGCCACCTGAAAAATTGCTCTGGCTACTGT  
 ACCTGCAGCCATTGCTTGGAGCAGCCAGGCTGTGGTTGGTGTACTGATCCTAGCAATACTGGGAAAGGAAAAATGTATTG  
 AGGGCAGCTATAAAGGACCTGTGAAGATGCCGTACAGGGCCTCTGCAGGAAATGTGTATCCACAGCCCCCTTCTGAACTC  
 CAGCATGTGTCTAGAGGACAGCAGATACAACCTGGTCTTTTCATTCACTGTCCAGCTTGCCAGTGCAACGGACACAGCAAA  
 TGCATCAACCAGAGTATCTGTGAGAAAGTGTGAGGACCTGACCACGGGCAAGCACTGCGAGACCTGCATATCTGGCTTCT  
 ATGGTGACCCGACTAATGGAGGCAAAATGTCAGCCATGCAAGTGCAATGGGCAOCCATCACTGTGCAACACACACCGG  
 CAAGTGCTTCTGTACCAACCAAGGTGTCAAGGGGGACGAGTGCCAGCTATGTGAGGTAGAAAATCGATACCAAGGAAAC  
 CCTCTCAAAGAACATGCTACTATACCTTCTCATTTGACTATCAGTTTCACTTTAGCCTGTCCAGGAAGACGACCGCT  
 ACTACACAGCCATCAACTTTGTGGCTACTCCTGATGAACAAAACAGGGATTGGACATGTTTCATCAATGCCTCCAAAAA  
 CTTCAACCTCAACATCACCTGGGCCACAGCTTCCAGCGGAAACCCAGACTGGAGAAGAGGTGCCGTGTGTTTCAAAA  
 ACCAACATCAAGGAATACAAAGATAGCTTCTCTAATGAGAAATTTGATTTTCGCAACGATCCAAACATCACTTTCTTTG  
 TTTATGTGAGTAATTTCACTTGGCCCATCAAAATTCAGATTGCCTTCTCCAGCACAGCAACTTCATGGACCTGGTACA  
 GTTCTTCGTGACTTTCTTCAGTTGTTTCTCTCGCTGCTTCTGGTGGCTGCAGTGGTCTGGAAGATCAAGCAGAGCTGT  
 TGGGCATCCAGGCGGAGAGAGCAACTTCTTCGGGAGATGCAACAGATGGCCAGCGCCCCCTTGTCTCTGTAAACGTTG  
 CTTGGAACACAGATGAGGAGCCTCCTGATCTTATTTGGGGGAGTATAAAGACTGTTCCCAAACCCATTGCCTGGAGCC  
 GTGTTTGGCAACAAAGCCGCTGTCTCTCTGTGTTTGTGAGGCTCCCTCGAGGCGCTGGGTGGCATCCCTCCTCTGGG  
 CAGTCAGGTCTTGCTGTGGCCAGCGCCTGGTGGACATTTCTCAGCAGATGCGGATAGTGTACAAGGAGAAGTCAGGAG  
 CCGTGAGAAACCGGAAGCAGCAGCCCCCTGCACAGCCTGGGACCTGCATCTGATGCTGGGGCCAGGGACTCTCCCAAGC  
 ACGAGCTAGTGAGTGGCACACCCAGAGCCATCTGCAGGGAAGGGCGTGGCGGGGAAATGGCTGTGCGGTGCGGGAAGGAA  
 GACTGGAACCCCTCAAAGCATCTGACTCACTGCATGATCAACAGCTTTCTTTGACGGTTTCTCCCATCGGTGTTCCAG  
 CATCTAACCTTTTACTTTTGCATAGGAAATACTTTGATTTAATTACAGGTCCAGGGATGAGCTGATGGTTGCTGGAGGAG  
 GCCAGTGTAGAGCCAGTGAGAGAACTAGGAATGACACTCAGGTTCACTGTGGAAACTGTTCTTGGGACTGTCTCAACT  
 GTGCAAAAAACAAAGATGGAGTGTTTACAAGTAGACATTCGTCACTAGTTGTTCTTGAACATGGTCTTTTAAAAACTA  
 GTCAGATGAATTAACCTTGTTTTCATCTGAAGCCTGCTATCTTTTTTAAAGATGTGCTATTTATTCTTGACGATTAG  
 GCAATTATCTCTCTTCCAGGGAGTACCTTTTTTTCTAGTTGAGAAATTAATAATGGTCCATCTCTTTTGATCATATCAAG  
 CTAGGATAGAAGGGGGGCTATTTTAAATGTCAAGGTGAGCAGTGTACTTTGAAATGTAACTGGTATAATAGGTAGTTT  
 TCTATAGTAACTTGATTAAATTTAGTCTTAATCCATTGAAACTCTCTCTCTCTCTCTGCTGCTCCCTCTCTCTCT  
 CCATCTCACCCCTCCTCTCTCACACATACACACACAAACACATACACACAACACTAAGTGCTTAGACTTTAAATAGATC  
 TAGCAATTGGAAAGTTAGTAAGCCTAAGTTTTTACATAATTGCATTCTTGTAAAAATTTAAATAGCTACCAT  
 TGGCAATCTGCTTTTTTCTAAAACTGATTTGCAGCCAGGAAAGAAATTTCTCACCCCAAGGAACATTTGATCTAGCAG  
 CAGGGATGAGAGGAAAGCAGAAATGAATGAAGCTGTGAAAGCTCCTGTTTTTATTATCAAAAAGGACACTGTCAAGAAGG  
 GGGCCCCCTGCCCCCACCCCGTGTACCCCTAGGCGTGATAAGCGATCAGAGGAAAGGACTCATTCTATGTCACGCTTCT  
 TGAGCAGAAAAGAGCACTGAGAGCACTTGGGACCCCTGGATCAGAGAGCATCTGTGTGCTCTGCAGCCTCCTCTGAACT  
 TGTGGTTTCACTTCTCAGGCTGGGGTGGACTCAGATGCCAGGAAAGGGACAGCCTCCCATTTGTTCAGGCAGAAGCTGCCAA  
 AGCCTGGAGAAGGACTTGTGTTGCCCTCTTTCCCCCAGGAGGGGCTCGACCCACCCACCCCTCCCTCTCAGACCAAGGTGG  
 TGGCTGTGAGGAGGCAGCAAAATGCTGACAAGGATGAAAAGCACAATGGAATAAAATGGAAGAGGAGGAAAAACTCTGCC  
 AAATGGAATAATGACCAAAATTAAGAGGGTGGGACAGTCCCTGCTCTCTCTCCAGAGGGCACTGCTTGGAAATTTGTTT

FIG. 2A(2)

TTCCCCATTTATGGTGCTCTGTATTCTGGCATTATGCAGCAGCCTCCCAGAAGCTCTCTTCTGCTTCAAAACCTGGGAT  
CTCTGGCATTACCCATTGGGATGGACCGCTGGACAGCAATGCTCGAGTTTGTGAATTTGGAGAGATACTCAAAAGAGC  
TAAAACTGCAGCATTTTACCTTTAAATGCAGTGCCTAGAGAGAGAGTATTGTCTCTTCCCCAACACTAACCCCACTCCC  
ATGAAGAATTGCCTGGAAAGATGTTTTCAAGGAATTTGAACCATAAACACTATCTGATGCACAGAACACCTCTACTTT  
GAGACTCACTCTCATAAAGCTTCTTTTTTACATTACTGTTAAAGACCAGACGTTCTAGAAAAGACCCCTCCTCTCATG  
AGCTCCCCCATCCCTGCTACAGAACACAGCACCCATGGGCGCTGCAGTGGACTGGCCCCCTAATTCCCACAGGCCCCCC  
CAGCAAGGCCAAAGGAGGCCCCCTGGGTATTGTCTCTTACAAGGAAGATCCTCTTTGTTTGTTCAAAGGACCAGTTTT  
CCTAGGCCAAAGAAGTCTCTTCCCCATGTTAGTCTATGCTTGAATATCATGCACCATGACCCACAGCCATCTGGTT  
ATGTCTTATTTTTTCTTAAAGATAATGTTTATTTTTTAAAGGAAGGAAGCAAGTGAAGTTTCTTTCTGCTCCA  
GCGGTGGGAAGCCGCTGAATCCACCTGCTTCTCTTTGCAACCGACAGCAAAACAGCTTTCTCGGGCTCAGGGCAGAA  
AAAGGGAATGGCAGGGAGTAAGAGGGCGTGGGCTGGGAGCCTGTTTCCAAGAAGGAATTGGTTGTCTCTGGCAGTGT  
GCGGTCACAAGAGAGCCTGTATATAAATTAATAGTCAAGACAACACTGACCTTGCACTTGTACATAACTATACAGT  
AGTGTCCAGAATGTTTCAGACATTGGGAGTGATACATAAAACAGAAAAATCTTCATGTATTTTTTATTAATATAACAATG  
TCTGAGTTTACCTAAGATGTTTTTGTGCCATATGCTGGATATCCAGGTTCTCGCCAGGCCCGATACATGAATAACAA  
AOCOAAGAAACGCATCCCCATTGTGTGATGTGTTTCAGATGCATCTGGCACCAATTAGGTATTTCTTAAACAGGACTCA  
TCTGTTCAGAGTGACATGAAAAATCAGGCAGGGAATCGAAACGACAGCGCTGGAGGAGACTCAGGAAGCAGAGGCGTCC  
CTGCGCGCTGCCCTTGGCCCTGCAAGCACATCATGACCCCTTCTGGCAGCCTCTTGGTGCTCTGGGTAGTGAGGGATGAC  
CAGTCTTGTCTGAGAAATGTTCTCTTAGTCTTTAAGTTCAAAGACTAACCTGTAGCAATCAGACTTTCCAAAAGGGG  
GTTCTCCATTTTTTGTAGTTTTGTCTAAATTTTTAATGACCATTCTCTGGAATCAGTTTATTATACTGAAAACCTGGGGG  
TGGGAGTAGGGAGCTAGTTGTGTGATAAATAGTTCCCATTTCCCCGTGGAGAATTTGACATACCCCTGGACTCCTGTGTG  
CCTCTGCCATCCCTGCACAGCCTGGGGAGAAGCCTGTGCTCCCGTGTGGAGAGAAGGCAACCCAGATCCCTGT  
AGCTAACCCGGAGGAAGGCAGTCTCTGACAGAAGACTGTGACAGAAGGAAAGTACTGGACTACCCGTGGGTAAAGTCC  
TGCCATTCAAGACTGGAGACACCTGGGAAATAAAAGAGCAGGGCACTGCTGGTGGGAAGAGGCATTTTACCTTCCAGT  
GCAATCTGTCTCTTTGATTTAATGGGGTGACTGGGGCCAGGGCTGATTCACTTCTTGGGAGATGGTGGTGTGTTT  
CATGAACATCTTTGATCCTTCCATTTTATTTATTCATCCATCCATTCAACAAGTATTTGCTAAACACTAACTTAAGCTA  
ATGCTAGGGTAGTGACTGAGATGTAAAAATAGATTTTAGAATTAATAACAAAATCCAACTCCTCACACCCCTGTCTATCC  
AGGAGATCTTTCTTGTGGTGGTTTCTGTGAGAAATGGCCATCCTGAGGACACAGCCAGGACGGCAGAGGCCCTCTGGC  
CTCAGGGCATGCCCTGCCTACCTTCTGAAATGTTTACCCCATTTGACCAAACTTGGCTCCAGCCTTGGGGTGGTTTCTA  
GATAGCCAGGCCCAACAGAGATATTGCCCTTGATGAGAGTCAAACACCCCTGCCACAAGGAGATGTTTTGAAATGGA  
GAGGAAAATTGGCACCTCATCTTTTAAAGGCAGTAATGGAATTGATTTTCAGTAACTGAATTTGTGCACAAAACATTCT  
AAACACTAGTGAAGCCTGTTTGGTTGAACATAATCTGGCTCTGGAAATGTTTTGTTTTATAGTTATTTACGATTTCTG  
TTGTTTGGATTCAAGCTTAGTTTGTAAATATGTATAATTAGCATCTATTACACTCATGTAAATATGGAGTAAGTATTG  
TAACTATTTTATGCGGGGATTGTGGGTGTATACATACATTTAGGACTGCAATTTTTTGGTATTTTTTGTATTGTAA  
AATAACAGCTAATTTAAGCAGGAACAAGAGAACTAAGGGAGGTCTGTGCATTTTAAACACAAATGTGAAGAAGTGTAT  
ATAAACAAAAGTAAATACTATAATACAACTTCTTCTGAAATAAAAGTAGATCTGGT

FIG. 2A(3)

MRLLRFNFATECSWDHLYVYDGDSTIYAPLLAAFSGLIVPERDGNETAPEVTVTSYVALLHFFSDAAYNLTFGNITYNFD  
MCPNNCSGRGECKSSNSSSSAVECECSENWKGESCDIPHCTDNCGFPHRGICNASDTRGCSCFPHWQGPCCSIPVPAHQ  
FWTREYSDKLPRASHKAVVNGNIMWVGGYMFNHSYSMVLAYDLTSREWLPANHSVNSVVVRYGHSALAHKDKIYM  
YGGKIDSTGNVTNELRVFHIHNESWLLTPKAKQYAVVGHSAHIVTLASGRVVMVIFGHCPLYGYISVVQEYDLEKN  
TWSILETQGALVQGGYGHSSVYDDRTKALYVHGGYKAFSANKYRLADDLYRYDVDTQMWTILKDSRFFRYLHTAVIVSG  
TMLVFGGNTHNDTSMHGAKEFSSDFMAYDIACDRWSVLPRPELHHDVNRFGHSAVLYNSTMYVFGGTFNSQLLSDVLVF  
TSEQCDAHRSEAACVAAGPGIRCLWDTQSSRCTSWELATEEQAELKSECFSKRTLHDHRCQHTDCYSCTANTNDCHW  
CNDHCVPVNHSCTEGQISIAKYESCPRDNPMYCNKRTSCRSCALDQNCQWEPANQECIALPENIOGNGWHLVGNISCLK  
ITTAKENYDNAKLSRNHNAFLASLTSQKKEFVLKQLRLMQSSQSMKLTLPWVGLRKINVSYKWEDEMSPTNSLL  
QWMPSEPSDAGFCGLSEPSTRGLKAATCINPLNGSVCPANHSKQCRTPCALRTACGECTSSSSBECMWCNMRKQCV  
DSMAYVASFPFGQCMWYTHSSCPPENCSSGYCTCSHCLEQPGCGWCTDPSNTGKGCIEGSKYKGPVKMPQASAGNVYP  
QPLNSSHCLDSRYNWSFIHCPACQCNHSHKCNQSICEKCEDLTGKHCETCISGFYGDPTNGGKQPCCKCNHASL  
CNTNTGKCFCTTKGVKGDEQQLCEVENRYQGNPLKGTCTYPTLLIDYQFTFSLSQEDDRYTTAINFVATPDEQNRDLDMF  
INASKNFNLNITWATSFPAGTQTGEEVPVVSNTNIKEYKDSFSNEKFDNRNHPNITFFVYVSNTWPIKIQLAFSQHSN  
FMDLVQFFVTFSCFLSLLLVAAVVWKIKQSCWASRRREQLLREMOMASRPFASVNVALETDEEPPDLIGGSIKTVPK  
PLALEPCFGNKA AVL SVFVRLPRGLGIPPPGQSGLAVASALVDISQMPIVYKEKSGAVNRNRKQPPAQPCTCI

Fig. 2B




FIG. 3A



AAACCCTGGGAATTGTTAGACAAAAGGCCATTTAATACTAATAAGCTATAA  
ACTGAAACCATCTGATATATGAAAACTATTAAATAAATCAAGATAAAATA  
ACCCCTATTTATATACTTACTATATACCTAAAGCAAATATCAAAGAAA  
GTACCTTAAAAAGATAAATTATTCTTATTTTGACAATGAATTCTMTGGGG  
CGTTAAATTGTAGAATATCAACACATATCAAGAAAGTTAGAAGAAAAT  
ACCAAAGTTTAAACAGACTTTCCTCGGTAATTACTGGTGATTTCTTGGCT  
TTTTTTTTTTTACACTGCAGTTTTTCAGGGTGGAACTTAAGCTTTGTACA  
GAAGCACTTACCACCACTCTCAGAGCTGGAATGGCTCAAAGGGCAAAGC  
ATTACAAGCCTGGCAACCTGAACCAAATACCCAAACACTTGCAAAGGTG  
AAAGGAGAAAACTAACTCCAGGAAGTTGTCTTCGAGCTCCTCTGCACA  
CCACTGTATACACCCCTTATATACACTCAGTTACCATAAATAAATGTT  
TCATTATAAAGACACTTACGCTAAAACCATGCTGTAATCTGAATGGTTGA  
ACATATATCCGCCAACAAACCCACATTATATTTCCATTGACCACAGCTTTA  
TGAGAGGCTCTGGGAAGCTTTAAATCAGAATATTCTTCTCGAGTCCAAAA  
AGACTGGTTAGCTGGCACAGGAATTGAGCATCCAGGACCTAATAAAAAA  
AAAAAAACAACAACAACAATAAGCTTCACAAATGCAGCCTGAAAGT  
TTATAGTATTCCAAGTTCCAATCTAAGTGCAAAGAATATTTAAAGACTTG  
TGGGGCTAGAGAGATGGCTCAGTGGTTAAGAAAAGTGAATGCTCTTCTTG  
GAGGTCTGAGTTCAAATCCAGCAACTACATGGTGGCTCACAACCATAT  
GTAATGGGGATCTGATGCCCTCTTCTGGTGTGTCTGAAGACAGCAACAAT  
GTACTCATGAAATAAATAAATTAAATTTTTTAAAAAACAGACCAGAAAA  
AAAAAAAAAAAAAGACTTGTGTTTCTTTAGCACTTAAGCGCAAACATC  
TTTAACTTGTGGGGTTTTAAAGGTTTTTACATGTACAGGTATTTTGTTTA  
CATGTATGCCTATATACCACTTGCTTGCTTGGTACCAATGATGTCAGGA  
AAAGGCATTGAATCCCCTGGAACTAGAGTTACAGATCTTATGAGCTACTT  
TGTGGATGCTAGGATCAAACCTGAGTCCTCTGGAAGAGCAACAGTACTC  
TTAACCAGAAGCCATCTGCTTAGCACCTAACATGAGTTTTTAACTTACT  
CAAGATACAGACCAAAACCAATCACTCCCTTATAAAATTTAATACTACAC  
ACTTCTGATAATTTGGCAATTTCTGATAATCAGGTTAAACTTTTTTAGA  
GGTAAAAATCTTGCTGAAGCAACATTTAGTAGAAAGGGTAGACCAAGGGG  
TTATTATATTAATCATGTGGAAAAGGCATTAGGGTTGAAATATAATGAC  
AGATCAAAATCGATCTTCTGGCAAGTCCAGGCGCTGAATAGATGAAAGAG  
ACAAAGGGAGAATTGGACAAACTAAAAACATTTACATGAACACTTACTTT  
CTGAGGACCTAAGCATAGAAGGAAATCACTAAACCAACGATGACTGCTT  
CCTCAATACCCAGGGAATTCCCTACAGTACCTTAGTACCGGTTGTGTT  
GGTAATGGCACTAGATGACAGCACTGAGACTCTAAGGAACGCTTGTCTT  
CCTCTCAGCTTGAGTCTCTGCTTCTCTATCACCAGACCATGTTCCCTAAT  
TCCCACGAATGAGTTGCAAAGGATTTGTCAAACCTTTCCACAATTCTAAG  
CACATAGATAACAACCATATATGTAAATTCAAAGAATCTGAATAAATG  
GAGATGAATGCTTAAATGCCACCTGATACATGATTAACATAAGGCGTATG

FIG. 3B(2)

GCTGCTAAATAACTCCCTACAGTTCCTAACTCAGAACTTTCTGTGAG  
GGAAAGGACTTTGAAGGGCAGCTCCTACCTGCCAGTGAGGAAAGCAGGA  
GCACCTCTGGTATCGCTTGCATTACAGATGCCTCGGTGAGGAAAGCCAC  
AGTTGTCTGTACAGTGAGGAATGTCACACGACTCCCCTTTCCAGTTTTC  
GAACATTACACTCAACAGCGCTGCTGCTGTTACTGCTCTTACACTCTCC  
TCGGCTGAGCAATTATTCGGACACATGTCAAACTACAAAGACAGGAGA  
AAACGAAGTCAACAATTTCAACTAAGCAACATTGCAACTAATGCAGACCT  
TCCTCCTCAGTTTAAGTTCAGTTCATTGCAAGTGTGACTGCAGGACTT  
ACCAGTTAGCCCAAGTGTGCTCACAGAGCTCTGTGTAGCTAGAGCCCCAG  
GCTCAAGTAATGAAATCAAATCAACCTTGCTGCATTACATATGAAGAAG  
GAAGAATAAATAACTCACAAGTTAGAGAAATTACAAAACAATAGACATT  
TGTGCAAAATCACTTAGACTTAGCTCAAGACTGGCAACCAGGATCCTACT  
CTTCTGGTAGCTCATTAGTAAAGAGTTCTACAAAAGCAGCAAGGTCATG  
CTAGGAAGTGGAGGAAGGAGAGGAAGCCAATGAGCTGCCAACATTACCGG  
TATACATTTCTCTGTAAAGATTCTGAGAATTAACAGAATTTAAGATTATT  
TTCCAGTGATGTAGTTAAAGGTCTTTAGTAACTTTATCAGCTTAGAAGG  
AGAAGAGCAGTTAACTTCATGTATGAGTTTAAGTGTCTCATGACTTAAGA  
TAACAGTTTTCCTACAATTTGAAATGCCATACTTCAGACTTTTTAAAGGG  
GTGCATTAGTGGACTATTACAATAGCTTAAAAATATAGATTTCTCCTACT  
GATGATTATTACTGAGACACTACTAGTCTTTATTAATTCACCTAGCAAA  
ACTCCTGACATTTTCTCCAGCAGCGGAAGAATGTCTCTCTCTCTAGGA  
GATCCTCAGTGACAAGATCTAGAAAGACCAAGAACTGTGGTCCCAACCAG  
TGGGGCTGATATTTGTTAACTTTTAGCTCCTGTTTCTTCAATTATGAA  
AAAAAAAAAAGAAGAAGAAGAAAATCCATGTTAAATTTAGCAAGGAG  
CCTGACTAGCTAGAAGCCTCCCTCCAATATATTAGTGTATTAAAGTCATT  
TGAGTAGTATCACAATATTAAATCTAAATATCTTACTTGTAAGTGATAT  
TAAATCCAGTCAGATTATAAGCAGCATCACTGAAAAATGCAGCAGTGCA  
TAACCTGAAGTGACAGTGACCTCAGGAGCCGTCTCATTGCCATCTCTTTC  
AGGAACAATGAGGCCACTGAAATGTAAACACAGACCAGATTACAGCAACT  
TCAACAGAACTGTCTATATGTTACTATTTGATCCTGCTGCTCCTGTTCC  
AACACACACTGTAATGTGACTCTAGCTGGCCTCAAATTCACAGACCCAC  
CTGCTTCCACCTCCTGGGTATAGGCATGCGCTACTATGCCCAACATCTA  
AAAGGATTTGAAATCTATGACTTTGATTGAATTTTGGTTTTTTGTTTTT  
GCTATAAACTTTTTATTATAACTCTCAAGTCTCTACAATAACATTATT  
AACAACTTTATGAATTGACAACGTGCAATATATACTGTTGAAAGAAAA  
TACTTTACATATTTTTGTAATATGTATCATATAATCTTTTAAATGTATTT  
TATAGATGTCTTATATAAGTAAAAATAGAAAAGTTTACTGATTTATAATC  
CTTATACTATTAGCTTTCAGACGTATTTTGGTTGTTAACTGGTAACACA  
TTTTATGTTTTATAATTCACAATAAGCACTGCCACTGAAGGTGCCAAAGGC  
TCCCTAGAATCTCAGTAAGAACCCTAGTGGGTAATATTTGAAGTTTGGAT

Fig. 3B(3)



GCCAGTAAATTCATGTGTAAAGATTTATTGAGTAAGTGA CTACCAGCGGG  
ACAGTGGTGGTGACGCGCTTTAGTCCCAGCACTTGGGAGGCAGAGGCAGG  
CGAATTTCTGAGTTCGAGGCCAGCCTGGTCTACAGAGTGAGTTCACAGGA  
TAACCAGGGCTACACAGAGAAACCCTGTCAACCCTGTCTCAAAAAAAAAA  
AAAAAAAAAAAAAGAATATACCATTTTTTAAGGCATTTGATCCACAAATCA  
TACCACCTTGTTTTACAAAAGATATATATTAACCTGAAGGCTGGAAATGG  
TGGCAGATGTCTTTAGTCCCAGTATTGGGAAGACAGACCCAGATGGATCT  
CTGAGTTCAAGACCAGCATGGTCTACATAGTGAATTCATGTAAAGTTTGT  
CCGTGTGTGTAACCTGAAACCTCATTATAGAATGGAAGTGTCTACCCAC  
CCCCTTACCAACAGTAAGGAATATTATGTGGTCCCGCTCATTTAATAC  
ATGGTGTACTCCCAAGGTAAATCATTTTCATGTTTAGTCGCTCCTATTAT  
TTTTTCCATTATCAATTCAC TACA CTACTACCACCAATCACATTTAGCC  
ACTAGAAAAGCCATGTGATTTGCTCCACACATACAACCTCACTCAATAAA  
TAAACATCTTATCAGTACTACTCTCTCTTTCAC TCACTCAATCCCTAGTC  
CCCTAAGTTTTTGGACGATTACACCAGGTAAATTCCTACTTCAGGGTCT  
GACCATCTTAAAACTACGACCTAGCAATTCCTTTGTATAAGAAATACT  
TCCCCGTATATACACAGAAAAACAAAGAAC TACTACAGCACTATTTCAG  
ATGACAACTGACTAAAAGTCACCTAATTGCTTATTTATGGGAGTTGATTA  
AATTAGTCATTACAAATCTGTAGGTCTGCAAGACTAACCAAGAGCTTCGT  
GAGGACAATAGGTAGGGCTACCCAGAGAAACCCTGTCAACCCTGTCTCGAA  
AAAAAAAAAAAAAAGGGAGGCACAGAGAAAAACAACAGGCCCGGGGTA  
CCTGTACATCTATGTAAGCGTAGGTACATGCACATAAAAGTGA CTACAAG  
AGAACATAAACAGAGAGCGCGATGAGAAGAGGATGGGATTTTTTCATTTA  
ATTTGCGTGTATGAGAGCACCTATATGTGCATGTTATCCGCACCAAAGTG  
TGTAGGGTACATTATGTGAGTGTGCTGCAGACGTCACTGTCAAGTGTCT  
TCAATCACTCCCTCTCTTTTCTCTGGAGATAAGAGTTTCATGAAGTAG  
TACTGGCTGGACTAGA ACTCACTATGCAAAACCAGGCTGGCCTTGAATTCT  
CAGAGAGCCTCTTGAGTGTGGAATTATATGCATGTGCGCAACACAGCC  
CACCTCATTTTGGGGGTAGGATCTTTCACTGAACCTGAGCTCACTGATT  
GGTTAGACCGGACTGGCCAGTAAGTTCAGGACCTCTCTGTCTCCGCCT  
CTTCAGCACTGTGATCACAGGCTCACAACCACACCTGGACTTTTACTTGA  
GTCTGGAGATCTAAACTCAGCTCTCCATGCCTGTGCAGAAGGAATTAA  
CTGAGCCAGCTGTCTCAGTATCAAGAGAGAACATAGGAACTGTAAGATTC  
TGACAGTACTCTAGGGCTTACAGAACACCGACACATTTTCTACTATGTAT  
TCAGTTAATAAAAGAATAAATACAAACAAAAAACATGAGAAACATATAG  
AGGCAGAGACAGACAGACACACACACACACACACACACGACACACAC  
ACACACACACACACGCACTTAGACGGGTGTGGGGGAAGAAAGGCAAG  
GCCACCTAGAAACAGGTACGTTCATGCAAATGATCACAGGAAAGGATTG  
GGGATTTTTAACCACTTGTGGGAAATGCTGTACTCTCCTATTCTAGCACA  
GATTTGAGGAAAAAGTAGACCAGAGAGTCTGTCTTCCACATATCCTGGA

Fig 3B (4)

AAGTCACTGACATGTCCAAGTTTGTGATTTCTTCATAGGGACAATGAGAGA  
AAGCCAGACTATCTCACAGCAGCACAGCAAGGACCAACCAGCAGAGCAGG  
AGAAGTGCTTACAGCAGTGTGCTGCTAGAAAGGTGCAACAGTCTTCTTACA  
GAGGGCATTTAAATATGCAGGATGGATAAGTTTGCCAACTACAACCTACAG  
AGGCTGGACAAGGTAGGACAGCTTCTTCACTGTCAAAGACGTTTGGGCAG  
TTGCTTCTATTTACCTTAAATCAAACCTGTGACAGCTGTGGCATATATAG  
ATTTCTCCAGAAATGAAAACACATTAACCTCACTTATGTCAATAATATGGA  
GTAAACACAAACATAGTCTATCTAGCTCAGCATGCAAGACATGTGAGGAA  
GAGGAGCTACTGTGAGTCCCTATCCCTGTCCCTAAGGAAACCAATATATG  
TAAATGTAGTCTAAGCTGCAGGCAGTTCTTCAACTGCCTACCCAGGCTG  
CTCACCACCTTCACATTCTAAGCACAGACTAGAAAGTATGATCAACCTCTG  
AACACTGTGCTATAATGTTACCATCAATCTCACACACAAATTTCATAACA  
TTTTAAGTAAGTCTATGATGATTCTATGTTGTGTCGCCAGTTATATAAGAT  
CCATAGGTCACAGGGTAGACATTCAAGGACACCAACATTTGGAATTTTGG  
GTTTTTTGGTGTACTGTATATACTTGTCTAGTGACAGGTACCCATGCTCAT  
GTGTGTAGAAGTTGGGCGTCTTTCTTCTATCACTGTCTACTTTATATTTT  
CTTTATTGTTTCATTTGATATGTATAGGTGTTTGCCTGCATATATGTGT  
ATGTTTGTGTCAGAAGAGGGTATTGAATTCCTGGGACTAGAGTTACAG  
GTGGTTGTGAGGCACCATTATGGGTACTGGGACTCAATCCTGGGTCTCT  
GGAAGGGCAGCCAGTACTTTTAACTCACTGAGCCATCTCTTTAGCTTCCTT  
CGTTCATTGCTTCGTTTCATTCTCTTCACTTCTTCACTTCTTCACTTCAAGAG  
ATTGAGATACCTTCTCTCAGTTAGGCTGGCTAGCCAATGGACTCTGGGAAT  
CTATCTGTTTCAGCTATTCTCTCTCTCCCATCCAAGTGCTGGGGATACAG  
GCAGGTCTTACTGGGTTCAATTTTGAAAAATTACAGAACTATGTATTTTCT  
TCATAAATCTGAAACTCAGCATAACTGTCTCAGGCTAACATGGAATCCCT  
AAATATATATGAGGCACAACCTGACTTTACCAACTGTACTATGTAAATTT  
GCTAGTATATTAGTCAACACTTAATGGAAAAACATCTGATAAAAAACAACT  
TACAGGCCAATAGGCAAGGAGACACTTGGGGAGGTGGATTCAAGGCAGTC  
ACTGGATTCTTGAATTTAAGTCCAGCCTAGGCTACATGAGATTCTGCTTC  
AAAAAATAAACAATTAAATTTATGGGGGAAAGAATGATGTATTTTGGTTT  
CAGAAATTCATCCTATCATCCAAGGGAGATATTGTATAACAGCGAAGTT  
CCTCAGCTCACAGCAGTCAGTAGCATATAGACAATCCTGGCTCCAAGCCT  
ATGAAAACACAGCCTGTACTAAAGGTGTGTTCTGTGTTTGTGAGTGAGAT  
GTGCCCCCTAAGTCTTGTGTATTGAATACTTGGCACTCACTTGGTGGCG  
ATTTGGGAGGAATTAGGAGGTGTGGCCTTGGTGAAAAGGAGCATCACTA  
GGGTCAAGGTTTCAAAATCCTCCTGCCATCATCCCCAATATGTCTCTCT  
GCCTCTGCTTGCAGTTCAAGCTATGAGCTCTTAGTTACTACTTCCACCA  
CCTACCCCTGCTATCTCTGCTCCATCATCATGGACTCCTATTCTGGTGGA  
ACTGTTAGTCCAAAAAGTCTCTTCTTCTACAACCTTGATTTGATGCCAGA  
TCTAGCCCCCAGCCTAGCTAGCAATATACCAAGGTATACCATCTTGAAC

Fig. 3B(5)

TCTAGGTGCTCTCAATCCAATCAAGCTACATAAGATTAACCATCATACC  
TAGTCATCCCCAAATCAGTGTATCTCTCTCCTCCAAGACTATAAGCTCC  
TCAAGGGTCAAAATATGTAGAAAGGAAGAAAGATTCTCAAAGGTCAAGGA  
TCAGACCTTGGTGAGGATTGAGCACTGTCTACACTTTGCCTGGTAAAGAA  
GGGTCCACAATGTAAAAGAGAACTGACCTGAACAGTTTTCAATTAGGTGC  
TAACAAATGTCTCATACGTATTGAGTTTCTTATAAATAAATAAATAAATA  
AATAAATAAATAAGCAAGCAAGCAAGCAAGCACTTAAGAGCACTAGCTGC  
TTTCTTCCCTGAAGACCTGGTTTCAATTACCCAGCACTTATACAGAGGCTC  
ATACCAATTGTAACTCCAGTTTGATGATATCCAACATCTTCTTCTAGCCT  
TCAGACACCAAGCACCAGCATGTAATGGTATAACACATGTATACCAAC  
ACCCATACAAACCAATTTTTAAAAAATATTGAGCCGGCGTGGTGGCGC  
ACGCCTTTAATCCCAGCACTCGGGAGACAGAGGCAGGTGGATTTCTGAGT  
TCGAGGCCAGCGTGGTCTACAGAGTGAGTTCCAGGACAGCCAGGGCTGCA  
CAGAGAAACCTGTCTCGAAAAACCAAAAAAAAAAAAAAAAAAAAAAAT  
AGTCATTTTAGGGCTGGAGAGATGGCTCAGGGTTAAGAGCACTGACTGT  
TCTTCCAGAGGTCTTAGTTCAATATCCAGCAACCACATGGTGGCTCACA  
GCCATTTGTAAATGGGGATCCAATATCCCATTTCTGGTGTGTCTGAAGACAG  
CTATAGTGTAATAAATAAAGAAATCATATAAATAAATAAATAAATCT  
TTTTAAAAATATTAATTAACCCAGGCTGAACCTAAACTTACAACTTCCC  
ACATTAGGCTCTTAAATGCGGGTGTATAGGTCTGAATACCAGCTTAAGA  
ATAATATTCTTCTGAAGAATGTGCCCTGGTCAATCACCATGACCACACCT  
GCCAACAGGTCTTCATAAAATACTTGGTATATGTTGAATGTTCCATAAA  
ATTATGGAGCTAGAAAAGGTAGTGAGCTAGAAGGATATTAAGATATAAA  
CCATTGCCCCAGTGGTCTCACATTTGTCTAGTAATAGAACGTTGTAAA  
CTGTTTTTATTAGAAATTTCAATATATAAAGACAAATATGAATAGTCC  
GGAAGCAAATTAAGCTACAGCTTGACAGCAAAGCCAGATAGAATGCAGATT  
AAACTAACACAGTACCTTTGTCTTATGTTTTAGATGCTAAAGTCTAGTCT  
ACAACCCAGCTGCCCTTGAACCTTAGCAGTCTCTTGCTTCAGCCTCT  
CATGTGCTAGGGTTAAAAGTATGTGCGACCACACAGTTTTGAAGTTT  
AGAGCACTTAAATGATCTATTCAGCAACTCAGGCAGGATTTCACTGAAA  
GTAAATTATCTTATGAATCCTTTTTGGTTTTCTTTTATTCAATTTCATT  
ATGCACCTTACATGAACTATCTATTGCTAGGCTGTCTCTATACTGGATGC  
TCAGCACATCACCACATGCCGATTCCTTCTACTGGTACAATGGCAATGCT  
GAGAAAACCAACAACCTAAGACAGTAGGGAGGTGGTGTCTGATTTGTTG  
GTGTTGTTGTTGTTGTTGTTTTGGTTTTTCGAGACAGGGTTTCTCTGTGT  
AGCCCTGGCTGTCTAGAACTCACTCTGTAGACCGGGCTGGCCTCAAAC  
CAGAAATCCGCCTGCCTCTGCCTCCCAAGTGCTGGGATTAAAGGCGTGTG  
CCACCACGCCGGGCTCTGGTGTCTGATTTTTAAATACAACAATTTTCAG  
CTAGCAATGTAACCTAGTAGTAAATGCCTGCCAGCATGCACAAGGCTC  
CAGACTGGACCCCTGAGCACCACAACACTTTTTAAAGATGTGTTTTTTT

FIG. 3B(6)

ATTTTATGTGCATGAGTGTGCTTACATGAATGTCTGCACTGTGTTTA  
CCTGGTGCCTGTGAAGGTTAGAAGGCAATGGAGCTATGGAGAGTTGTAAA  
CTACCATGTGGAAATGGAGCTATGGAGAGTTGTAACTACCATGTGGGTA  
CTAGGAATTGAATCAGGGCACTCCTCTGCAAGAACAACAAAGGCTCTTAA  
CAGCTAAAATATTACTACAAACCCACACCACAAAATTTTAAATTGATAGA  
CATTATCACCTTAGTTCTAGATAGAGAATGTGCTTGGCATTGTAAGTACT  
AAAAAGGTTTTGGGGTGGATCTTTTATATTATCTCACTATAATTTTATAA  
AATTAATACTCAAATATGTTATAAGTTAAGGTTTTTATTTTTGTTTTTCA  
TTTCTGTATTTTGTCTATGTAGCTCTGCCTGGCCTGAAACTCATGGGAAC  
TTGACTGGCCTCAAACCTCAGAGAGACCTGAACGGCCCTGCCTCCAAAGAG  
CTGGGACTAACCATGCCCAACAGTAGGTAGCTTTAATACCTAACCAAGTGT  
ATTAGTTCATGCTCTCAATTAACCAACATTCTCTACATACAGAAATTTTT  
ATGCCTATTTAATCAAATACACAGTCTAAGTAAACTCTAAGTACAACCTGC  
TTGGCTCATATTCTTACAATGGCTATGGCTAGCTAATTCAAAGGCCAGTC  
ACATAAAAGGGTCTCTATGAATTCTGATTAAACAAATGCAGTTAAATAGAT  
GAATTCCTAAAAAGTAGTATCATAATAATATCATATTTAGTTTTTGTGCT  
TCCATTATAGTTTGAGGTGCCTCCTCCATAATGCAAGGTATATTTCAA  
TAATAGATATATACATGGTTAACACATGGCAAAATGCCATTTTAAATGCTT  
AGCACAGCCTGCTCTTTGGCTCCATTAAAGTGAAACTCTTAAGTTCTCAGT  
TAAATAATTGTTGGAGAGCTATAGGAGCAATGGGTGGAGAACTAGTCTT  
CTAATTTGTCTTTGCCTCCTTGCGTACTAAGTAGTCCCTCCCTCACTAT  
GTGGCATTCCAGCAGACTACCACCAAGAGAAGAACAGAAAAGTGTGATT  
TCTTTCTAAAGTAAAGAAATAAGGGGCCAGTGAGATACCTCAGCAGGTCA  
AAGCCATTTGCCTAGAAACCAAGTTCAATCCTTGGAAGCCCTGTAAAGG  
TGGAATTAGAAAACAGACTCCACAAAACCTGTCCTTAACCTCCACTCGGG  
CACACATGTGCCAACCCCTCCATTCTCCCTCCCCCACATACAAAGTAACA  
ATAAACTTTTCAGAAAATTTAAGTTGCTACGCATGGTGATTGATGAATGTC  
TTTAATTCTAGCTCTTGGAAGCAGAAGTGGGTGGATCTCTGTCAAGTTCA  
AGACCAACCTGGTCTATATAGTGTGTTCCAGGCATCCAGGACTACACACA  
CACACACAAAATTACGTGAAGGAAGTAGAATGTTTGAAGGAAAGAAGTCT  
GGAAATGGGGATGGAGAGAGACCTCAGCAATTAAGAAAAGGTCTTGCACC  
GGACGTGGTGGTGCATGCCTTTAATCCCAGCACTCGGGAGGCAGAGGCAG  
GCGGATTTCTGAGTTGAGGCCAGCCTGGTCTACAAAAGTGAGTTCCAGGA  
CAGCCAGGGCTACACAGAGAAAACCCAGTCTCGAAAAAACCAAAACCAAAA  
ACAGAAAACCAAGTATGATAGGTCAGGCAATTGGATCGAGACAGGACACTC  
AAGATAGCTAGCCTGTGCAATATAGAAAGAAGTCTCATGGAAGAGAGAGG  
GAAGGGAAGGAGGGGGGAGAGAGAGAGAGAGAGAGAGAGAGAGAGAGAGA  
GAGAGAGAGAGAGAATGAGAGCGAGAGAGCGAGCGCACCTCAGTTGATAC  
AAGATTGGGGCCCTGAGTTCCATCCCCAGCATCCCATAAATTGGGTGTAG  
CAGCACACACCTGTATCCCAGCAGAGAGGCAAAAGACAAGTTCAAAGTCC

FIG. 38(7)

TATATGGAAAAAGTGTGAGATCAGCCTGGAGACCTGGTGTGTGGCAGTGG  
GGTGAGGGGTGTCAATCAAGGAGAAGGCTTAGTAAGTAAAGGACCTGCGTT  
GGTTCTTGAGTTCAAGTCTCCAGCAATCAGAGAAAGCCAGAACCATTGCA  
CAAACCTGTAAAGCCAAGTGTGGACTGGACAGAGACAGGCAAATGTTTGA  
GGTCCAGGTTCAAGTAAAGAGACCCCTATCTCAAAAAATCTGATGGAGAGTAA  
CACTGGAAGAACTCAGAGTGAGTCACACATGCACACACAGGTGAATGTGT  
ATACAAAGGGGGCAGGGAGGAGAATGAGAGGAGACTGGGAGATATCTGT  
AGTTTATGTCTGTAATTTAGCACTTCAGAGGCAGCTGGAGCTACACAGC  
AAGACCCCGTCTCAAAAAACAAACCAAGCCTGACAGTGGTGAGGTACACC  
TTTAAGCCCAGAGGCAGGAGAATCTCTGAGTTCAAGGCAGCCTGAGTGA  
GTTCCAGGACAACCAGGGCTCCACAAAGAACTGTCTTGAAAAAAACC  
AAAACCAACCAACAAAAAAGAATCAAAAAACACCACCACCACTACAACA  
AAGCAACAAGGGAGAAGGTATAAATGCTTAGGAGAGTCTTCCTTTAGT  
CTCCATCCTTTGGGTACTCCTTCCCCACAGAAAGCCACTACTACCAATTT  
CTTACATAAGCTGCTGTTTTAGACACAGGTTTTTTTTTTTTTTAAATATA  
GTAACATATTATGTGTAGCTCATTTTTCTAGTGAGTGGTGGTCCCTCT  
TTTAACAGTTTAAAGGACCTCTATGTTTAAAGGCGATTGGCCCTTGTCTG  
GAGTATGGGTGTATTTTCCCAATTTGTGAGTTTACCCAACCTATTGCC  
TATTACCTATGGCCATTTATTCTTGTGCGATAAGTAGTTTCCAATTGTATG  
ACTATGGTCACAGTGTTCATGGACTCTTCTGCCGCTAGACAGCCCCCTGG  
GTCTGAATTTGAGATGGTTACAAGGGTGATTGGCTCTGCTCCCTGGGTGC  
TGGGATTAAAGGCGTGCACTCCACACCCAATTTGTTCTGTTTGTGAAGA  
AATGAGGTTTTATTGTGTGCTCAGGCTGATCTCAGTCTCCTGGCCTCAA  
GGTATCCTCCCATGTGATACACAGCACAAGGCGTAGGAAAAGTGGCAGA  
TTTTTTTAAATTAAGTTTTCTTTCCAAATATAGATTACAGAAATGTGAGA  
TTTTTCACAAAGTGAACCTGCTCACTTCCCTGGCTCTMGAATCTCCATTGT  
GGCTCCCGCCATCCCTTTTGCCCAAGTGGCTGTTGTATTGACTTCTA  
TCCCATTCCTTAACCTATACCTGTCTTGGTCTTCGCTGTGAACCTTGCTTG  
GGCTGAGAATCACCTTGTTCGGGGCACATCAGGTCAAGTGAAGGTTTCC  
AGAGAGTTTTTAACAGAGACCAGAAGACCCACTCCAAATGTGGGTGGCAAT  
ACCTGATGTTCTGTATCCTGGACTGGGTAGGAAGAGGAAAGTAAGAAGC  
AAACGGCACCCCCACCTCTCTGTCTGCTTCCTCGCGACACAAAGTGACC  
AGGGCCTCCCACTCCTGCCCCCTCAGCTAGAGACACTTGCTGCCATCTTT  
CCAACCACTCTGAGACTGTGCCTACTAACCGTGACCCAAAATAAATGTTT  
CCTTCCTTAAGGTTGCCCTTTGTTAGCTCCTTTAATAGAGCGGTAGGACAT  
GTAAGTCCACAGGCAGCCATCGCTGCCAGCCCCCTCCCACTGACCGTCTG  
AGAACCACACTCAGCTGTAGGCACAGCTCTCATAGCTGTGTGGGCGTAGC  
TCTGTCTACTCGGTCAATCCCTGCTGCCGAGCATTTATTGTTTTCAGTT  
CCTGGCTGATGGGTAGCACTGTTATGAACATCCTAGTACAAATCTCAGGG  
TGACACCGCCTTCATTTTTCTTGAGAAAATGCCCAAGGATAAAATGCTA

FIG. 3B (8)

GGGCCAAGGGAAGAATATTTCAACCATTAAGAGACACTGGTCAGGACTGGA  
AAGATGGCCAGTGGTTAAGAGCACTGACTACTCTTCCAGAGGTCCAGAG  
TTCAATTCTCAGCAACCACATGGTGGCTCACAACCATCTGTAATGGGATC  
CAATGTCTCTCTCTGGTGTGTCTGAAGACAGTGACAGTGACCTACATAC  
ATGAAATAAATAAAATAAATATCTGAGAGAGACAGACAGACAGACTGGC  
TAGTCATCTCACAATGTTCTCATGTTTAAATATGATACCATTTGTATAA  
AGCAGAAACACAGGAAAAATAAAATCTGTGGTATTATATTGATTTTTAA  
ATTAACTTGATTAGTGAAGTTAGCAGCTACACTGGGCAGGGGTTGGGAGT  
GGGGTACTCTGAAGTCTGGTATTTCTGGTTTTGTMTTGTMTTGTMTGT  
TTTTTTATCTTATTTATATTACATAGAAAGCCATTTTGCTAATACACTTA  
CCATGTGTATATATTGTGCTTGAATTACAGCTAAGTAATTATTTCTGAGG  
GGCTTTAGACTACTGAAGATTGGGCCCAATGAGCCCCACCCCAAGTAGTC  
TCCAACATCCCTCTTGGAAGTACTTGAGAGCAAAGATTCAAGTCACATGT  
CCCCAAACCTCAGCAGCCACCACCTTTAGGTGTGGCTTTTGTCTCTCGG  
TCATCCTGGAACATCTTGCCATCTTTGGTTGTCTCTCCCTGTCTTGCC  
TCTGGTAGAGCTGGGTTTCTGTGCTTCTATTCAACCATGTACAAGAACCA  
TGTGCCACCTGCCATGTGCCAAGCCTGTGCCAGTCCCTGTGAGCGAGCAG  
CCCACCCCGTGAGTTATCATGTGAGGAGCTATGAGGAGCAGGAAGGGGCC  
CGGATGACTTCAGCAGACAGTATGAAGCAAGCACTGTGCGATTTATGCTC  
CCTGGCCACATGCCACAGATGGTGTCTGAGACACTAGCGTTTAATATTT  
GAATCTCCACATTCTAGCCTAGACATTTTGGTTGCAAGAAGAAAATTGA  
CTCCAGTTGTATCCTGGAATGAAATTTATTGGAGGAAAATACTGGACAGG  
CTCCAGAGAAAATACGATATTCAGGCACAAAAAGAAATGGGGACTGAGG  
ATCTGAAGTTCAAGGTCATCTGTAATGAGATTGAAGTCAGTTTGGGCTAC  
ATGGGACCTGGTCTAGGGGGAATGGGGAAGAGAAGGGAAGGGATCGAGAT  
AGGGAT

FIG. 3B (9)

CAATGTGCTCTGACGATTAATGGGCTAGAAATGTGTGGCTGTTGATTAGT  
GAAAAGATGTCATGGTTCAGGAGATTGGTAGTCTCTGTGGGAAGACAAC  
CACTGAAAGGGAGGAAATAGCCTGGAAGAGATAAAGAGACAGTGATCAGC  
TAGGAAGCTTAAATTTAAATTTTGTGGAAGTACTGTTAGGAATACTAG  
CAGAGGCCAGATGAATGTATGGTTAAGTTATAGCAAAGGAAAAGATTGTT  
AATGGTGAGGTTAGGAATGCAGGCTGACACCAACCTGTAATGTCAGCATT  
AGCGAGATAGAAGCAGGTGTTTAAAGGCCATTCTCTGCTACTTAGCAAGTT  
GAGGCCAATCTGGACCACATGAGACCTTTTTTCAAAAATAAATCTCCTTA  
AACAAAAGAGGCTGGGTTTTTGTATAGATTCTTCAAGATGTTAATGTAAA  
TAAATGGAAGACCAAGGATGGCATGCTAATATCCTCAGTGTCTGAAGAAG  
GACTATGTAGTGTGGCTGCTGACTCTGAAGTAAGTGCTCATTACTGACA  
GATAGTGATCTTAGAGCCTGGCAGATGGGATGGAAGTGAGGAAGCAAGT  
AGCACCTTTGTATATTATGTTCTAAGTAGCCAGAGATACTTGACACAAAA  
CAAAGTTGAGAAAATGTATCTTCTAGAAAATACAGACATGGAAAGGTGTC  
CTTTCTATAAAAGAGGTATTAAACATTAACTGAAAAAAAAGTTAGCAA  
TTGGGCTTTGGCAAATGAATATAGTCAAGTTTCATTTTTATTTTGTTTTT  
TGTATATGACTGTTTGGCTTGTGTACCATGTGTGTTCCCTGGTGCCTAGG  
AAGTCAGCTGGAGTTACAGATGGTGTGAGTTGCCATGTGGGTGCTGAGAG  
ATGAACCTAGGTCTCTGGAAGAGCAGTTAGTGCTCTTAACCACTGAGCC  
ATCTCTCTAGTTCCCTTCTGTAGAATTTTCATTAATTTACAAAGGAGAAAAG  
TATAAATGATAAAACCATGAGAAGATAGACCGGCACTAGAATTAGTGGAG  
TCAAAATGTTAATGATATGTCAGATACGCCCTTATATGAGGAAGTTGCAA  
ATTATGAAAATCCAGGCACTCCACTGAGTTAGAAATCTAGGCTCTGATGC  
ATACTGCTATGGTAAGGTAGCAAGTGCCATTGAGTGCAGAAAGTGAGTCT  
GGATGGGTCTTCTGGTGTGTGGAGCACACAGACTGCTGTCTTCTGCATT  
GCAGTTTCACTGTATTTCCTTGGAACCTACTTAGCTTTGCAACTAGGCGT  
TAAAAAAACTTTATATTTATGGTTTTAAGTTATTTATTTGTTTTATTTT  
ATTTTATGAGACATAGTCTCACTCTCTAACCTAGGCTGGCCTGGAAGTGC  
CTAGGTAACCTGAGCTGGTGATTCTCTTGCCATAGCCTTCTAAAATTTTA  
GATTGCAGGCATAAGCCAGACCACTCCTGACTTTTGTAGCCATTTTCTG  
ACATGAAGTGTAACCTTGTCTTTCATAACTAAAATGATTTAGTTGTTTTGT  
TATTGTTTTAATCCCTTTTGTCTTGAATGTATCCTTTTGTGTGGGTGGCAG  
ATATATAACCAAGACTTTTCCACAGGCATCCTACCTAGGTCCAGAAAT  
GACTCTGAGACGTCTTATATATGAATGAATGCCTAGGCCAATAGCTTTGG  
CTGATTTCCACGGGTTTCATAGCTCAGTTATCCCATTTAACTAGTCTAAG  
TCATGCCATGAGGCTACATACCCCTCCTTCAGTTTCAGGCGACTGTCTTC  
TCAGTTGTGTAATGTCTATCCTCTGTGTGCTGCTCCCAACCCCATCCT

FIG. 3C(1)

TGCGTCATAGTCCGTCTGTCTCGTCTCCCCCATTTACTTGCACAACGG  
ACTCTACTCTAGAAGTCCTCTCTGTGCTGGAGCTTGCACCTCCGCTCTCC  
CCGTCTAAGCTAATAGGCAACAGCATTGTACAGACAGGTGATGCTTCCAT  
ACATCGCACAGGAGATTCTCCCTACACAGATACTTATTCATCCAGCGTGA  
ATGCAACCGTCCAGGCGTGTCTCCTAGTTGTAGTACATGCTGTGTATC  
AGTCTGATGAATTTCTTTGTCTTTACAACCAAGAAAGATAATACTGTAAG  
AAATTTTGACTAACATTTTCTTTATTTAAATTACAGACTAACTGGCTC  
TTCTGGATTTGTAACAGATGGACCTGGGAATTATAAATAAAGACGAAGT  
GCACATGGCTCATGAAGGACAGTAAGTTATAATGGCTGACTTTATTTTA  
ATTTATTATAAGAGCACAGTATAGCACAAATACTTCCATGTGTGTATT  
GCTATTTCTTGAGACAGGACCTTTCTGACTGAGTAACTCAGGCTGACCTT  
GAATTTTGCTATGCTACCTCTGCTTCCCAAGTGCTAGGGTGGTAGGTGTG  
GACCACCATGCCCTGCTGCTAAAATACCGTTCATTGATGCTTTTTCATTTG  
GATAGTGTCTTGCTTTTAAAATTTACTTTTGGGGGACAGAGAGATG  
GCTCAGTGGGTAAAGTGCTTGCTGAACAAGTCTGGTTATGTGAGTTAATC  
CCTGGCTCCACAGTGAAGAGTGACTCCTGAAAGTTGTCTCTGACTCC  
CACGCTTGTCATGCACGCACACACAAATAATAAAATAAAAAATTAAA  
AGGAAATTTCTTTTGGGTGATAGGGATTGAACCTATGACTTCACTAA  
GCAAGTGCTCTATTGTTAAATAATTCCTTAATTTGTGGGTTTTTTTTTT  
TTAGGTTCCAAGTTGACTTAATGTTATAAATGAAAGATACATACCAGAAA  
TTTGCTAATTTCTAATAGTTTAAAAAACTTAGTTAAATCTTTTAATAG  
TTTGCTTAAATCTTTATATAAATGCTATTATATCATTTTCTAAATAT  
TGATTTTATTATCAGCAAAACAGTAAATGAGCCATCAGAATAACCACTGT  
AGCCTGTTTCCCTGGCCCTCTGTCTCCATCTGTCTATCTTCTCTTTT  
TTTCTTTTGTGCTGCTCATTAGGGCAAAGCATTTTAGTCTCTGAAC  
AAAACTTTGAAATTTCCAAGTAACTCTGTTTATTGTGTGTCTCATAT  
TCAACCCAAAGAAATATTATTTACTAACTCATTTAAAAGCAACAATTATAA  
CCCACTACATGTTAGCAGAAAAACCTATTTGTTTTATTGAGACGGGATC  
ACACTAGTAAGCACTACATGGCATGGCGTTCAGTGTGTAGATCAGGCAGG  
CTGGCTTCGTGCTCTTGACAGTCTCTGTGTTTGTCTCTCACTTCTGAG  
TGCTGGGATTATAGACATTACCAACACACCGATTGGGGGGTGGGGTAC  
TGGGATCAGTCCAGAGTTGCATGGATGCTAGGCAAGCACTCCACCAACTT  
AGCTATATCCCTGGTCATAAATGTCATAAGGAAAAAATTCCTTATATTT  
AAAGAAATTTAAGAATTGCATGTTTAAAGATTTCACAGATCTCTTTGCT  
ATCTGGCAATCTTTTTGATATTTGTTTGTTTTAAAAATATGTGGTA  
TGTAACAACACTAAATATGAATGGGACAGTTCAGATGAGAGTGAAAAG  
TTAAATATTTGGGAGAAAAATTGATAGGTTTATCTATTATGGAAAAATTC  
AGAGATTTTAGTAAAAATTGAAAAATGGAGCTGGGAGGTCTGAGGTAGTCA  
TCTAAAGCTGCCAGTTGTAGAGCGTGTGGAGTGTGGAGTCAGAGGGAGT  
TACTGATACACTTGTGAAATTGCCAGGCTTCATGGGAAGTGATGAGGG

FIG. 3C(2)



GCTGTTACTGTGACTCTGGGCAGGGCTGTAGTTTCCTTTGGATTTAGT  
CTCAGTCAGAGTTGATACATAGTTTCCTGAGGACGTGGCTTTTTGGTACA  
GTGCTGTGAAAAGGCAGAGAAGCAGGTAACTTAGAAAATGTGTGTTTTT  
AAAGTGATGTGTTATGAAATCTTACGTAAGATGAATAAAGAAAGAAGTGG  
GGACACTGAGGGCTCCTGTTTCTAAATGTTAAAAGCAAGGCTGGAAACAT  
TCTTTGAAGGCCCTGAAGTCAGAGCCCGTGTCTCTTTTGGTTCACAGGA  
CATTTTTGATATTCCCTTACACATAGCAAATACTAAGTAGATCTCTGACA  
AATGCAGGAAAGCTGTTTATATTTATATATATTTATATTGTATATTTTC  
TCCTTATAAATTCTTTAAAAGTCTGTTTTAGTAGTTAATGTTATGATTAT  
TATAAATTACTTAATTATTTTTCTAGGCCAAATAGAATAATGAGACTTCG  
CTTCAACCATTTTGCTACAGAATGTAGCTGGGACCATTTATATGTTTATG  
ATGGGGACTCAATCTACGCACCTCTGATTGCTGCCTTTAGGTAAGCCCTG  
CTGCATTTTCATCTCAGGAAGTAAGTGTGTCTCCAGGATGGAGTCCGTGCT  
GCATTTACTTTATCTGTCAGTCACACTCATCTCATGGAATTAGTTCTGTT  
CTGGTGAGCTACAGTTCAGTTGCTTTTATGTACTGGGTCGTTTTCCATG  
TATACTAGTATGTAGCCACGGTAGTCTTGAACCTCTGCTTCTCCTGCCT  
CCACCTTCCAAGTGCTAGGAGTATAGGCTTGTGCCACTGTGCCTGACTCA  
TTTCACATTTCTGAACTGTGAAGTTTTGATAACACTATTAAATTTACCTG  
CTATTTGTGATTTTGTAAAGTTTGCATTAAAAGTTTTTGACTATATTG  
ATAATATTTTGTGACAAATTTAAATCAGAAACCATACCTTCTTGTCTCT  
TGTATGTATTTTCATCCATAGGCCCTTAGGAATAACTTTTTTCAATAGTA  
TATAGTTCTCTCAGTTTGTATATATGTATTATTAGGGATAGGAGGAGCTT  
TCTGGAAGACTATTTATAAATTGGACAATGGCTAGCTGTTGAGAGTGAGG  
AATTGCTAGTTTGTGTTTGTAAATCCCTCCCCAATGCATCTGTATTAGT  
GATTTAATAAAATAATGCAATTTTGTGAGTTATATGGGTTGCACTGAATT  
TTTGTCTATTTTATTTTAAAGAAAGATTTTGTGTGTCTACAGTGTATATGA  
GTGTATGATATGTGTGCGTGTGCATGTGTGTGTACTTCTATGCAGGTA  
CTCACATGCTATGGTGTGCACGTAAGGTTGGAGTGCAGCCTCACATGTTG  
ATCATTATATTCCACCTTGTTAGAGATAGGTTGTCTTTGTTGTTTGTCTGC  
GGCCTGGAGCTGGAGCTGGAGCTAACGAGTCTCAGCCACCTGACATGGGT  
ACTGGGAACCAAGAGCAGCAAGACCTCTCTTCTCTCTCTCTTTTTTCA  
TTTTCGGTTTTTCAAGACAGGGTTTCTCTGTATAGCCCTGGCTGTCTCTGG  
AACTCACTCTGTAGACCAGGCTGGCCTCGAACTCAGAAATCTGCCTGCCT  
CTGCCTCCCAATGCTGGGATTAAAGGTGTGTGCCACCACCACCCAGCCT  
AAAAGATTTTCTTACTAAAATATATTTCTAAATTAATTAGTTGGAATCTG  
GTTCACTACTCTTTTTGAAACAAAACCAGCATTTTTTTTTCATTTCTACATA  
CAGAGACATTGACACTAGACACTGGTTATGAGTAGTTACTATAAGAATGG  
GAAATTATTCACCCCTTGTAAGCTTAATACAACCTCCTTATCAGGCTCTG  
AAGACTTTTTTAAAGCAAGAATTGTATATAACACACAGAAATGATTTAGA  
CTATTTAGATCTTTATGTCATGGGATTTTAAAATTATTATTGTATTTCGT

Fig. 3C(3)

GGGCATGTTTGTCTATGTAGCATATGTGCCTGTAGAGGCAACCACCAAG  
TAGGTCTCGGAATCAAACCTGGTACCCCTGCTCTTAGGTGTTCTTAACT  
GCTGAGCCATCTCTCCAGTCCTC

FIG. 3C (4)

AGGCAAGAAAGAGCCAGCGAGCCTCCAGACAGACCATTAGAAATTCCACA  
GTCAGCACAATAGGGGAGAACAGTAAATCTTACATTAAAAGAAGGCCAGGG  
CCTGGTAGCAAAAGGTTTAAATTTAAGCACTTGAGAGGGAGAGGAGGCAA  
ATCTCTCTGATTGGGGGTGGGGTTAATGGTGAATGCCATGACACCCTGC  
TCAGAGTTAGCCTTCTCCCCTAAAAAATTTTAAATTCATTTTCAATGCT  
GACACAGTTAATCATAGACATTGTATCTCAGACACCTCAACATACTCCAG  
ACTGCAGCACCAGCCCCTGCTGAGGCTGTCGTTTCAGTTGGTAGAAGGCA  
TGCTCAGCATTCGCGAAGCACCAGACTTCATCCTTAGCACTACATAAAAC  
TGGGTGTGGTCATGCACACTTATAACTTCAGCACCATGGAGGCAGAGGCA  
GGATGATGAGAACTTGAGGATCATTCCTCAGTTACATAGGGAGTTTGAGGT  
TAAGCAGGGGTACAGGAGGCCTGTCTCAAACAAACAGACAAACAGACAAA  
CAAACAACTTCAAAAACTCTTGAAGTACTAGGCCTAGTACGTGCTGAG  
ATTGTAGGTATATGTCATCATGCCTGTTGTAGAATGAGTGAGAGCGGACT  
CCATAGGCTTATAGATTTGAATCTTGGTGTCTGTCTATGTCATGTCATCC  
CTGCACAAAAGCCCACACTAGGCCACACATTCCTCTCTGTCTGCTGCATG  
TGGGTTAGATGTGAGCTCTCAGCTGCTGCTCCAGTGCCATGCCTGCCTGC  
TGCCAGGCTCCAGCCATGACGGTCAGGGACTAACTCTCTGAAACTGTAAC  
CAAGTTCCCAATGAAATGCTTTCTTTCATAAGTTGCCTTGGTCATGGTGT  
CTGCTTCACAGCAATAACACGGTGACTAAGATACCTGGCTCCTCCCCCTCC  
CCACCCACCATTATTTACCATAAAGTAAACAATACACAGTTGGATAACA  
TGATACTGAAGTTATTTTCTGTTCCTGATGTAAACCAATTTTGGACAA  
GATTAAGCCTTAAATAGCAAGCTGTGAGGCAGGATAAAGAAAAAGCTCGC  
AGGCCAATGTCTGCTTTACCAAATTCGTTCAGCAGTCTAAAGCTGCCGT  
CACCTCGACTCCTGTGATGGCATTTCCATCACTATCTTAGATATTCCCTG  
GGTCACAACCTTTTAGTACACAGATTGCAACTCTGATGGAATGGCTGACT  
GCTTGGCTAATTAAAGCAAGCTAGAGTTTGTCTGGCTTCCTTGTCTGAAT  
GGGGAGGTGGTATTTACAAAATTTTGTAATAAACTACTATATTTGCATG  
ATGTATATAAATTTGATGTGGCTGCTTTTAAATCATTTAACCTAAACTGT  
CCCACAGAATCATCTGTTTGATTGGAAAGATTGTAGCTTCAAGAGAATTT  
CTGCTGAACCTGAAATGATTCATAATGATGTGTCTGAAGAATGTGTGCTA  
TCACCTACGGTTTTTGTTTTAGTTGATATTTGTACTTTAAGATTTCTTTT  
ATGTATGTGTGTGTGTGTATTTATGTGAATGTATACCTCATGTATGTG  
GTGCTCAAGGACACCTGAAGAAGGGCTCTGGAGCTGGAGTTACAGGGAGT  
TGTGAGTGCTAGGAAAGAAAGCTGGGTACACTGGGAAATCAAAGGTGCT  
TCTAACCCTGAGAAATCCTGCCAGCCCCTTGGTTTATTAAAAATATCAA  
ACAAAACCAACACTAGTTACATAAGTATCTCTCTCTCTTTCTTTCTCTCT  
TTCTTTCTCTCTCTCTTTCTCTCTCTCTCTCTCTCTGTACACACACACACA  
CACACACACACACACACACACACAAAGGATCCATAATAGTTCTTCTGT  
ATCCCGGTTAAATATAAGTTCTTAGGGGCTAGAGAGATGGCTCAGCAGTT  
AAGAGTGCTTGTGTGTTCTTCCAGAGGACCCAAGTTCAGATCCTAGTACAC  
ACATCAGGCAGCTCACAGCTACCCATATCTCCAGCTCCAGGAAGAACCAA  
TCAATGCCTATGGCCCATGCAAGCACCAGCACACATATGCTCCACAAACA  
TCCATATATATAGCTAAAAGTAATAAAAATAAATCTTCAAAAAATTAATT  
CTGGTTGAACTGAAAAAGATCACCTAACATTTAGAAAAAGCAGTTTACTA  
GTGAATAGGACATAAATCATGGTATCAAATATTCTGTTGTTAAAGGAAGC  
AACTAGAAAAAGCATGTGTTTGAATAACCAATGGATACAAAACAAATGA

FIG. 3D(1)

GGCAACCCCAACATCTGTCAGTACCTTGCAAACCAACACAATAAATTTGA  
TTTTATTTTAAATCGTAGTTATTTTTTCATGCTAGTAGTTTTGAAACACAAT  
AAATTTGATTTTTATTAAATCGTAGTTATTTTTTCATGCTAGTAGTTTTGA  
AACCAAGATCTAGATTTTGTATAGCCACATAAATACACATTAGAATTGCA  
AACTGATACGAGCTTCATCTTCATCAGTCTCTCTTCATGAAAAGCAGTTA  
CAGGGACTGAGACATGACTCAGCAGTTACGGCATGGGCTGTTCTTCCATA  
CGACATGGATTCAATTCTCAGTGCCCAAATGTTGGCTCACAACCATTGT  
AACTCTGGTCCCAGGGGATCTGACACTCTTCTTGGCTTCTATGGCCACTG  
TATTCATACGGTACACAGACACATATGCAGGCCAAACTCAACAAAAAAA  
TAAGGTTTAAAAAAAAGAATTAGAACTTAAAGGCACTTCATTCCGTCAGC  
ACTAAATCAGCCTCTCTGGAGTCTTCCCCTTCATGAGAAAATCGTCAGC  
TCTCCACTGCTGTCTGTGGCTGAGGAGCAGGACCTGGACAACGTTTCAGAG  
ATTGTCAGTGCATCTCTTTTCTTCTTTGGTTTGCTGTCATCAGGTTCACT  
GTCACATTCCCTTTGTACCATCCTTCCCTTAAACAGCCTTTTGAAAATGCA  
GAAATGTTGGATGCTGCCTTCAGTTCACACAGGCTGTCTTTTTAGCTCCT  
CATCTATCTATGCTTAATTTGTTAGTGGTGCTCACCCATGTATGTGTTTA  
TGTCATGAAGCCACAAGATGAGCCTTGATTGAGTCTTGCTGTCTAGTGTTG  
ATCACAGAAATGACACCCTATCATCTTTGCTTCCCTGCTTGTTAGAAGTCA  
TTGATTCTGCTTATACTCAAGGCCACAGTATTATACCTGGGTGTGAACC  
CCAGGAAGCAGGGAGGTGGGGGGTGTCATGGATACTACTCAGATATCTGA  
CTGTTGTGATATTTTCATCAGTCTCTCATTTGGTCTTATCTTTAAATCTGCC  
CTACATCTAGAGCTGGCTGTGGTGGTGTGTGTGGTGGCATCAGTATCAGA  
ACTTGGATTACAGAGGCAGGAAGATTGTGATTTTTTGAGGCCAGAATAGGT  
GCATACAAAGATCCTGTCTGCAAAAGAAACAAATGTGCAAAATAATTATAA  
CTACTTTACTAATAGCCTAATAAACCCTGCTAGTGCTGTGTCCACG  
AAAAGGTGAAGTAAACTGTGAAAATGACTTCCCCCTTCTGTGTGACACACG  
CCGTTCATGTGATTTTACTTGTGTCTCATCATTTGTTTTCTTCTGTGCTTC  
ATGTGTGAATGTTTCATGTGTGAAGCCAGAAGTCAGTGTGAGTGTCTTC  
ATAATTGATCTCTATTCTCTTTGTTTTGAGACAGGGTTTTGAGACTAAGC  
CCAGTGCTCAGTGATTCATCCAGTAAACTGTAGGGAGCTTCCCTGTCTCTG  
CCTCCACAGTGTTGGGATTACAAGCATGATCCAAATTATGTGACAAGCGC  
TTTACTAACTTAGCCATGTCTCAGCTCCCCACTCCCCCTTTCTTTCTT  
CTTCTTTTTTTTTAGACTTACTTGTTTTATTTTTATGAATGTCTTGCTGCA  
TGCATACATGC  
AAGCAATTCCAGAAGAGGGCATTGAATCCCTGAAACTGGAGTTCCAGTTA  
ACTGTGAGCCTGTCTATGTGCGTACTGGGAGCTAAATCCGGGTCTCTGGA  
AGGTCAGCAAGGTCTTACCTGGGAGCCGTCTCTTTAGCTCATGTGTTTCT  
CTCTTGAAGCAAGAAACCTAGGAATCATTTTGAAACTTCCTTCACAGCCT  
TTATCATAACTTCACGTCAATTTTTTACCTACTCTTTCAACAAATACATGT  
TATATTTTACTTATTTTTATGTTTTAGCCTGCTATTGGTTTCTACTTAGCCT  
CTTGCAGTAGAGTTCTGTCAGATTTATGTTTCTATTGCTTTTAAATTTATT  
TGTAAGGTGAATGGGAAAATATTTAAAAATTACAGATCCCATCATTTAC  
TATATTCTTAAAAGCCATGGCTAGCCAGGCTTGGTTGTGCATGCTTGTTAC  
TCCCAGGACTCTGACAACTCAGTAAGGAGGAGAGTGAATCAGAAAATAGC  
GCCAGCCTGTGCTGCTTAGCAAGAAACAGAAACAAGTACAATCACACACA  
TAGAAAATCCCCCATTAATACCATCCCATTAGATATAATGGTCCCTGTATG  
ACCATTCAACCACTGTTTGTCTCTGTACTGCAGTAACAGTCTTCTGCCC  
TTGCCCCGTGAAGCACGTGCGCACCCCGCCTCCAAGTGCTTTTGCAGTGGT  
GTCCTCCGTCTAGATGTCTGTACTATATGTAAGGACTGGTTTCTCCTC  
CTCTTTACAGTTCAATCTAATTGTCTCATGAAAAGATCTTCTGACCAT

FIG. 3D(2)

CTGGTTCAGACAGGTTCTCCCTGTTGTTGTTTTGTTTTTGTATAGT  
TCTAAATTCCCTTCAGGAACTTTTGCTTATTTTAAATTCCCTGAGTGCAT  
ACGTGTGCTTGTGTTGCTCATGCTCGTTGTTTGGGCTTACTTTACTATC  
AGCTCTGGATGTGGTTCACAGAAGGTGCTCAGGGGAGCACTCTCAGCCAC  
TCATCTCACACGGGTTATAGATATATGTATTGATGCTACGTTTGCTTG  
AGCCATGTTTTAAAGATTAGAATATCTTTTCTATGTGTACTCTATCAAAA  
CACATGTTAGGGCTTTATCTATTTTATACAGATATTGGTGTCTTGCTTT  
ACTAATTTTCATGGAATTTCCGGTGAATATTAGTATTTTAGATAGGAAGAC  
TTGTCTCAAAATGTAGCTCAGCTGGTTGAGTGCCTGCCTGCATGTAGAAA  
GCCCTGTATTCCTCTCCAGCACCTCAGAAGTGGGCCATGGTGCATATGC  
TGTCATCTCAGCACTCCGGAGGGAGAGAAAAGAGAATCTGGAGTTCAAGG  
TTATCCTTGCTATATAACAAGTCCAAGATCAGCCTGGGCTACATGGCAT  
CCTGCCTCAAAATCAAACACCAAATCAAAAAGCTCACATCTTGATCCAAA  
AGAAGGTAGAGAGAATACACTGGGAAAGTCTTTGAAACCTCAAAGCTAAC  
TCCAAGTGACAGTGACACCTCCTTAGCAGGGCCATAAATTCTAATCCTTC  
CCCAAAGCCCACTGAGACCAAGTATTCAAAGATAAGAATCTATGC  
AGTCCATTCTCCTTCAAACCTACCACAGTAGGTTTTCTTAAAAAAGAAAA  
AAGAATATTTTAAATTGATTGTGATTATTCAGTATTATTTCATGAATAATCA  
TGAACCTACATGGCAGGACTATAAACTATTATTTTTTTTAAAGATTTATTT  
ATTTATTTTATGTATGTGAGTACACTGTAGCTGTCTTCAGACACACCAGA  
AGAGAGCATCAAATCCCATACAGATGGTTGTGAGCCACCAAGTGGTTGC  
TGGGAATTGAACTCAGGACCTCTGGAAGAACAGTCAGTTCTCTTAACCAC  
TAAGCCATCTCTCCAGCCCCCTATAAACTATTATTATTTATAAAATATA  
AATCCGTGAGTCTGTGCACCCCTGTGTGCACATGGATGGGACATCTTGA  
ACTGGATTATATCATACTTAGAAGAATACAAGATACTCTGTTTTGTCAAT  
TGGGTGAAAAATATGGTCTGTTTTATTTTGCAGGTATGACCTGACTCTTAGG  
GAATGGCTTCCACTAAACCATTCTGTGAACAGTGTGGTTGTAAGATATGG  
TCATTCTTTGGCATTACATAAGGTAAACTATCTCAACTCTTCACCAAGCA  
AGAAGTTCAACTCTTCCTGTTGCTTTATGTCAATTGAATACTATCGAGCTT  
TGGTTTTAGTTGGTATAAGCTTTGTTTTGATGTCAATGGAGGTATATAATT  
CACCAAGTTGTACCAAGTTGTAATTGGAAATTGAAGTTAGAACGATTTT  
AATCCATGGTGTCTTGCAATTTGGATACTCTGATCACAGTTAACAATGAAG  
ATTAAATAGTGTGCAAGCCCTATGCCATTATCAAGTCTAGCATACTGC  
ATGCGTGTGACTGAGTAGCCATTGTTATCTCCTTGTTTTGAGCGTATATT  
GTAGAATGAGGCAACTGTATTTTCCACACCATTTTCGTTCTGTAAACACGT  
TTCATGTAGAGAAGGTGATTTAGAGAGGGGAAGAATGTGATTGTATTGGT  
TGGTCTTTCTCTATGCTATTCTTAGCAAGTCACCGAAGAGCTCATGTTA  
CTCACACTTCTTAAGCTGGGATCACAATGAGATTGTGAACCACTCATTGT  
TGTTTTCCAATATAATTTTTTAAAAAGATGTATTTATTTTTATTTTATGTG  
TGTTGGGTGTTTTGCCTGCATGTATGCCTGTGTATACTGTTCCCTCCAGAGG  
TCAGAAGAGGATGGCATCAGAACTGGTGGCTGTTAGCTGCCATGTGGGTA  
CTAGGAACTAAACCCGGGTCCTCTGCAAGAGCAGCAAGTGTTCATAAACT  
CTCTCTCCAGCCCTAGAGTTGATTCTTAATGGTTTTTAAAAATCCTGTTT  
ACATCTTTCTTATAGGATAAAATCTACATGTATGGAGGAAAAATTGATTC  
AACAGGGAACGTGACCAATGAGCTGAGAGTATTTTCATATTCATAATGAAT  
CATGGGTATTGTAACTCCGAAAGCTAAGGATCAGTATGCAGTGGTTGGA  
CACTCAGCACACATTGTTACACTGGCATCTGGCCGTGTGGTCATGTTGGT  
CATCTTCGGTCATTGCCCACTCTATGGATATATAAGCGTTGTGCAGGAAT  
ATGACTTGGGTATGTATTTTTTCCAGTGGAGGCATCTTGAATATCATACT  
GAGAACCCTGCCCTTATTATTAGGACACCGTAACAAAATTTCAGCATGAT

FIG. 3D(3)

CTTGATCCAGTACCTTGTCTTGAAATAGTATCAGTAGATAACTGGTGAGA  
TTGAGGTTGTGAAGTCCCTGTGCAACAGCTGTTTCTTACTTGTCAAGGT  
CTAGTCTTGGCTTGGGAGGGGTCTGAGGAAAGGGGTGTCAAAAAACCCA  
AAAAGTCCAATGTAGGTCCAAGCTGGCAGCTGTATATTGCATTAAGGAA  
AGCTGAGGGAAATTTGGGATATTTATTTTCATCTATTAGTCTACATCAAGC  
AAGTCAAGCGCTCACAGTCAACGTTTGCACCCTCAAATTAGTAACAAAAG  
AGGGGGAAGTGAAGGAGTCCAGCATGGTCCTGGTGGGACAGAATGACATG  
GTTCCAGCCCTGAGACAGGGGCAGCAGGTCCGGGCCTCCATGGATGTCAC  
ACTATGGACATAAACCTGTTTGTATAATAATGTACATATTTTCATGCTCCT  
CTTCTGAGTAATGTCTTCTGTTAATGTGAATGACTTCATGATAATCAGA  
GCCAGTGTGAGTCTGGGAAGTAAATGGTGGGACCTTCAGGACAGCTCTTA  
AGGCTGTGGAAAAGAACATGAGTTCAAACCATATACTTCCCTCAACTATA  
CAAAAATAGAAGGATGCAATATGAATTGTATGAGGGGCTTCACAGATCTA  
AAGGAACAAAAGCAGCTTCGCTGTGAGCCAAGTTGTCAGAAAGATATTGA  
GTAAGCAGTTAAAGAGATTTAGGGAGTGCTGATTGCTAGAGGAGGCCACC  
CAGCTAAGTTTGTGCTTACAAAGGCAGACAAAGTCCTGAGTTCAGGGTGG  
GCCTGGAACAGAGCAAGGTTAGTTAGACCTTGGTGTGGTAGAAATGGTAA  
TTTCCAGACAGGATACCCAAGTCTTGTGCTTAAACAGAGGCAGGTAG  
ATCTCTGAATTCCTTTTGTAAATGTTAAAGGAAATGTGTGCTTGTGTCTC  
CCAAGGGGCCGTAGTCCAGGATGCTGATTTATAGGAAACCTGGAGTAAC  
TGGGTTTATGACCTGCAGGAGACGAGCTATCCAGAATGTTTTTGTCAATA  
GCAAGAGAGAACTGCCTGGAGAACTGCCTTCAGCAAAGAATAGCAAGAGA  
AAGCTGTCTAGAGAGAGAGCTGTCTGTAGAGAAAGCCGGTCAGAGAGAAA  
GTAGACTGGAAAAGTGTCTCCAGCTTGGACCCACAATTTGACTTTTTGT  
TTTGTGTGACAAGTTGCCCTCCCCCAGAAACACCTTCTCAGGACCCCTCC  
CAAGCCAAGGCAGGGCCTTGGCCCTTCTTGTGCTGCAAGGAGCCAAA  
GATAGCTTAAATGCTTTGGATATCAAATAAGCAAATGCAAAACAGTA  
AACACTCTAAAATAATCTGGCTAGTCCTTTAAATATTAGGCCAGTGCAC  
TGTTATTTTACCTTAATGTATAATCTTGTGTTACATTTTATTGTTTTAT  
TGTATAATAGGAATGTCAGAATTATAATTTTGTAAACATTTGTTTGACATT  
CCTGTGAAAATGCATCTAAAGATCATTAAGTGCATCTGAAGATCATAAG  
GACTCACTGAGGAGCACAGGGAATTAAGTGTCTGCTTAAGAGAAGCTTTGA  
ATCTTTAATCTTTAGAATTTGTTTTTAAAAATTTGAATCTTGCCAGTGTGG  
TGGCGCATCCCTTTGGTCCCAGCACTCAAGGGGCAGAGGCAGGTGTATCT  
CCATTAGTGTGAGGCCAGCCTGGTCTACAGAGCAAGTTCAGGCCAGGCA  
GGGTACACAGAGAAACCCTAGCTTAACAAAACAAAACAAAATATGAATCT  
TTAAAAACTTGTCTGTGAAAATTTATACATGTATACAATATAGCTTGT  
TCATATCCACCGCCATTCCCTCCAGCTCCTCTAGGCTTTCCCAGTGCATC  
TCCTTCTTAGCCTTATGGCCTCCCTTTTCAGGGTGAAGGTAGCACACTGA  
GTCCAGTTAGTGCTGATCCGATGCAGTCTTGTCTAGATGGTCTTCTTTAT  
AATAAGGTGAAAGTATATCTAAACTTCCGTCTTTTGTCTAAGGTGTTT  
AGACTTTAAACTAATGTTTAAATCGTTTAAATAATTTATTATTTTCATAAG  
AAGAGGAGCCTGCAACATTGACTTTAACTATTGTCTCTTATCCAGAAAAG  
AACACATGGAGTATATTACATACTCAGGGTGTCTTGTGCAAGGGGTTA  
TGGCCACAGTAGTGTATTATGATGACAGGACCAAGGCTCTGTACGTTTCATG  
GTGGCTACAAGGCTTTCAGCGCCAACAAATACCGGCTTGCAGATGACCTC  
TACAGATACGATGTGGATACTCAGATGTGGTGGGTGTTTTCTAGAGCTT  
TCCCTTGGTAGTCTAGAATCTGCAGAGGCAATTGATTAAAAATACTGTGC  
TATGGTTTGACTTTTGTTCAGCATTGTATGTAACAAAGTTAGGAGATCAA  
TACAGTAATAGAGTTAAGGTACTAATGGTGTCTGTTGCTGTCTGTAGTGC

Fig. 3D(4)

TTAGTGCTTTAGACCTGATTCACTGAACTCTAGCAAGGTTTCCTCTCTTC  
AGAATTCTCAGCAATAAAAAGCTGTGCTGATTTTATCCATACTTAAAAAGC  
ATATCCTTCCTTTTCTCTTTTGGTGTTGGGGATCAAACCTTGACATGA  
ATAGGCTATACCATCTTTATCCATTTACATCACCAAACAGGATGCTCTCG  
TGCCTATTTGATAGGGTTTTCACTCACTTCGAACTGAAACTTGGGTGTA  
AGAGTATGGTACTTTTAGCAAAATGGAAATAAATTTGAGTTATGATGCAAT  
TATAAAGCACTGGTCTCTCTGTATTTCCCTCCTCCTTCTACTCCCTCCCT  
CTTCCTTTCTGACCCCTCTCTCAACATACATTAGAGACCATGCTTTGAC  
TGTCATTTTATGCTGTGCTGAAGATCAGGTCTTTAGTGGCTGTGAACCAC  
GGAGCCTATGCAGTGAAGTCTGGTCTCTGGCTTTTGCCTTACTAATAA  
AACACTGAGCATAAATTTTGATTTGTATTTTACAATCTTACCTGGAATT  
CTTAAGTGAATTTATGGAGCCATAGAGAATGAACATTTTAGGGCTTTTAA  
TATAGTTTCCCGAAATTTTAACAGATTTTCATGATTGTTAAAGGAAGTGG  
CTTACGTATAGGGGAAATCAAGTATTGCACATTTGAATCTAAAGTTATA  
AAGTAATTACATTTAAATTGGCAAATAAGTATTCTTTTAAACTAACCTT  
ATATTTATTATTTCTAAATAAACTCAAAAGGACCATTCTTAAGGACAGCC  
GATTTTTCCGTTACTTGCATACAGCTGTGATAGTGAGTGAACCATGCTG  
GTGTTTGGAGGGAACACACACAATGACACTTCCATGAGCCACGGTGCCAA  
ATGCTTCTCCTCAGACTTCATGGCTTATGACATTGGTAAGCTTTCCAAAG  
ATGTTTTAGCTTCAGGAATATTTTCTTTGCTGATGGAAAGATCACTATGT  
TAAATAATTGCACCATTTAAAGAAGTCCAGGTGGTAGAATTTGCATTT  
AATTTGAGTAGGGTTACACATCTATTGAAAAGCATTATTTTGGATTAAAC  
TACATTAAATTCTTTGTGAAATCACTCTTCTTAATTGCTTTAATTCTTTT  
TTTAGGTTGAGTTAATTGGTATCTTCTTTCTTATAAGTGCCTTACATAGT  
AGTGGTGGTAGTTGTAACCACCAGTGTATGTTAAGTTTGATGGGATATG  
CTGTTTCCTAGAAACCTGGTTTACACATGCTGTTGATGTCAATATACAT  
GTGGCCAGAAGAGGGCAGTGTCTGTTTATTCCTGGAAAATAAACATCAGC  
TGCTCTGTTGTGTAAATATCACCCATGTGATGTTCTTTCTGTTTATTTGT  
CTTTGCATTTTGGAGACAGCCTCACTATGTAGTCTAATTGGCTGAAGCTCA  
GTATATAGATCAAGGTGACCTTGAACCTAGAGAAATCCTCCTGCCTCTTC  
TGAGTGCTAAGATTAAAGATGTGTACTACGAATGAAAAAAAAAATGTGT  
ACTACCACACCTGACTAGAGATTCATTTTAAAAATTATTCTTATGTGAT  
AAAATGCTCAGAATAACACTCACCATCTTAATGTTTAAAGTAGTTTAGAT  
TTAAATATATTCCTAGTGTTATTTCATGTTATAATACCATCTGCTTGCCGA  
CTTCTTGTAAAACTGAACTCTGCCCTTAAACAATAGTTCTCTCTTCAT  
CCCTCACTCCAGCCTCTTGAAATCATTTTCTATATCTCTATGATTTTGAC  
TAGTCTAAATTAGGCATTTTTTAAAAAAATATTTTGTTTACTTGTATGT  
GTATGAGTGTTTGCATGCATGTATGTTAAGCACACCATGTATATTCAGT  
GCCCATAGAAGCCAAAAGTAGGCATAGATTCCCCAGAGCTGGAATTACAG  
ACTTTTGTGAGCCACCATGTGGGTGCTGGATACTGTGCCCAAATCCTTTG  
GAGGAATAGTGAGTCTTCTTAGCTGTTGAGCCATCTTGTCAGCCCTAGAT  
GTTTGTTTTAAACAAACGTGTTTTTGGCCAGCCATTGAGTTTTTAAATTGA  
GAATGGGGGGTACACTATAGTTAGTCCTTAGCTTCAAGCTTGTGGAAGCA  
GAAATGAGAAGACAATATAATCTTAACCTCAGGAGGATTCTTGCTGGCTGA  
AACAAAGATGTGAAATTACCTCCGAGCACTCCTAAGCCACTGGGGTGAGC  
AGGGTGGTCTGGAGAGGCCTTGAAGAGAAGCTGTCTGAGCTTGTTCCTGG  
GGACACTGGGAGTCAAATAGACCTCCTGGGCAGGGGGATTTAGTGCAGAC  
AAGAGGCAGGAAAGTACATGTCAAATATTTAGGACTTTTGAACCGCTACC  
TTTCTTTTGTGATGTTAACACAGAAGGTAGCAGGTGACTGTTAGACTAGA  
ATGTTTCAGATCTGATTTCAGAGTGCCAGGGATCGTTGGTTGGTCTTGTGTA

Fig. 3D(5)

AAGTCTCACAAGTGATAGAATCATATGTGTGTCTTAGACTTTTTTTGTG  
TAGGTATTTTAGATTTTCTTGTTTTCTTTTGTAAAGTCTGGCCCTCA  
CACTATGGTCCAGGCAGGCTTAAGACTTATGGTAACCATCCTACTCTGCC  
TTTATGGGCCACCATGACCAATTTAAGAAGCTCTCTTGGGTGGCATTTGTG  
ATAAGTGATCTGGAAGGGGCATATTGACAGTTAGCAGGCTGCTACTGCAG  
AAGTCCTAATTAGGTTTGTATCAAGGCCATGGAAGGAGCAGTGACTTCTA  
GTACCTGGCTGTTGTGTGTCTTGACAAAAATATAACTGCCCTTTCTTCCC  
AAGTGTCTACTATGGACCACCTTTGCCAAAATAAAAGCAGATTTCAGAGA  
AAAACATATCATGATTGCACATGGCTATAATCCCTGAACCTTAGGAGGATG  
AGAAATATGGCAAGATTGAGACCAGTCTGAACATCTAGTAAGACCGTGT  
CTTTAATAAAAATAGTAAAAATTATAAAATCAGGGAGTAGGATCTGGGAA  
GAAGAGAATGAAGTAAGTGTGGGGCATATCCAATTGGAGATGTCTTTAGG  
ACAGAGCTGATTGCTGAGAGGTGGTTGTAGGAGAGGTGAGTTATTGTGGG  
GCATAAAAGATGAGCAAGAGTGCAGAGACAGTTGGAGAACAGAGTCTGAAC  
AAGAGTAGAGACTAAAGAGAGTGTGAGAGAAGCAGGGAGAAAATAGGTGA  
GATTGATGACCTGTGAGATATGTTAATGGCCAGAAGAGTGGCTAAAAATG  
ACTGGAGAATCCTTCAGACTTGTCAACAAAGAAATCCTTTAGCCTAATTT  
AGGGTGCAGGCGGCTGAGGAAGGACATAGGTGAAATATGTGCTCTGTGTG  
TTCATTTTTTATTAAAGCTTATCTGCAAAGGCCTCAGATTTGCTGTGTACT  
TGTAGCTGAGGCTCTTTTGAACCTCCTGGTTCTCCTGGCTCCACCTTCCCA  
AGTGCTAGGATTACAGATGTGTGCCCTAGTTAAAATAGCTGTATACCTAG  
CATTA AAAATTTTAAGTTAGAAAATACTGTGGTGTCCGGGGATGCATCT  
CAGCAGTAGAGTGCTTGCTGCTATACACAAGGCCCTGGGACTGATCCCT  
AGCACCACAAATACTAAAGCAGACATTCTGGTAGGGAAAACCTGGTAGACA  
GCAGAGTGGTGACCATCAGGAGGGGGTGTGGGTGATGAATGACTACAT  
TAATTAGAAGTTCTGTGCAGTATATTTATTTTCATGCCCTGAAACATGCT  
GCTGCTGTTGCTGCTTTCTTTTACACATAATAACATAACTAAAAGACAGA  
CAAGCATGTGGTATGAGGCTGTGGATGAGGCATTCTTTGTTTTCTTTT  
TTTTTTTTTTTGAGACAGGGTTTCTCTGACCTGGCTGTCTGAAACTCAGT  
AGGTAGAACAGGCTGGCCTTGAATGCACAGAGACCTCCTGCTTCTGCCT  
TCTGAGTGCTGGGTTCAAATTTTATGTTTTTTTCTATAAAGACTGAGAGT  
TCACATGGACTATATATGACAACCTACTCTGAAATGTGTTTTTCTCCCC  
TTAGCTTGTGACCGATGGTCAGTGCTTCCCAGACCTGAGCTCCATCATGA  
TGTCAACAGATTTGGCCATTTCAGCAGTCTTGTACAACAGGTAATTGGAAA  
GCAAAGGCTCTATTACTGTCTTACATCTTATATTCATTTTTTAAATATCAAC  
TTCCTAACAGTTGTATCTGAATGGTAAGAGGTTTGGGGAGAAAAAAGGAG  
AGAAGGCAGTTCTAAGTGCACGATAAGGTAAGGGGAATAGGACTGGGAGG  
TTATGGGGTCAAAGAGCAAGTCTGAAGTCTGCACTATATCCAGGTGTGTG  
CTCAGGAATACTTTTCTGACCAGCAGAGCTCTTTTCCATTTGCTCCAGG  
AACCTTAGTCCTGTAAAGGACATGCAAAGGACTAGGGTTGTGGGCCAGCA  
ATAGAGTGTTTATCTAGCTTGCACAAGATCCTGAGTTCTGACCTCAGCAT  
TTTGCTTCTGCAACACAGCATTTGCCATAAGGGACATGCAGAATGGCC  
ATTTTACCTAGTCACTTGAAAGTGTGCTTTAAGATTGAGAACTTAACAG  
CCTGCTGATGCTGACTTTTCTTATTTTGTCTTCTGTTACTGCTTTCTGCTT  
CTTTCTTTAATACTCTAATGCTTACATTATATAGTCCTACAGGTATTCAA  
ATTTTCTGTTGGAGTTTCTAATAACAAGTAATTTAACTTGCATTAGGAAA  
AGGATAAAAGTGCCATTCTGGAGTTGTGAAGAATGACCGTTTAGAAGCTA  
CAAGTATATAGGGGATTGTGGCAAGACCATTGTATGATTAGAGACTAAAG  
TGAAAAGATTTTTTAAATATCTTGTTAACTTGAGTGTTATCTTAAATTAC

FIG. 3D (6)



AATCTGATGCTTTTCCTTCAGAAAAAGCCCTAAATGCCTCTTGAGGTTTTC  
ATCTGGCAAGTATCATGTCACCTGGCCTTGCTGGTGGAATCTGCCCCAGC  
TCATGTGTGTTCTTAGTGTTCTCCTAGCACAGAGTTAGGCACGTGTGGGC  
ATTTGCATACTAATGTATAGTAATAGTAACAATTGAATGAATTGTCTATT  
AAAACATTCCTTAAGTTTTTACCCAAACACAGAGAGGTGACAAATTTGTTCAT  
AAAATGTAGTTTATCCATGAATCAAAATCAGGAATGACTGTCTGAACAGT  
GTTTTTATTTTTTATTTTTATTTTTATTTTGTGTAAATTTCTGTGATGTGTTT  
GAATATCTCAGTTTTTAGGCAGGATTGGAAATGTTAGAGGTTGGTAAGAGG  
TCATGGTTGCAGTTTGATCATGAGAGAAATCGATGGCTCTCCCTTCATTG  
CAGTGTTGTGAGTCAGCAGTGTGGGATCACCTATGTCTAACAGTTGTTCT  
AATTGAGAGAGGATTACAGGAGGGAAAGCAGTGAGATTGTGAGGTGCTAG  
ATGAGGAGATGGCATTTACCTAGCAGCCTTCTCTCCCGCCCTCCCATCAT  
GTGACCTGAGAGATTCACAATTTCTGAAGATATCAGCTGTGCTTAGTTTA  
AGCAATAGTTTTATTAACTAAATCCAACCTGATTCATGTTATTCCCAGGG  
AACCAGTGGTAGGATTAAAAATGAATCCTAGTGTTCTTTTTGGTTATTGG  
AATGTCAAGTTTTTCAGACACTGTAACGAATACAGAGCCATACAATCACTA  
TATTTATTTGGTCCCTTGTGACTTAGAAAAATTGAAGCCAGTTTAGGT  
GAGCTACCAAATTTCTCATTGTGGATTAGTATTAACTTGGGTGGAGTTG  
TGGGATCTTGGAAAGTGGGGGCTAAGCATCCGTGTTTGTACAGCCCAGAA  
GGAACAGATGAGGTTCCCTTTTGAGGAGTCTTATGTCTTTATGAACCTGGA  
CTTAGAAATATTTGATGTGTTTAAATCTGCTGTAGTTTTTTAAACTCTAG  
CTAGTGAGCATCTTTTCACAGGAGCGCTTGAGTCTGACCTACAGCCATTG  
TCTGTCTCTGGTGTGCATATTACAAATGCACTGGGAGCGTTTCTTGACCC  
AAACATATAATTAGATTTTTCTTCTAAAAAGGTCTAGTTTGGGAAGGAAT  
GAAAGGGATTAGAGAAATGTTGTGGGTTTGGTATTTATTTATTTATTTAT  
TTATTTATTTAATGTATATGAATGATCTATCTTCATGTATACCTGCATGC  
CAAAAGAGGACATCAGACTCATGATGGTGATGAACCATCATGTGGTTGCT  
GGGAATTGAACTCAAGACCTCTGGAAAAACAGCTGGTGATCTTAAGTCTG  
GAGGCATCTCTCCAGCCCAATTGTTCTGTTTTAGTTTGAGGATGAACATC  
TAATTTAGAGATGCCCTGCTTTTCCAAAAGTGAGTTTAAACACTAATTT  
CCATTGTCTAGTGGATTGGTCTTTTAAAGAAATATAGGTAGTGGTGGCACACG  
AGACCAGCCTGGTTTACAGAGTGAGTTCCAGGACAGCCAGGGATACACAG  
AGAAACCCTGTCTCGAAAAGCAAACAAACAAAAACAAACAAACAAACAA  
AAACAAACAAACAAAGAAATATAGGTTGGAATAGGTTGGAAGCAGCCAATGAT  
AGTGCATACCTTTAATCCCAGCACTTGAGAAGCAGAGGCAGGTGGAACCTC  
TGAGTTTGAGGCCAGCCTAGTTAGTCTACAGAGTATTTTCCCTGGAGAGCC  
AAGGCTATATATAGAAACCCTATCTTGAAAGGCCAAAAAAGGAGGAAAAA  
AAAAAAAAGAAAAAGAAAAAAGAAAAAAGAAATGCAGGTGGGCAGTCAG  
GGTAAGTGTCTAAGGTAAGAGGAATTCTTCAAGGTGGAAAGTCATGAGTT  
CTGCGCCAGCCTAGGCTACAGAGTACTGAAAGGGGAAGAGACTGTCCATG  
TGTCAGACCCTCATTTCTCCAAAAGTCACATGACTATATTTTTCTGTAT  
TGCCCACTCTTCCATACATGCACCTAACAAATAAATATTGAAGTTCACTCT  
GTGGCACTATATCTATGTGATAGACTTCTAGAAAAGTGATTTAAAGTTCA  
AAAGGTAAATACGTAGTTTGTGTTCAAGTTGCCAAAATCCCTTTAGTAGA  
CTCCTACAATCTTACATGCCAGTAGCAGTATAGAAGCTTGCTTGTGTC  
TTGAAGCCTCACCAATTCAAATATTAGGTAACATTTGTTACATTTTTCTT  
TGTCAGCTGGATAGGTAATGAATGACACAACATGTGTTCCCATTTTTCTC  
TGCATTACTAATTGAAGTCCTATACCCACAGCAGACTGAAGAGTTCCCTT  
TAATATTTTATGGACTTTGACAAACCTAGGATTCATAGCTTCCATACAGA

Fig. 3D(7)

GAGGAATTTACAAATAGCAAAGTTGGGCTGTTAGAAGAATAAAAAGAGA  
ATTCTGAGTACAGCTTCTCAAAGAAGAGTCCCACGTAGGTGTCCTCTGGG  
ATGTGCCTAGATGCAGGGTTATTGTACAGGAGCTCTTCTGTCTGCTCTCT  
GATACTTGAGATTATAGGGTTGCAGGGAAATGCATTAGATGGCATTACAA  
ACTGATAAGATAAAAGTTAGGAGCTATCAGAGATTTAGGACATGGTTTTTC  
TCTGTAAATGGGGCTTCTGGTGAGATTCTAGAAAATGCTGTTTATAGCT  
AGGAATGGGGTTATAGCTAGGAATGGGGAAAGACCTTAAGCAGTTGTGAG  
CTGTGGTGGAATGCATGTGTTTTTCAGTTTGCTAAGGCTTCCGGGAATACT  
TTTCTGTGCGATAATTTTCTTTCACTCTCTTTGTAGCCTTCTTTGTATTA  
AAATCCTCTCTGCTTGTCTTTTGTGTGTGAATGTGTGTATGTGTGTGTTT  
TGTATGTGTGTGTATGCATGTGCATGTAGGTCCCTACATAGGACAGAACA  
TATTTCTGAGTTATAGGTGCTTGTGAGCAGCCTTTTAGGGAACCAAC  
TCTGTCTCTGGAAGAGTAGCCCCCTTAACTGCTGAGTCATTTACGCCCTC  
AAGAATCTTCTCTTTTCCCTATTAGTAGAAGATGTCATCTTAGCTCTAGG  
AACTACACCACCTCTGGCCTCAGTGGACACCCATTTACATATGCACATAC  
AGCAGACAGACATATAACTAAAGATAAAATAAATCTTTTTTAAATGTTCAT  
TTCCCTGTGTACTAATTTTCCATGTACACACTCACAGGTAGATTTTTTAAA  
CTATTCTGAGTGATCAGAAAGCAGAGCAGAAGGTGAAATTTGAGAGAATA  
GATGATATTAGTGGATTTTGAGACCTTGAAAATAATGTCTCAGAGCATT  
AATTAATCACTCATGTATGTATGTATGTATATAAGTATGTATGCATGTAT  
TATGTGGATGGGGTGCTGTAGCACATGTGTGGAAGTCAGAGGACAACCTT  
TGTGAAGTCATGTTTCTCCTTCCATCTTTATATGGTTCCAGTGATTGAGC  
TCAGATTGTCTACCTGTGTAGCAAGTGCCTTACCTGCTGACCTGTGCGAC  
TAGCCCTCTCAGAGGACTTTTAAATTTTGAATATTTCTAACGATTGACA  
GTCAAAAGTTTATTGTGAGCCAGGCACCTTAAATCCTAGCACTTGTGAGA  
CACAAGATGGAGGTCAGTCCAGTCTACTGAGTTCTAGACCAGCAAGGGCT  
ACACAGTGAAACCTGTCTCAAAAATTTCAAAAGCGGAGCTAGAGAAATTA  
CCCAAGGAGCTAAAGGGAACCTGCAACCCTATAGGTGGAACAACAATATGA  
ACTAACCCAGTACCTGGGAGCTCTTGTCTTTAGCTGCATATGTATCAAAAG  
ATGGCCTAGTCGGCCATCACTGCAAAGAGAGGGCCATTGGACTTGCAAAC  
TTTATATGCCCCAGTACAGGGGAACGCCAGGGCCAAAAAGGGGGAGTGGG  
TGGGTAGGGGATTGGGGGGGTGGGTATGGGGAACCTTTGGGATAGCATTG  
AAAATGTAAACGAGGAAAATACCTAATAATAAAAAAAGAAATGATATCA  
GAAAAAATAAAAAAATAAAAAATAAAATAAAATTTCAAAAGCAA  
CAACTCAAACCAGCCCTACGTCGTGCCTCTGAGTTCTCAGTAATTCCTT  
CTCTCTCTCTCTCAGCACCATGTATGTGTTTCGGCGGCTTCAACAGCCTC  
CTCCTCAGTGACGTCTTGGTCTTTACCTCGGAGCAGTGCGATGCACACCG  
CAGTGAAGCTGCTTGTGTGGCAGCAGGACCTGGTATCCGGTGTCTGTGGG  
ACACACAGTCGTCTCGATGTACCTCCTGGGAGTTGGCAACTGAAGAACAA  
GCAGAAAAGTTAAATCAGAGTGTTTTTCTAAAAGAAGTATGTTTTTCT  
CTACTTAGAATTTAAATCTAATTTTATCTGAATTGTGAAGGAACCTAG  
TCTCTGTACTTTCTGTTCACCTTACTCTCTAGTTATTTCTTAATAAAAA  
AATACACAAGATCTTTGGATGGGAGGAAGCATGTGGCTCCTGGAAGCTGT  
TAGCAGGTAATAAGTTGTCTTTGAATTACACAGGCTTTGTGTACCAACTC  
CTGGTCTGGCTGCAGGTGATCTGAAGCCATAGCACAAATGAAATTTGTTTT  
CATTTTGGTTTTATGAGACAGGGTCTTGCTCTATAGCTCATACTGGTCAA  
GCTCCTTGTGAGCCTCCTCCTTCAGCCTCTTGAATGCTGGGGTTATAGGC  
ATGCATCACTGGCCCTACTTGGGAAATATTTTGATGACAGACATGCTATA  
TATTTCTTTGTTTCAAGTTTAGTAGCCACTAGCAATCTGTTATTATTAGATA  
TTTGAAATGTGGCTATGTAACCTAAGGGGCTAACTGTTTTCTTTCTTTAG

FIG. 3D (8)



TGTATCTATCTATATATCTAATTCTATCTATTCAATTCTTTTCTTTTTTT  
CTATCTTTCTTTCTGCAGTTACCATTCTCAGTTAATTCTCACTGAGTTAT  
TTGTGTGAATAACAAAACACTTCTCCCCCTGTGTTCCAGATCTCCATTGCC  
AAGTATGAGAGTTGCCCCAAGGATAACCCCATGTACTACTGCAATAAGAA  
AACCAGCTGCAGGAGCTGTGCCCTAGACCAGAACTGCCAGTGGGAGCCCC  
GGAATCAAGAGTGCATCGCCCTGCCGGTAGGCCTTGACAGGGATGTCC  
TCTATAAGGTCCAAGCTTGGTCTCCCTCCTCAGATCAAGGTGGACCTAG  
GAACAAGATTGCTTATTCTGTCTATTTAGCCCTCTCACTATTGGGGGGGG  
GGGGGGGCGATATTTTGTATGTTTTTAACCTAAATGTGGTTTTTATGTAT  
GTATTTACTAGCCTTTGAAAGAAAGTGAAGTGTGAGCTCATGTTCTGGAG  
AATTGGGGGGTAGCTTAGATCCATGTTACAACTGTGTCCCACTGTCCTT  
CCTTCTGCTGTGAAGGAGAACCTGGCACTAGAGCTCTGTGGTCTCAGCAG  
CAGTCAGGAACCTGCAGGAAGCACTTACTGACAGTTGTGTGAGAAGAGAT  
TTCTGTACCAGCATCATCTCCCATGTGACCTTCTTCCCGACTATTTTTCAG  
CAGAGGTTGTTTCAAGGTATTAACCTAGGTCCTGAGGCCAGCTAGCCCTGA  
CTAAATCTCTATGATGTATTTGCTTGATCAGGATATCCAGGAAGGGGAGC  
TTCTGTGCTCTCCAACATCGAGGTTTGAGGGGAAGTTGGTCTGACTCTTT  
TGAAAGCATTTTTATTTAGTTTTGCTGAATGGGCTTTAGTTTAGCCAGTGTT  
CTATTGCTGTGAAGAGATACCATTTCACACGTGTAACTTTTATGAAAGGA  
AACATTTAAGTGGGGGCTTGCAGTCTCAGAAGCTATTATCATCATGACAG  
GGAGCATAGAGGCACAAAGGCAGGCATTAGAGTGGTAGCTGAGAGCTACA  
TCCTCATCTGTGAGCAGAGGCAGACAAGGTGTGAAAAGACAGAACCTGG  
CCTGGGCTTTTGAGACCTCAAAGTCTACCACCCCAAGTGAGACACTTCCT  
CCAACAGCTCCTGCAACAAAGCTCCATCCCCCGATCCTTCTCCAGTCTTG  
CCTACTCCCTGGTGAATGAGCACTCACATATATGAGCCTATGGGGGTCATT  
CTTACTCAAGCCACTACAGGCTTTGTTTTGTGTCTCAGACTTTATGTCAA  
TAGAATACCTAGACACCTTGTTACAAGACAGGCCCTGGAAAGCCTGCAGTG  
CTGACTCCCCTGCCAGTAGCACATTCTGAGGAGCAAGTCCCTTAAGTCGCT  
TACCTGCTCTTACATTACGCCTTTCCCTGACCATTTAGTGAGCACTGTTG  
GTGTCCCCAACCTGAACCTGGTTCTGGGGAAACACTTGCTTATTCACCTC  
CGTGCTAATGGCCAGGGAGCAAGCATGCTTTTCATGCAACACTGTGAGTTC  
AGTACAACCACAGGAGGAGATTGCAGACTTCCTTCGTGTACTGTATCACT  
ATGAGGTTTTTCAAACAGTCTCCCTTTTACCTCATTTTTTGGCATGCCT  
TATGTACTTGCTTATACCTTTCTATCTTATGACATGAAAACAGAGTGGCAT  
TTGGAGGCTTAAATTTATCACATTCCCAATTCAATTCCATTTTCAGTTTA  
CTCTTTCTGTATATACATCAGTGTGCAGATAAATATCTCTTTGTGTGAGC  
ATTGGAGGCCAGAGGTTAACCTCTGGTATATCTTCTCTATCACTCTTC  
ACAGGGTCCTTTGATGAATGTGGAGCTCACTGATTACATAGACTAGCTGA  
CTCAACCCCTCAGGCCTCATAACCCCTGCCTCTAGCCCTCAGATGAGATTAC  
AAGCAAGCAAACTACGCCTGGCCTTTTTATGTGGGTGCTTGGAATTTGAA  
CTGGGTACTTATGCTTGACACAAGTATTTTATCCACTGAACCATCTCCCA  
AGCCTCCATTTGCAGTTTTTTTACCTCACCCTTCCAATATATATATTTAT  
TGTATGCCCTTTGTTCAAGATTTTAGTCACCTTTTACATTTTTCTTCAAA  
AATAATTGCACCAATTTCTTAATAATGGCACCCAAAAGTAGGAACATTAG  
CCTAGAGTATAECCTGTGAGCCAGGAAATGTGACTGGTGAGACTTGTA  
AGGGTCTTTTTTATCTGGCCCTCAGCGGAGGCTCAGCAGTGGAGCATGCA  
TGCTGTTCCCTCTGGAGGACCCGAGGTCCCCAGGGGCCAGGTCACAACCAC  
TTGTAACTTTAACTCTGATCTAATGCCCTCTATGGCTTTTGTGCTATAGT  
CTCTTGCACTAACCCACACTCAAGGCACACATACACACATCTTTTAAAG  
ATAAATTATTTTATTTTCAAAGGTTTTTTTCTGCATATAGAAGTTAATAA

Fig. 3D (10)

TTTGTCTGTTATGCTCACCAGATCCTAACAAAGCACCTGAAATTCAAATC  
AGGATGAGTTCAGATGTTTCTGATTTTGAAGTAGTAAACCGAAGTGCATA  
ATTCTTAAACTTTGTTTCTTTCTCTTCCCTTTTAAAAAGAAAATAT  
CTGTGGCAATGGCTGGCATTGGTTGGAACTCGTGTCTGAAAATCACTA  
CTGCTAAGGAGAATTATGACAATGCTAAATTGTCTGTAGGAACCAAT  
GCCTTTTTGGCTTCCCTCACATCCCAGAAGAAGGTGGAGTTTGTCTTAA  
GCAGCTTCGATTAATGCAATCATCTCAAAGTATGGTGAGTTAATGTGTTT  
AGAAGTTTGGTTTCTAGGGCACAACAGCAGCTCTTATGTAGAAGGCCACA  
GTTGTATGTTATTTGCCTGGTAAGAGAAAGAATTACAATAAATGATTAAT  
AATATACTGTGGCCTCTATTTTCTAGAGGCTCTTCTTTTGATACCTTTCTT  
CTTGTCTTAAAAAGTTTCTAGTACTTTGCATATTTTATTAGTTGTTATT  
AAGTAAATTATAAGGTATGAACATATGGAATGAATGGTAATATGTGTACA  
TATTCTGGTGACATCAGATTATTTTGTACTTGATTTATATCTAGATTCTG  
CTTGGGAAAAGGGAGAGTAAATGTTAGTTACCTAGGTGTCATTAAAGCC  
ATCTACAGCCCCTGGAGGTATTATTATAGCACATAGTGTAAATCGTCAGTA  
AGAAATGTAAATCTGCCAGGTTTTATAGCCTTCTTCTTAAAGGCTTCTG  
AACTCAGAAAGTTCTCTTACTCTAGAGCCAACTCTCAAATGGCTTGTAG  
TTACTATATAGTCTCATTGTTGTTTCTTGGTAAGTCTAATTCTAAGA  
CTTGTGATTTGACTGTGATGCTTCAGTCAATTAGATATTCACAGAGCAGC  
TTTTCTGTCTATGCTGGCTGTGGTACAGAGAGATGTGAGGGACATGTTT  
TGTCTAGCCAGGAGAAGACAGAATGCAGCTCAGCATCTCTCATTGTCAC  
CACCTTCATGTGATGGGATGCCGGTATGGTGTGGGTCTGTTGTTAAAT  
CTCAGGAAGTCCATATATCCAGAAATGACCTCAACTATAGGTGGATTCT  
GGCAATTAGGTAAAAGTCAGCATTCCTTGGGCACCTGGGAAACTGGTTAC  
CATCTGCATAAAGGAGTCATTTCCCTTCTATCTGGCAGAAGGGACATATG  
GCTATCTATTTGTGCTGTGAGCATGGAAGCACATGCTAGTCTCCAGGTCC  
CCCCAATATCACAAGTACCTATAGCAGTGAATTAGTTAACTGATTTGGC  
TCCCAATGGGTCAAGTACAGCTGCACCTGCCCAAGAGCTCTTTGGGTTTG  
CAAATGAGAGACACATAGTTAATTTTATATGCTTTGACTAGTTTCAGTTG  
CTGGACATTTCTAATCCTCCCTGCAGTAGCATACATTAACCCCTCCAAC  
TTCTTGAGTCAACTTACTAATCAACATTTTCATCTCTGACACCCAGACC  
TAATGGCAGAGTGGCCCTTAGAGCCACTTTCCCAATTTTATATCAG  
ATATTTTCTTTATTTTCAATTTCCAATGTCCCTTTCTTAGTTTCCCTGTC  
CTCTCCCCCTGCTCCCCAACCCACCCACTCCCTCTTCTGCGCTTGGCAT  
TCCCCTATACTGGGGCATAGAGCCTTCACAGGACCAAGGACCTCTCCTCC  
CATGATGACCGACTAGGCCATCCTCTGCTGAATATACAGCTAGCACCAC  
GAGTCCACCATGTGTTTCTTTGATTTGGTGGTTAGTCTCAGGGAGCTC  
TGGGTACTGGTTAGTTTCTTCTGTCAGCTCTTAGGTCTAATCCCTTTCTTCC  
GGCTGGTTTAGTTCTTCTGTCAGCTCTTAGGTCTAATCCCTTTCTTCC  
TCTGTCTAGGTGATTGCTTCTCTCTCTATCTCAGTTCTTGGCTGCTCA  
ATCTAAAAGTCCCACCTCCATCTTTCTGCCCAGCCACTGGCTGTATGCAG  
TTCTTTTATTATCAGTTGAAGCCAGCTAGGGGCAGAGACCTTCAGGTCTGT  
AAGTGCTTTGGGGAGCAGAAATTAAGACAAAGCATTAGAACCAATCCCCAA  
CAAGTACCTGCTATACATTTCAAAGTCCATATTAGTCTCCTGGGTCTTCC  
CTTCCCCAGCTACTTGTCTCTCTTGTAAATCCAAATGACAAGCTTTTTCAC  
ACATCTCTTTATCTCACATTTCCCTAGCCCTGGCCATGTCCACTTGTCTCT  
TTTACTCTCTGCTCTGCTCTCTTTCCAATGCCTCTGGATATTTCTCTCT  
CTTATTACAAATAAAAACCAACCAACCAACCAACCAACCAACCTTACCCTAA  
TAATGGAGTGGTCACGCCTGAGGTTTCTTACTGCTCCCCCTTGCACACG  
TCTTGTGTCTGACACACTGGCAGGCTTTTATTAGCAGCAGGCTCTAGGAG

FIG. 3D(11)

CTGAGAGAAGCAGCAGGCACCTCTGAGGTGGTAGTTACTAGAGTGATTAG  
AACAGACAGTGGAGACGTGGCTGGAAATATGGACTCTGGTGTGGAGCC  
AAGTATGGTAGGCGGCAGAAAGCCAGCAGAAAGCATGATCCACACCTTCACC  
AGGTTGCTTCCATTGGGAAAGGCTGGACCCCTTGGGAAGGGGTCCCTTTG  
TGCCTTCCTAGGTGTTCCGGAGCCAGGTGTGTGAGGGATACAGTAAAGGGA  
CTGACTGCATGACTGCTCCATTAGGGTGAAGGGTTTTGTTGTGAATAGGA  
GAAACAAAATGTGCAGAGGCATCTGGGAGAGAGCAGAGCAGAGTGAAAAG  
GAAGCAGTGTAGGCATGGTCAGGGCTAGGGACAGCGGAGACAGCAAGATA  
GCCAGTGGGTGATAAGGTGAGAGAGAGTGTGTGTGTGCGGTGCACACATC  
ACGTGCATTATAAGGAGGCTGAGTAGCTAGCTGGGGGGAGGGAAGGGCCA  
GAAACTAGCATGCACCTCTGAAACGGGTACTTGTGATGCTGAGGGAGCTT  
GGGGGAGAAGGGCATGCCTCAAGACCAGAAGAGGGAGTTGGAGTTACAGT  
TTGTAAGATGCCTAATTTGAATGCTGAGATCCAACTCTGATCCTTTGGC  
TGAACATCATATCTGCTGAGCCATCTCTCCAGCCCCTAGAAAGGTGGTGA  
TGGTGGTTGTTCTTGTTTTGTATTTTGTAAATGGGGAGCCAGGTA  
CAGTACATCATGCCTTTAATCCAGCAGGAGATTCAGGAGATAGAGACAG  
GTAGATCTCTTTGAGTTCAGGGCACCTTGGTGTGTATAGGAAATTCCAT  
CCACCCAGGGCTACAGAAGGGTACCTTGTCTTTAAAAAAGAAAGAA  
AGAAAGAAAGAAAGAAAGAAAGAAAGAAAGAAATGAAATTTACAGATTATGC  
AAGATAGGAGCTCAGTGGTAGAGTGTGTGCCAGGAAGTGCTGGGTTTGA  
CTCCTCAGAACACAGCAGGGGCAGAACTAGTCTACAGGTTTCATGAGTG  
GTGTTTTGTTTTGTTTTACATAAAATGTGTTGAATTAGATAAGTAGATAA  
AATGTGACTCATACAGATAAATAGATAAAATGTGATACATGTACCTGT  
ACATAGAAGATTATGATCTCACCTTTAAAAAGGAGGAAATAGAGAGTTTT  
GGTAGTTACACCACAGGAAAAGTGGAAAAGAAATGTATATATGAGGCTG  
TGCCCCATGGCTAAAGGAACATGTTTTTAAGTCATTTGAATTCACCAAAC  
AGTTTTAGGTAATGATATATGGTTTTGCATACAACCAGTATTTTATAAAT  
ATTAGCAAGGTCACATCATTTATGAACCAACATTTAACTAAATTTGTAA  
ATCATCATTTCTTTATAGCACTTGTTCATAGAACATAAGTAGTTTAAATG  
TGATTATTGCTTTGCTCTTGTATGTCTGAAAATCTTCATGTATTCTCTCT  
TTGAGCCATTTTTATGCTTTGTCAGTACTGGATGCATATTGAAGTGATCAC  
TTATTTTTAATCTACCTTGCCCTGAGTTTGGGGAATAGATGGTTTCCACATG  
TCTGTGGGTTATGCCTAAGCTAGTGGTTTTATGTTAGAGCTTGTTTTGG  
GGAAGGCACTGGTTGCATTCATAGCTGTGTTTTCTTTGCTGTAGTCCAA  
GCTCACTCTGACTCCATGGGTTGGTCTTCGGAAGATCAATGTGTCTTACT  
GGTGCTGGGAGGATATGTCTCCATTACAAATAGTTTGTCTGCAGTGGATG  
CCATCTGAGCCCAGTGATGCTGGCTTCTGTGGGATCTTGTTCAGAGCCTAG  
TACTCGGGGATTAAAGGCTGCAACCTGCATCAACCCTCTCAATG**GCAGCG**  
TCTGTGAAAGGCCTGGTAAGGACATGGGTGCATATAGTGCTCCAGGAGGA  
GCCAAGACAGCAAAGGAGGCACAGCTGAATGAGCGCTGAGGTGATGAAGT  
ACTTATGGCAGCAGGGAGAGGAGCACCATTAGGCATATGTATTTCAA  
CAGAACCCGATTCCAGATAGTCTTTCTTGGCCTCTGACTGCTTTAAGCCA  
TACTGAAAACCAAAAATAAAATTGCTGAAAGAACCCAGTTTATATTGAGC  
TGCACTGTTTCGTTGGTCTCAAAGTGTGTTGAGAATTGTTCTAGAAGATTAT  
TTCCTTGGTGTGGCAGAGAAGTGCTATGGAGGAAACAACAACCTGAAAC  
CAAAGAAACATTTAGAAAAGCAGCAAGTCAGGACACTATTCAGACACTGC  
TGGGGTGGGGGAGAGGGGCATGGCCAAAGAAGCCGACAGAGCCAACACC  
AGGCTGTGGCAATGTCCTGCGCTGAGGTTAAGGTTAGACTCCATGAGGCC  
AGGCCCAGAACAGCCATACACAAATGAGGACTCCAAACAAGAGGTGCAA  
GTGTAGTGAGACTCCATCCCTGCAGGTCCTGTTTCAGGAAATGATTGTA

FIG. 3D(12)

CTTTGCCTGAGTAATACAGCCTAGGAGCTACTTTCTGATAGGGTTTTTTTA  
AATACTTACAAAGAATTATTTATCTTTAATCATGTGGTTTTGTATGTGTG  
TGCTTGACATGCAGTGCTTGTGAGAGAGAGTATGTGTGAGAGCATGCAT  
GTATGAGAGTGTGAGAATATATGTGAGAGAGTGTGAGTGCATGTGTGCGT  
GTGTGCATCTGTGTGTACAGGTGTGTGTACATGCATGTGTGTATAAGAGT  
ATGTGAGAGTGTGGGTGTGTGTGTGAGAGTATGTGAGAATATATGTATGA  
GTGTGTGTGAGTATGAGTGTATGTGCGTGCCTGCATGTGTGTGTGTGTGT  
GT  
GAGTTGTTCAGATCTCTTAGAGATATAGTTGCAGTTGGTTGTGAGCCATCT  
CATATGAGCGCTGGAAGTTGAAATTGGGTTCTCTGGAATCCTCTGGGTTT  
CTTGTGTAAGCCTGAATATTTTGATAAAATATTTATGTCATTATCCCTCAA  
AATTGTAAATGTAGAATTTAACAACCTCAGGTCTTGAGTCATCTTTGTCC  
CAAGGTTTGTGTTGTTGGTTTTTTGTTCCCTTCCCTTCTTCTCAGTGCTT  
TTAAAAAAGAGAGTCCATTTTTCCTAAATGTTTAAATACAGTTGAGGAA  
TAGAACATCTGACTCCAATTTCCCTGGGTTTCCCTCCATGTAGTGTAGTGC  
TGACCTGATTTTCAGTGTGCATGTGAAAACCTTGATCACTTGGAAGGCAGCT  
ATGCTCACCCTATATACTACCAATGTCTGCAATCCTATAGGAGAAACAACA  
ATATGAACTAACTAGTACCCCCAGAGCTGTGTCTCTAGTTGCATATGTA  
GCAGAGGATGGCCTAGTCAGCCATCATTGGGAGGAGAGGCCCTTGGTATT  
GCCAAGATCATATGCCCCAGTACAGGGGAATGCCAGGACCAGGAAGCAAG  
AGTGGGTGGGTGGGGAGCAGTGCAGGGGGGGGGGGGTATAGGGGGTTTTG  
GGGATAGCATTTGAAATGTAAATGAAGAAAAATAACTAATAAAATGCTT  
TAAAAAAAACAAAAAGAAAGTTTTTTGATCTTAGCTGACCAGTGTCTC  
TTTGGGTCTTAATTTCCAGCAAACCACAGTGCCAAGCAGTGCCGGACACC  
ATGTGCCCTGCGGACAGCGTGTGGCGAGTGCAGTGCAGCAGCTCGGAGT  
GCATGTGGTGCAGTAACATGAAGCAGTGTGTGGACTCCAATGCCTACGTG  
GCCTCCTTCCCTTTTGGCCAGTGTATGGAATGGTATACGATGAGCAGCTG  
CCCACGTAAGTGAAGGAGCTTTTGAACATTTGCAGGCAAGTTGGGCTTG  
ACTTTCTGCTCAAGTCCATGCAGAAGCTGGTCCGGCCGGCCCTTCCAGAT  
TAACATGTATGTATAGAATGCAGCACAGTGTTCATGCAGTAAATCAGTT  
ACATCAAGGAGAAGGCACAGGGTACAGAAATACCTTTTCTTCTCAGGGT  
AATATTATAATTCATCTGTATAATGTTTCTACATCTTAATCTACCAGTA  
TGTAAGTGCTTTCTAGTAGAGGCCTCCCCAGCTCCCTTTTTCATCCAAC  
ATCCTGATATTAAAAGGTTGGAAGTCCCTGTTATATATTATGTAAAAAT  
GTGGGGCCCTTTAAATTATTTTCAAGTTCAATAATCACTATAGGGTACTATT  
TTTAATTCATGGAAGTTAAATCATCTGTATAAAGAAAAGGTAATAACAGT  
AAATTCAAATCTTGTGATAGTGAATTACAAGTTGGATTGTTTTGCCTTGT  
TTTTTAATAGCTGAAAATTGCTCTGGCTACTGTACCTGCAGCCATTGCTT  
GGAGCAGCCAGGCTGTGGTGGTGTACTGATCCTAGCAATACTGGGAAAG  
GAAAATGTATTGAGGGCAGCTATAAAGGACCTGTGAAGATGCCGTACAG  
GCCTCTGCAGGAAATGTGTATCCACAGCCCCTTCTGAACTCCAGCATGTG  
TCTAGAGGACAGCAGATACAACCTGGTCTTTTCAATCACTGTCCAGGTAAGA  
TGCTGTGTATCCTAGTTCAAATCTCGTACATAAACTAGACGCCAGATC  
CCTTGGCTCACTTGTTTTCTTGGCTGTGTGTTGAGTTCTTTCTGTGTTCTG  
CATCACCTTGTGGATCATAGCTGGCAAAGGTGCTCTCCTTTCTGTGGGC  
TTTTTCTTTACTTGATTGATTGTTTCTTTGGTTGCACAGAAGCTTTTTAG  
CTTCTGAAGTCCCATTTGCCAGTTGTCTTAAATTCCTGGGCGAGTAGAA  
GCCTCATAAAAAAAGTTCCCTTCCCTACACATGTATCATGTAGGGCACTGC  
CTATGTTTTTATTCCAGAAGTTTCAGAGGTTCCGGGTTATGTCTTTGATCCA  
TTTAGGGTTACTTTTTGTGAAAGGTAATGGACACAGTTCTGTTTCATTCA

FIG. 3D(13)



TTATTCTACATGTGGACATCTACTTTTCCCAGCACCAGTTTTGAAGATGT  
TATCTTTTCTGCAGGTGTGTTTGTGTTGCTTGTGTTTGTCTCTTCAGAAAATC  
CCAGATGGCGGTAGCTGTGAGTGCTTAGGCTTGGCCTACCTGTTTCATTA  
TGTTGGCTTGCATGTCTGTTTGTGTCAGTGCCACCATATTGTCTTAATTG  
CTATAGCTCTGCAATCTATCTTGACATCTGTGTTGGCAATCCTGCAGTTT  
CGACCCCTCTGCTCAGCAGTGCTTTGGCCATCTGGGGTCTTTTCTGGGTT  
CATAATGAATTTTAGGATTTTTTTTTCTATTTCTGAGAAAGTATTGTTGA  
TATTTTGATTGCGATTGAATTGAATCTGTAAATTGCTTTTGGTAGAATGG  
TCATTTTCACAATATTAATTTTACTGATCCATGAACATAGGATGACTCCA  
GTCTCTCATGTCTCCCTATAGCCCTGTCTTAAGAGATTGGAGTCTTCAT  
TGTAAGAAGTCCTTCACCTCCTTGGTTAAGTTTATTTCTAGATATTGTATT  
GTCTTTGGTATTATAAATGGTAGTATGTCCATGATCTTGTTCCTCAGTGTT  
TTTTTAGTTTAGTTTTTTTTAATTTATGTGTATGAGTGTTTGTGTTTATAT  
ATGTGTATATGTGCATTCATGTCCCTCTGGGCATCAGATCCCCCTGGGACTG  
GATTTACAGACAGCTTTGAGCTGCCTGTAGGTGCTGAGAATTGAACCCAG  
GTCTCTGCAAGAACAGCCAGTGCTCCTACTCCCCAGCCCCAGAAGTACT  
AATTTTTAAGAGCTGATTTTCTACCTTTGCTGACATTGTTGATTGTTTCT  
AGAAGTTTAGTGATAGAGTTTTTGAGATTTCTTATATATCTTATGTTATC  
TGTA AAAAGGGATAATTTGACTCCTTTTCTTATTTATATCCTTTTATTTTCT  
TTTCATTTGCCATATTGTTCTAGCTAGTGCTTCCCGCTCAGTATTGAAAA  
GAGTGGTGATTGTGAACAGCTTTTCTTATTTCTTATTTTAATGGGATTAT  
TCACCCATTTAAGATAATGTTGGTTATGGGTTTGTGCATACACAGCCCTTC  
TTATATTGAGGTATGTTCCCTCCAGTCTGTCTCTCTAGGACTTTTTTTT  
TTTTTAATCAAGAAAGCATATTGGGTTTTTTGTTGTTGTTATTTTGTGTTT  
GTTTTTCTAGACAAGGTTTCTCTGTGCAGCCCTGGCTGTCCTGGAATTCA  
CTCTGTAGACCAGGCTGGCCTTGAACCTCAGAAATCCACCTGCCTCTGCCT  
CCCGAGTGCTGGGATTAAAGGCGTGCACCACCACTGCCTGGCACATGTTG  
GTTATTTTGCAAGCCCTTTCTACATCTACTAAGATGAGCATGTGGTTTCA  
TCTTTGTCTGTTTATATTGTCTGTTGTATTATTGACTTATGTGTGTTGA  
GCCAACCTGAAGTTCTGGGATAAAACCCACATGCTTTGGATGATTTTGT  
GCTATGTGCTTATATTGTGTTTGTAGTGCTTTATTGAGGACGTCTGCAT  
CCGTGTTTCATCTGGGGTACTGTCTGTAGTTTGCTTATTTTGTGTTCTTA  
CCTGCTCTGCATTTTAGAGTAATCCTGGATTATAGAAAGCATTTGGGAG  
TAGTCCCTCTGTTTATTA AAAAAAAAAAATTAAGAATGATTGGTTGTTGTG  
TGGTGGAAATTCTGCTGTGAACCCATCTGGTTCTGGACTCTATTCCGAAGG  
CTTTTTATTACTGTTTCAGTCTCCTTGTTTGAGTGATCTATTAGGTTG  
CTAATCTCCTTATGATTCATTTGGATGAATCAAGAAATTAATCCATCTCT  
TTAGATTTCCAGCTTAATGGAATATGAGTGTTAAAGTATTTCTTTATAGC  
ATTCTGTATTTTTTGGCATCTGTTGTAATATTTCCCTGTTCTTTCTGTTA  
ATCTCTTTCTTTCTTGTGGTTAGTTGGGCTAAGAGGCTCTTGGTTTTTTT  
TTTTTTTTTTTTATCTTTTTTAAAGGACCAGCTCTTAGATTCATTAATCTT  
TGTATTATTTTCTTGTGTTCTTTTCACTGATTTCAATTTAGATTTTATT  
ATTTCTTGCCATCTACTGCGTTTGGGTTGGTTTTAGTTATTTTTCCAAGA  
TTTTCAGTTTCATCACTAAGTCATTCATTTGGGCTCTTTTGGGTTCTTC  
ACGAGAACCCAGTTGGGACTGTTACCTTCCCTTTTAGACCTGCTTTTAAT  
GTGCCCCAGAGATTGTTACATTGTCTTTTCGATTAACTTAGTTTCAGG  
AATATTTTGATTCTTCTTTGACCCATTCATCATTCCGTAATGAGTTGTT  
TAATCTCTAGTGAGTTTATACATTTATTAGAATTTGTTTACTGATGATT  
TTAAGGTGTTTGGCTTTGTTGTTGTTGTTGTTGTTGTTTTCGAGACA  
GGGTTTCTCTGTTGTAGCTCTGGCTTTCTCTATGTAGAACAGTCTGACCT

FIG. 3D (14)



CAAATTCACAGAGATCCACCTGCCTCTGCCACTGAAGTTCTGGGATTAAA  
GGTGTGTGCCACCCTACCTGGCTGATTTTAAGTTTATTACATAATAGA  
CAGGTAGGGTACATAGATTTTCTACATTTGTGAAGGTTTGCCTGTTTGT  
CAGCATGTAATTCTGTGTGCTGCTGAGGGAATGTATGTTGTTTTGACAGT  
TAGGTGGAAAAGTCTGTAGACATCTGTTAGATCCATTTTACATTTCAAGA  
AGCCATTTAATTCTGAAGTTTCTCTGCTTATTTTTTCCCAGGTGACTTAC  
CTATTGGAGAAAAATAGGGTGCTAAAATCATTACTATTATTGTTTTTTTT  
AAGAAGAAAATAATTAATTTAAAAAACCTGGAAAGAAAGATACCAAATG  
TGAATCATGTTTCTGGATAGTGGGGTTATATTTGATCATTTATTTTTCC  
TCTCAAATACTGTGAGTTTTTACAATGAATAACAACATAAATATTTTTAT  
GTTGCTGTGGACTTTAACTTTGCTTTGATAATATATTTGGTTTTTTGAGA  
CTAATTTCTTTTTGATATTTTATTTTCTCATACTAGTTTTTAGTAACTT  
TGGTTTTGTTTTGTTTGTATTTTTTAGACTGGCCACCAACTTGCTATGTT  
GTCAAGGGTGGCCTTAAAATCCACACCCAATACTTTGTCTCTCTTTCTT  
TCTTTCTTTTTTTTTTTTTTATTGGAACAAAATTTCTAGGTGGGAATCTCAC  
TATGTTACCCAGGCTGACCTGAAACTTCTGGGCTTAAGCAAGATGGGTGC  
ACATGATCAGAGACGCTGCGCTGCCCCGCTCAGCCCCCTGCTAGTTGGAAC  
TATAGGCACAGACAGCTGTACTTCACTCATTTCAATGATTTAACAATTTAG  
ACTATATGCAAATAAATATGAAATGTATTCACCAAGTTCTCCTATGGGAG  
AAACAGAGCCCTTAAGATTTTTTCTTTTCTCAGCTTGCCAGTGCAACGGACA  
CAGCAAATGCATCAACCAGAGTATCTGTGAGAAGTGTGAGGACCTGACCA  
CGGGCAAGCACTGCGAGACCTGCATATCTGGCTTCTATGGTGACCCGACT  
AATGGAGGCAAATGTCAGCGTAAGTCACACAGGTCAAGTTAGTCACAAGT  
CAGGTACAATAGTACAGTACCTGCAGTTGACTTAAATATCTTAAAGGGAA  
AAGGCCCTTGGTTTGGGATATTGCCCTTTCTTAATTATGTTAAATTGTTA  
AAAGTTTAACTGAGGGCTAGAAATGTGGCTCAGTTGGCTAAGAACACTG  
ACTGTTCTTCTAGAGGACCGAGGTTCAATTCCCAGCACCCACATGGCAGC  
TCACAAGTGCTTGTAACACCTGGGATCCAACAACCTCATAACAGATACA  
TGCATGCAAAACACTAATATACATAAAATAAATCCATTAAAAAGTGTGTTG  
ATGATGCTGGAAGAGGAAAAAAGGCTCAACTTGTGGGTTTGGGAGCAGTT  
AGTTAAAGCAACAAACCGACAGTAAAGGAGCTAAGCTTTTATTTCTTCAG  
CAGAGGCATAAAACAAGGGGCCGAAGTCACTGAGGCACCAGCTGCCTTTAT  
TCCATTTCCCTCCCATGGAAGCACATCAGCTCAAGTCAAGCAGAGCAGCC  
TGGGATGGGAGGTCATCTCATTGGAGAAGGAGGCAGGAGGCATTGTGAGG  
GGAGGGAGGACAAGGCTGGGAATGGGAAGTCTTGAGCTCAGAATCAGAAT  
GAGGACAAGATCTTCAGTTTCTTCTTAATATAAAGAGGTATCACAGAGG  
TCTCTATAGAAGTCTACTGGAAGCCTCACACAGGCACAAGGGTACATTTG  
AAAACTGTGACAGCCAGGGAGAGTCCCCTTCTGAAGTGTCTTCTCTCAG  
AGACTGCAGCACCTGACTGTGCCCCAGTCTGCAAGAGGTTTGGGGAGAGC  
AACTGACCTCCTGAGGACCCAGATGAATCTTTAAGATGGCCTGCTTTTG  
GTTTTGGTTGGTTGGTTTTTTAGACAGATCTAGGAGAGTTGGTGATGAGCT  
TGAATTCCTCTGTCTCTGCTGACCTCCAAATGCCAGCTTCACATGGG  
CTCCCATTAAGTTGTGAGTTTTCGGTGTCTGGCTCCTGCTCTCACAGCCAG  
TGCAGTACATTGAGCTCCATAGAGATAGCGCCGGGGCAAATGAGAGCTGG  
ACGGGCACTGGGTGACTCTGTGCCCTTGTGCCGGAAAATCAACTAAACATG  
GGCAAAGGAGATCCTAAGAAGCCGAGAGGCAAATGTCTTCATATGCACT  
CTTTGTGAAAACCTGCTGGGAGGAGCACAAGAAGAAGCACCCGGATGCTT  
CTGTCAACTTCTCAGAGTTCTCCAAGAAGTGCTCAGAGAGGTGGAAGACC  
ATGTCTGTCTAAAGAAAAGGGGAAATTTGAAGATATGGCAAAGGCTGACAA  
GGCTCGTTATGAAAGAGAAATGAAAACCTACATCCCCTGCCCCCAAACAG

FIG. 3D (15)

GAGACCAAAACGAAGTACTAGGACCCCAATGCACCCAATGCCTTCTTCGG  
CCTTCTTGTTCTGTTCTGAGTACCTCCCCAAAATCAAAGGTGAGACCCA  
GCTTATCCATTGGTGATGTTGCAAAGAACTAGGAGAGATGTGAACAACG  
CTGCAGCAGATGACAAGCAACCCTAGGAGAAGAAGGCTGCCAAGCTGAAG  
GAAAAGTACGAGAAGGATATTGCTGCCTACAGAGCTAAAGGAAAACCTGA  
TGCAGCAAAAAAAAAAAAAAGGGGGTGGCCAAGGCTGAAAAGAGCAAGA  
AAAAGAAGGAAGAGGAAGATGGGAGGAGTATGAGGAAGAGGAGGAAGAAG  
AAAGATGAAGAAGAATATGATGATGATGAATAAGCTGGTTCTAGTTTTTT  
TCTCATCTATAAAGCATTAAACCCCCCTGTATACAATCACTCCTTTTAA  
AGAAAAAAATTGAAATGTAAGCCTGTGTTAGATTTGTTTTTAACTTTAC  
AGTGTCTTTTTTTTGTATAATTAACATACTGCCGAATATGTCTTTAGATA  
GCCCTGTTCTGGTGGTATTTTCAATAGCCAGTAACCTTGCCTGGTACAGT  
CTGGGGGTGTAAATTGGCATGGAAATTTAAAGCAGGTTCTTGTGGTGC  
ACAGCATAAATTAGTTATATATGGGGACAGTAGTTTGGTTTTGGTTTTAT  
TTTTGGGTTTTTTTTTTTTCATCTTCAGTCGCCCTCTGATGCAGCTTATATG  
AATATGATTGTTGTTCTGTAACTGAATACCACTCTGTAATTGAAAAAAA  
AAAATCGTGGCTGTCTTGACATCCTGAATGTTTCTAAGTAAATACAGTTT  
TGTTTTTATTAATATTGTCCTTTCGACAGGTCTGAAAGTTTTCTTCTGA  
GGGAAAGCAGTCTTTTGCTTTTGTCCCTTTTGGGTCACATGGGTTACTGC  
AGTGTGTATCTTTTCATATAGTTAGCTGGAAGAAAGCTTTTGTCCACACA  
CCCTGCATATTGTGGTAGGGGTAACACTTTTCATCCATATTCAAAGAATCT  
CCAAAATCGTGATCAGTTGGATAAGAAATATTATATAACCTACTTGGCAA  
AGCAAGGTGTGATCAATTCTGTACACCATGGGATCATTAGAATCAAGCA  
ATCTGAAAATCTGTCCTTAAAGGACTGATAGAAAAGTATTTTCTAATCCT  
TATACAAAGGCTCTCCTTTAACTGCCACTGCTATGTAATGACAGTTATGT  
TTTGCAGTTTCCCTACTAAAGAAGACCTGAGAATGTATCCCCAAAAGCGT  
GAGCCTAAACTACACAACTGCAGTACTATTTGTTGACCTTAGTCCCAGCG  
AAGGCTATCACGAGAATGCTAGCTATAATATAATGCCTCTGCCCTCTAT  
CTAAATATGGATTGCTCAGGAACTTGACTGCTTAAAGGTATTTTTTTTCA  
TATTGTTGTTCCCTCCTATAGGGTTGCAGACCCCTTTAGCTCCTTGGGTAC  
TCTCTCTATCTATCTATCTATCTATCTATCTATCTATCTATCTATCTATC  
TATCTCTTGTGAGATTTCTTTTTTCTTTTCTCTTTCTTTCTTTCTTTTTT  
TAAGATTTATTTATTATTATTTCTAAGTACACTGTAGCTGTCTTCAGATG  
CACCAGAAGAGGGTGTGAGATCTCATTACGGATGGTTGTGAGCCACCATG  
TGGTTGCTGGGCTTTGAACTCAGGACCTTAGGAAGAGCAGTCGGTGTCTCT  
TAACCACTGAGCCATCTCTACAACCCTTAAAGGTATTTTTTAAGTAGTTGA  
GTCAGCTTTTAAAAATTATGCCAGAAGTGTCAAAGTTCAAAGTTTAGGA  
CCATCCTCTATTGAAGTACAGGGTCATCCTGGGCTACATGAGACCCCTGCC  
TTAAAACCAAAATCAAACAAACAACAGGAAAAACAAGAGTTAAGAAAGAG  
AAAAAGAAGCACTTGGAAACAAAGATCTGTGGAGTATGTATAGGCTTCTC  
TACAACAGGTGTATGTAGGATCTTGATGGCTTTTGTAGTCTATTACCTCA  
AAGAGGTACTGAGAAACCTAAATGTGATCACCGTGGTCTCTGAGGGGCAC  
CTGGCAGGATTATGGGAGATAACTAAAGCTTGCTAATCACAGAGTTTAGG  
GAGGGAGGACGTCTCTAAGGCAAGTTAACTGTCTGGTTTGAGATGCTTAG  
GTGATGTCTGAGGAAGTAATAAGGCCTGTCCATTTTCATACACACTCAGG  
CCTTAAGTCTGGGTAATGGCTACTTGAACATAAAATAGTCTCTATGAAA  
GGAATAATATCTCTGTGTCAGCAGCCTTCACGGCTAATGTTAATTGTGCA  
GGAACCTGCTTCTCAGTCAGACAGAAGCTCAATCAGGCAGGGCAGGAC  
TTCTTTGCCTTTCCCATGTCCTTGTAATTTCCCTGGCTTTTCATCTTGGT  
TCAAACATACTTACCTGTTAGGTAATTATAAGAACACCAAATATTACTGA

Fig. 3D(16)

ATAAAATGTGTTTATGACTTTGTGGTGACTGCCATTCAAGAATTAGATGC  
CTTAGCCAGCAATGATGGCACACGCCTTTAATCCCAGCACTTGGGAGGCA  
GAGATAGGCAGATTTCTGAGTTCAGGACAGCCAGGGCTACACAGAGAAA  
CCCTGTCTCGAAAAAACAAAACAAAACAAAAGATTTTCGATGTCTTT  
ATCACCCAAATCAAGTAACTTTCCAAAGTCTCACAGTGAGATGTAGCCTA  
GTTGGGAGCCACATCTAATATATGCTGATGATCTTAACAAGTAGCCTGCT  
TGTGTCTTCAGGTGACCACCCCGGTGTCTCAGCTACCTCTAGAAAGATC  
ACACTTTCCTCTGTGGTCTCTGCAGGGTCCCTGTATGATTCTGGAACCTT  
GCTGTACTTCTCAGAGTCTGTATTCATAAAGCACTGAGTTTTTGCTTGTT  
TGTTTGTFTTGATACTATTGGTAAGAATATATATTGAACCTTGACATGCC  
TTTTTAAATAACATTATTTTTTACAATAGTACTTTAGCCTTGATTATGTT  
AACTGCTTACTGTTTCAGATGACATTCGTACATCTTTTAATCCTCAAACC  
AGTCCTATGAGATGGCTAGCATCATTTGTCACATCATTTAGGCAAGGAAAC  
AGGTCTTGGGTAAAGCTTCATGCTCAGAGCTCCTTGGAACACAGTGGACT  
CAAGTGCAAGCAGACTGACGCGACTGGGTTTTACTAATTCAGTAAGCCTG  
TACTCTATGGAGGAAGAGTTTCTGACCACTGGATGCAGTCTGATGACCTC  
TGACTGTCTGTGTTGAAAGGTTTCTTTCAGTGATTTTATTTTCTCCATG  
TGGACTTTTTTCCAGCTTTTTAAATATATATATATATCTTATTCGCTTC  
ACATCTGCTCACTGTCTCTCCCTCCCTGTCTATCCCTCTCTACAATCCTT  
CATATCCCCCTTACCTTCTGAGCAGCTGGGAGCCCCCTCTGGGTATCCCC  
ACACTCGGGCACATCAAGTCTGTGAGGCTGGACGCATCTTCCCCCACTGT  
GGCCAGACAAGGCAGCCCAACTAGAACATATCCACAGACAGGCAACAGC  
TTTTAGGATAGCCCCCTGCTCCAGTTGTTTCAGCACCCACATGAAGACCAAG  
CTGCACATCTGCTACATATGTGCAGGGAGGCCCTAAGTTCAGCCCATGTAT  
GTTCTTTGGTTTGTGGTTTCAGTCTCTGAGAACCCCAAGGATACAAGTTAT  
CTGACTCTCTTAATCTTCCTATAGAGTTCCTATCTCCTCTGGGGCCCACG  
ATTGGTGTCCCTATTGCTTCACTGGGATTCCTGCCTGGCTACACCCACTA  
TGACCAAGGCAAGTCTTAGAAAAGACAACATTTAACTGGGGCTGGCTTAC  
AGGTTTCAGAGGTTTCAGTTCAGTATCATCAAGGCAGGAACATGGCATCATC  
CAAGCAGGCATAGTATAGAAAAGAGCTGAGAGTTCTACAACCTTATCTGAAG  
GCTGCTAGCAGAATACCGACTTCCAGGCAGCTAGGATGGGGGTCTTTCAGA  
CCCACACCCACAGTTGGTGTCCCTATTGCTTCACTGGGGTTCTCTGCCTGG  
CTACAGGAGGTAGCCTCTTCAGGTTCCATATCCCCAATGCTGTGAGCCAC  
AGTTAAGGTCACCCACTATTGATTCTAGGGTGTCTCCCTCATCCAGGTC  
TCTTTTCATTGTGGAGATGCCCCCACTTCCCCACCACTGTCTAGTTGCAGA  
TTTCCATTCTCGGGACCATCTGGCCATGCCTTCTGTTTCTCTCACACCT  
GATCCCAGACCCCCGCCCATTCTCTCTCTACCTAGTTCCCTCCCTCCA  
TATGCTTTCCTATGACTATTTTATTTCCCTTCTAAGTGAGATTCAAGCAT  
CCTCACTTGGGCCGGCCTTCTTGTGTTTCTTTGGGACTGTGGAGTGT  
AGCTTGGGTATCCCATTTTTTTATGGCTAATATCTGCTTATAAGTGAGTA  
CATACCATTTCGTGTCCTTTTGGGATTGAGTTACCTCACTCAGGATGGTAT  
TCTTAAGTTCTATTTCATTTGCCTGCAAAATTCATGATGTTTTTGTGTTT  
GTAAGTGAATAGTAGTCCACTGTATAGATGTACCACAGTTTCTTTATCCA  
TTCTTCAGTTGAGTGAAATCTAGGTTGTTTCCAGTTTCTGGCTATTACAA  
ATAAAGCTGCTATGAACATAGTGGAGCATGTGTCCTTGTGGGATGGTAGA  
GCATCTTTTGGGCATATGCCCAGGAGTGATGATATAGCTGAGTCTTGAAG  
TAGAACTATTCTTAGTTTTCTAAAAAACACGAAATTGATTTCCAAAGTA  
GTTGTACAAATTTGCACTCCCTCTAACCAAGCAAGTGAAAGATCTGTATG  
ACAAGAATAACAAGTCCCTGAAGAAATAAAGTGAAGAAGATATCAAAAGA  
TGGAAGATCTCCCATGATCGTGAATAGGTAGGATTAACAAGGTGAAACT

FIG. 3D(17)

GGACATCTTACCAAAGCAATCTAGAGATTTCAGTGCAATCCCCATCAAAA  
TTCCAACACAATTTTTCTGTAGACCTTGAAAGAGCAATTCTCAGTTTCAT  
ATAGGAAAACATAAAGCCCAGGAGAGCCAAAACAGTTCTGAGCCATAAAC  
GAACTTGTGGAGGAATCACCATCCCTGACCTTAAAGCCGCACTACAGAGC  
AGTCGTGATTAAAACAACAACAAAGGCTGCGCACTTTTGGTACAGAAACA  
GACGTGCTGACCAATGGCATCCAATCCAAGATCCAGAAAGAAACCCACAC  
ACTATAGTTTTTTTTTAAATATAAAGTTCCTTCAGCTTAATGCTTCTCATT  
ATTCATGAGAGAAGAAGACTCAACAGCAAAGAAGGTGAAACAAGGGTGAC  
AAGTACCACAGGGCTCTCGAGTGTCTCTTGTGATGGACTAGGGAGCCCGT  
CAGTTCTGAATGCTCAGGAATGTGGTTCACAGTGTGGCCACAGTACAGAA  
GATCCCCGAGATAAGGCAGAAGACAGTCACCACAGGTCATCTCCACAGGG  
CAAGGACTCAGTATATGGCATATTACTAATGCTCTTAAATATTTACTGAA  
CAAAGGAACAAAATGCTGAGTCTGTACAGAGATGAAAATAGCCGTTGCT  
TCAGGGGACAGCAGAAGATAGCCTTTTTTCTCCTTGAATGGTAGTTAAT  
TTAATGTTGCCTCTATATTATTAGAAATAAATTACAAGCTGAAAAATAAT  
GAGTCATACGCAGTGATTTCTCTTGCTTTAGGCTGTCTTTACTACAAACC  
CATTTCAGGCTAAATGATTTTGTCTTAATCACAGTCTATGGTAATCTGTC  
AAGCCAGTTGTGACCTGTCTTCCCTTCCCTTCTTCCAGCATGCAAGTGCA  
ATGGGCACGCATCACTGTGCAACACCAACACCGGCAAGTGCTTCTGTACC  
ACCAAAGGTGTCAAGGGGGACGAGTGCCAGCTGTGAGTACCACACACACT  
CTGTGTCTCCAGTGGGGGACTGGGCCCTTGACAGCTGCCTGGGCCCTGTCCG  
CCACCTGCTTGCCTGGGCATTGTTGCCCTTCACTCCCAGGGTCTTTGAGT  
GGACTAGTGTGGAGGTTTACCTTTTTTTCCTTCAGACAGGTTATCTCAGTT  
ACTTTAATATTGCTCTGATAAAACATATGACCAAGGCAACTTACAAAATA  
AAGCCTTTAATTGGGCTTATGACTTAAGAGCATTTGGAGTCTACATAAGT  
TCCAGGGCAATAGAGCTACATAGTAAGACTGTATCAATCAATCAATAAAT  
AGGACTACATAGTAAGACTGTATCAATCAATCAGTAGATGAAGAGAAAGA  
AAGAAAGAAAGAAAGAAAGAAAGAAAGAAAGGAAGGAAGGAAGGAAGGA  
GGAAGGAAGGAAGGAAGGGGAAGAACAAAACAAGCTTAGATAGGAAGAAC  
AGGATAGAATGAATGACAAATGCTTGAAAAATGTTTGTCTTATGAGTAG  
TACCTAGCATTATTACATATGTACTTGCCTGTGTCCTTGGGCAAGTATTT  
GTTTATTTGTTGTTTTTATACTGTTGCTGGTGTAATTAAGTACGAGTGA  
GCAGAAACATTCCCTGCAATGGGATAGTCTCTCTGATCTGAATAATGATA  
TAGTTTATGTAAAAGGATTTACTTGGTTTAAAAATAAATATAGAGTCTGT  
GCTTTAAATGTCAATAGAAGATAATTTCTTTTTTCCCTAGATGTGAGGTA  
GAAAATCGATACCAGGGAAACCCCTCTCAAAGGAACATGCTACTGTAAGTT  
TTTGTAATTGTTTCTAGAGAGTAATTGAACAAAACGACATTGCTTTTTTT  
TTTTACCATGTCTGAGAAATGATAAATGCTTGGGGGATGAAGCAAATACT  
CATAGCCATGCCCTGACTTGGTGAACACTGTTCTAACTGAGGCATGGTC  
TCTGCTGGTCATCCAGAGCAGTTAGCAGGGGTGCTGTCTGCTGCTGCTT  
GTTACAGCTCCCGCGGAGGCGTGCTCATTCACCATTGCCAGTGATAGCTTA  
TCATGTCCAATCTTCAGACAGCCAGGAAGGAGTTTCTAAGATAGAGGTGC  
GTTCCACCATTTCTCTCTGCAGCTGATTTGTGCTCACAAACAAGTAAATAA  
AACACCAAATTAATACCTTGGTGTGAAAGTGAATCTGGTAAGCTTACAGC  
TTTATCATAAATATATTTTTTGTCTATGAGAATCTACATAGTAGGTTCTA  
GACTATAGAACAATAAAAAAAGGAATTAACATTTGGCATATGCAGCATAA  
TGGTATATATAAATTGTAGAAGAAAATGGATGGTTCTAGACCTGAAAAGA  
CAAGAAAATGCTTGTGTGTAATCTGGGCAGGTCTTAAGTTGTGACCTTC  
AACATCTGCTTCCCAAGCAGCTGGAACCACCAGGCCTACAGAATTCCTTAG

FIG. 3D (18)

CTATGATTCTAAAGGTCATTCATCAAATATAATGTTAATGTGTATTTTAT  
TAAAGTTTCAAACCTTCTATCTTTAATAATCTGCAAATGTAGCTCAGTAGA  
GGAGAGCTCTCGCTGTAAGGTCTGTGTTCTATCCCCAGCACAAACAAAC  
AAGACATTTAAGAAAAAATTAAAACAAGTTGGCTGTATTGTCTCAGTATC  
TCATCCTTGAGATAGTGAGGCAGGAGGACTTTTAGTTTGAGGCCTATGTG  
GGTTATGTAGTGTGAAACCTTTCTCAAATAATATTTACACTTTTTTCTTT  
AAAAACAACCTTTTTTCTTAATTTATGTGTTTTGCAACATGTAAGTCTGT  
GCAATGTGAACATATCTGTTGCCTTTGAATGCCAGAGAGGGTTTCAGTTT  
TCCTGGATCTGGAGTTACCAAGGGTTGTGAGCTGCCATAGTGGGTGCTGG  
TAATGAACTGAGTCCTCTGGAAGAGCAGCCAGTGCTCTTAAGTCTGAGC  
CATCTCTGTGCTAGGTACTCCCCCTTCCCCCTTAAATTTAAGACAAAG  
GTCTCACTGTGTAGCCTCAGATGGTCTAGAAGTCAATTTGTAGAATGGTT  
GACCTTTGAACTCACAAAACCTCTGCCTGCTTCTGCCTCCTGAGTGTGAG  
ATTAAAGTTGTATGTCACCACACCTGCCCCCTATGATTTCTATATTTAATA  
AAGATCATGACTAGGATATAGAGAACACTTTTAGAACTGAAGAAGAAGAC  
AGTTACAGTTAAAAGCAAAACAAAACAAAACAAAACAAAACCCAGAAA  
AAAAAGAATGAAAACCTAGCACTGAAGAAAAAATAAATTTTAAAAATAGG  
CAAAGAGTCACTATTATATTGTGATGGATGTGTTATATGTTTAAACCAC  
AAGTGAGATACAGGCCTGAAATGACTTTAATCGAAGCTACACCAGCCTGG  
GGTGGTAGTTTCAAGTTGGTAAAGTTCTTGCTATGCAAGCACAGAAGCTGG  
GTTTGATGCCCAGGACCCATGCTGAAACCCAGGAGTGCTGCTGAGTGCTT  
CAGCTCTGGGGTGGCAGGGCTCACTGGCAGGAAGCCTAGGCTAAGAGAGA  
CTCTGTCTCGAAAAACAAGGCCGATGGCACCTGATGAACGGCATCTCAGC  
ATGACCTTTGCTCGGCATATAATGTGTACACACAAATTCATAGTTTAGTA  
GAAGACAAGTATGATCTGCTTTTCATGAAGTCTGTTGTAATACGCCTTCT  
TTAGTTAACCATAGTTGCTTAAAAAAGAAAAAATCGACCTCACTGGAC  
AGAAAATGGATAGAGTGTCTAATAGCCAATTCAATTCATCATCATTATC  
AAAACCTATAACTTAGGGGGCTGGAGAGATGGCTCAGCGGGTAAGAGCAC  
TGACTCCTCTTCTGAAGGTCTGAGTTCAAATCCCAGCAACGAGTGGTG  
GCTCACAAACCATCCATAAAGAGATCTGATGCCCTCTTCTGGAGTGTCTGA  
AGACAGCTACAGTGTACTTACATAAAATAAATAAATAAATCTTTAAAAAA  
AAACACCTATAACTTAACTTATCAATAACTTTAAGTTTCTTACCCCATG  
CTTCTAGTTACCCATTCTGCTTTCTGTTTGTATGATCCTGGGTATGGCA  
TCTTAATGGAACACAGTGTGTTGACTTTGTATCTACTTAATATTAGGCAT  
GATGCCTCTGACTCTCATCCCTGATATAGCACAGTTCAAAATTCGCTTTT  
TTTGGTGCTGTACATATAGCTGAGCGTTTGAGTGCTTCCCTGCATGCACA  
GGTTTCTGAATTCAATCCCCAGCACAAAAAATGATAAAAAGAAAGCAAAA  
AGGCTTATTTTACAGCTGGACAGATCATCCTGCATTGTGCCTGTATGT  
TTTGCTTGTCTTCTGTGTCAGTGGACACTGTGTTACTTCTACCTTTTGGT  
TGTTGTCAGGAATATTGTAAACATGAGTGAATATACACCCAGAAGTACAA  
CTGGATGTGGTAATTCTATGAGTGTGTTTGTGTTTGTGAGGGATGGTTATTA  
TTGTTTCCATACAATAAATTACATTTCCCTTACAGTTTCAATTACATTTCCAA  
AAGCCATGCATAGCATTTCTGTTGTTCTACATTCCTTATGACACCAGTTT  
TCAATTTACATTTATTTTGTGAGTTTTTAAATGGTAACCATCATAATGG  
ACATAAAAAATAGCTCATTTGTAGTTTTGGTATTTGTATTTTCAAGTAATGCT  
TGGTGTGATTATCTTTTATATTTCTTATTAACCATTAGTGTGTATCTTTT  
TTTGGAAAAACACCTCTTCAAGGGTTTTACTATGTAGCTCTGGCTGGCCT  
GGAACCTGTGCAGACCAGGCTTGCCCTCCGGTTCCCACTGTCTTAGGTAGG  
TTTCCATTGCTGTGAAGAGGCACCATGACCAGAGCAACTCTTACGAAGGA  
CATTTAATTGGGGCTGGCTTACAGTTTCAGAGGTTAATCCATTATCATC

FIG. 3D(19)

ATGGCAGGAAGCATGGCAGCATCCAGGCAGATGTGGTGCTGGAGGAGCCG  
AGAGAGTTCTATATCTTGATTCAAAAATAGCCAGGAAAAGACTGTCTACA  
GCAGGCAACCAGGAGGAGACTGTCTTCCATATTGGGCAGAACTTGAGCAC  
TAGGAGTGTTCCAAAGCCACCTACACAGTGACACAGTACATCCAAAAAGG  
CCACACCTATTCCAACAAGGCCACACCTCCTAATAGTTCTACTTCTCATG  
GGCCAAGCATACTCAAACCACTACATCCACCTACTTCTGTCTCCCCGAATG  
CTGGGATTAAAGGCATATGTTGCCATTACCCAATTTTAAACCAGATTATT  
ATTGTTTTTTTGTACAACAGACTTTTAAAGGTTAAAGTTTGCAGCAATAGG  
CATCTTTTGAAGCTGTATCACACTGATATATGTCTGTGTTGTTTTCTTCCCT  
CCTAGATTAAAAATAGTACAGTATATTCAAGTTTCAATTGTCCCTTTCCAT  
AAGAAGTCCTGGTTTTCTGTTCATTATTAGTTTTATATCTTAGTGTTCTTA  
AGTAAAAATACTCAGTATTTATAGATGAGTTAGATTAGAGCCAAACCCCA  
ATCAGGGTATTGGTAATGAAGGTTTGCTGGATAAATCAAAGGATACTGCA  
AAGATCTGGTTTTCTAATGGAAAGAACATGTAAGTTGGCCATTAGTGGAAC  
ACACATCTGTATTTCTTATTTCTTTGGAACCTTGGGCAGGATAGACAGATG  
AGCTAAGATTCCCTTCATAGCTATTGAATTTGTGAGAAAAACAAATTGTGT  
TTCCAGAAACCTGCCTTTAGTTTTGTATCAACACTTACTTTCTTTCTGTGTG  
TGGTGTGTGTGATGTGCCTGTACCATTTTCAAGTTTTTCTTCCCTTCTTTC  
CATAGATACCTTCTCATTGACTATCAGTTCACCTTTAGCCTGTCCCAGG  
AAGACGACCGCTACTACACAGCCATCAACTTTGTGGCTACTCCTGATGAA  
GTAAGCTTTTCTTTTAAAGCTGTCTTATTMTGTGTTAAATTTTGTATAGGT  
TTTTTTCTTGGTCATCCTGGACAAAAGTACTACATAGAAGCAGACAGTAT  
CAGGGTGGGAATATAAAAGGCAACCAGTTTTTAAAGTATTTTTTTATTAC  
TTGTTGACAGTTTTATATGATTATATAATGTGCTTGATGATATTCAACCT  
GTGACCTTTTGTCTCCCTCATACTTAGTTCCCTTCTCTCCCCACCAAGTCA  
CCTTCACTCCCTCTCGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTG  
TGTGTGTGAA  
AGACAGACAGACAGATAGACAGAGAGACAGAGATTGATTGATTGATTGAT  
TGATTGATTGATTGATTGATTACCTACCTAGTTTACCAGCTGACTGCAG  
GAGCATGCTGGGTGGGAAGTTCTTACTGGAGCATAGACACATTACAGTGA  
CTACACCACTGAAGAAAGTGACTCCCTCTCAGGTAGTCTTCACTGCCACT  
AGGTCCCTCAGGGATCAAGAGAATGTTTGGAGTCTACATTTTATCTTTTTT  
CCACTCAGAAGGCAAACATTACTGAATGTTTTTAAAGTAGTAGAATAATGT  
TCATGATAGTCTGTTTAAATATTAAATTAAGAATTTGTTCCCTAATTATAAA  
ATTTTTAGAAAGATAGACAAGAAGACAAAATTTTTGAGTTAACAGTTTGAA  
AGGTTTTATTTTTATTTTTATTTTATATGTATGAATATTTTAGCTTCTTGTA  
TCCCTGTGCATCATGTGTGTGCAGTGCCTGTGGAGGCCAGAAATAGATAT  
TGGATCCCCTGGAACCTAGAGTGATAGATCATTTGTGAGCCATCATATGGGTG  
CTAGAACCACCCAGGGTCCCTCTGCAAGAGCAGTGAGTGCTCTTAACTGC  
TAGGCCATTTCTTTAGCCCCATAAATGTGAACAACCTCTTTAAATAAATGTA  
AGTGATCTTAAATACTCTGGAGAAAAATCTGTAGCTATACCTTACTTTTT  
AAAAATTATTTTGTTTTTATATTATGAGTGTTTTGCCTACATATATGTGTG  
TCTGATGCCTGCAGAGGTGAGAAGAGGGTGTGGATCCCCTAGAACTGGG  
GTTACAGATGGCTGTGAGCAGCTATGTGGTGCCCTGGGAGTTGAACCTGG  
TTCTCTGTTAGGGCAACAACCTGCTTTTAAACCATCAACCCATCTCTTTGGC  
ACATGGGTGCATTGTTGGTTTTGGCTGCTTGAGTTGTGTGTGAGGGGTGTG  
TGTGCATACATATGTGGGTCCATGCTTATCCAGTGGAGGCCAGAGGTGAG  
AGTCATGTATCTCTCTGTACTTTCTACCTTATGTTTTGGAAGCAAGATT  
AGATAGACCCCTGGGACCTTCTGTCTTCTCCTCAGCACTAGGACTACAA  
GTCCACACCTGACTTTTTTACATGGGGCTTCAGATCTAACTCAGTCCCAAC

FIG. 3D (20)

ACTTGTTTCATTTCCCTTAGCACCTTGGCTAGATTCTTAGGATTTTAGAAG  
GAGCTTATAGCAAAATACCACAAGTGAAATTTACTACTGCCTTAGTCATA  
AGCAAAATATTGAAGGCTCAGTCTTTAAGGGTATAATTGATAGTGTCTTT  
TTTTTTTAAAGTAAACAAATAGCCTGTCTATGGTAACTATCGCTGTAGTCC  
CATTACTTGTGAGAGATGTCAGCTCAAGGCCAGCCTCCGCTACATAAGTA  
AGGGAAGACCAGCCTGAGCTATATGGGACTCTATCAAAACAAATAAACAT  
TGTAGAATTTTTGTAATACTTATTAGAAGGTAGCTGATGATCATGAGAGT  
CTTTAGACATTTCTTCATTCCACTGTTTTGTGTGTGTGTGTGTTCATGACA  
GATTTCTTACTAGATTTATCTCTTTGTGTGTGTGTGTGTGTGTGTGTGT  
TTACAAAATGACAAAGATTTTAGTCCTTCTCGTGGAAGTAGTTGCTAGT  
GGTCAGCAGATACTTGCTAGTATAAATAAATGAGCATAGATCTGCGCTTG  
CAAAGGAAGACAAAGGGAAGGTTTTCTTGAACATAATTCCTACTTT  
GTGAAAGAACTTCTCATTGGAATTAACATTTTGAAAATAGGTATTGTG  
AATGTTTCCATTGTGGTTTTGTGGTATAACTATCAAATAACACTTTTTTAA  
AAAGAAAAATCTTAATTTTCTAAGATTTTTTAAATACCTTTTAAATGAG  
CATTTCCAGCATGGTTTGATTAATTTGTAAAATGTAAGAATATAGTATCT  
AAGGCTACAGAAATGACTCAGTGGTTAAGAGCACTGGCTGCTTTACAGAG  
GACCCAGGTTCATCCCCAGCACCTCATGACAGTTTACAGCCATCTGTA  
TTTCTAGTTCCAGGGCATCTGATGCCCTTCTCTGATTTTCTCCAGTACTA  
GTGACACACAGCATAACATTTGAACAAAACCACTGATACACATAAAATAAA  
TTGTTTTCAAGAAACAATATAGCATCTAATTAGCTTACAAAACATAATTAT  
TTGTTTCTGTACTAATTACGTTTCTATTGGCATGACTAAGGCAACTTATA  
AGAGAAAGCATTTAATTTGGGGTTTACACTTCTAGTGCCTTAGATTCTAT  
GAGCATCATGGTAGGGAGTGTGGCAGTAGGCAGGCAGGCATGGTGTGGA  
GCAGAGGCTGAGAGCTCACATTTGATTTTCTACTAGAAGACACAGAGAGA  
GCTAACTGGAAGGCATGGGCTTTTCAAACCTCAAAGCCCCCTCTAGG  
AACACACACCTCCACCAAGGCCATACCTCCTAATCAAACAGTCCTACCAA  
CTGAGGACTAACCATTTCAGAGATAGATGAGTCTATGGAGGCCATTGTCTAT  
CCAAACCACCACAGGCCCAAGAAAGATTTGTTAGTGAAATTTTCAAGTAA  
AACTAAACAGCATTAGAATTTACCTGGCATAGCCAGCAATGATCTCTTC  
TGTTCAAGTGCCACAGATTTCTTTGAGTTAAACTCAGTTGTTAAACCAA  
AAATCAAATGTAATTGGCACTTTAAATTTGCTATAAGGGGAAACAAGGTT  
TTCAAAGCCATGAAACCATATTCAGAATAATTTTAGCGAGAGAAATATTT  
TTTCTTTTTTTTTGTCGTTTCTTTTTTTTCTTGGAGAGAAATATTTTTATT  
ATTTTATATTATTTTAATTACATATTTAATTATTAACCATTCTGACAGA  
GGGCAAAAGGTGAGGATCTTCATGGAACATAATCTGATAAAGCACCAAA  
TTCTTCCCAACTCTGGGATGCAATGACAGTTCAACTTCAGTTTATTGCT  
TGATTTGAAGAAAATTGACAAGAAATGTCTGTCTTAACATAAGCATGGA  
TTTCTTTTAAGATGTAGAATAGTCTATAATTAATGTTTTTGAGACTAGTA  
AGACCTGATTATTGTTGTATCTTAAATCTAGAAGGTACTAACAATTTTC  
TAATGTGTATTTTTTTTTTTCATCAGCAAAACAGGGATTTGGACATGTTCA  
TCAATGCCCTCCAAAACCTTCAACCTCAACATCACCTGGGCCACCAGCTTC  
CCAGGTACAGACACACCTAGAGAGATGGATTGGCAAGTTTAGTGATAGGAG  
TTGGGGAAGGAGGCTCTGAAGGCTGGTGAGTGAGTTTCAAGAGCCACCTCT  
GCCTCTTAGTAGCCATGGCACCTTGAACAAGCCATGCTTGAACAAGCATG  
TACAATTCCCTCTCTACCTTAGGCTACTCAGAGTGAGGAGTCACAGCTCT  
TGCCTCCAGCGTTGCTGGTTCAGGTGGTTGGATGGCTGCTCCCTGCTTT  
GCCACCACCTTCCAGCACTATGACTATCTCTATGTTTGTGCTTCACAGGG  
GAAAACTAAAGTGAAGTCAAGTTTAAAGAAATGAAAACTTTTAAAGGA  
AGGGGGATAACTCTAATATGTAGAGGTATTCATACTTTGGGATAACTCCT

FIG. 3D (21)



AAAAGTACAGCTTTTCCATTCTTGTATCTTATAGTGACTATAAAATTC  
TGATGGCCCTAATGTAGCAGTTACTATAAATAACCACTCCATAACTTGAT  
AGCCCTGAAGATAGACCTAGGTTTGAATTTACCTGCACGGTGTGAACAA  
GTTACTGAAGCTTTCTTTTCTTTGTTTTTAAGTTTGTATTATTTATGT  
GTGTGTTTGCCTTTGCCTGTATGTGTATAAGTGTACCATGTATGTGCAGT  
GCTTGAGAAGGTGAGAAGAGGACATCAGCTCCCCACCCTCAACGAGTTAC  
AGACAATTATGAACACTATATCTGTGTGCTGGCAACAGAACCAGGTCTTC  
TGAAAGAGCAACCAGTGCTCTTAACCTGCTGAGCCATCTCTCTCTAGCCCC  
CAAGTTACCTAACTTTCTGTATCCAGTTTCTCTCTTTATAAAATGATACA  
GTGAAAATAGCTTTGCTATGTACAGAGATATTCCAACCTTTTAAATATTAC  
AACATGACATCTACAAATATGTTAGCCCTCATTCATAATCTTGCCTGAAT  
TGTAAGTGTGTGCAAGGAATAAATGAAATAAAGGAGGTACTTATTATAGA  
GTTTGAGGTTTGCCTTCATGCATAAAGAGAAGCTTTTTTGAGTCTGTACT  
ACTCATGTTCTTAGCCAATGGAGTATATAAAATATGGTAGAACCATTTAG  
AAATGGAGTCTCACTGGGTACAGGCCTGAATGCAGTGGTAGCAGGTAGCA  
GAAAGAAGGCCTGAGTGGCTGCTTGAGCACCTTCTCCATCAAGACTTGAG  
GACCTTTCTGCTTAGGAAGTGATGAGCGAGTAAGTGTCCCTGAACAGGAG  
CCTTGAGCATATTCTACAGTGTGAAGCAGAAATACAAAGGAGTTGAGGTA  
TCATGTGCAAAATGAATGCAGTGTCTGTTTTATATGTATGATTGTTTTAC  
ATACATGTATGCTGTGCATCGCTTATATATCTGGAGCCTCTGAGACAGA  
TTACTTAATCTATTGGGACTTGAGTTTTTCCAATCTGTAGATGGAGATAG  
GAAGGTGTTGTGTGGGTTAGAGACTGAAGCTCATAAGGCTATATTCTTTT  
GACACTGTAAGTGCTCAATAAACTTTTACCCTCATTACTAGTGCAGCAAG  
ATTCTTTCTGATTGGCATAACCCGCCTCCCAAGTCTTTATTTTTATTCTTG  
CTTCTTTCTAGCCGGAACCCAGACTGGAGAAGAGGTGCCTGTTGTTTCAA  
AAACCAACATCAAGGAATACAAAGATAGCTTCTCTAATGAGAAATTTGAT  
TTTCGCAACCATCCAAACATCACTTTCTTTGTTTTATGTCAAGTAATTCAC  
TTGGCCCATCAAAATTCAGGTAAGAACTGCTTTTTTAACCTCATTCCCGTA  
AAGATGGTGACATCTCTTTAGTGAGACTAAGTTCACTCATTGGAATCT  
GTGGTGACTGAAAGATAGTGTGCTTTGCCTTTGAGGGATCTTTGCCATA  
GACTGAGTAGCAGGTGAGTGTCTTTAGGTTGGAGAGATGTTTCAGTGA  
GTGGAGTGCTTGCTACACAAGCCTGAGGACATGCAGTTCATCTGCAGCCT  
CTCATACAAAGCGGACACGCAGGGTGTGCCTGTACCTCAGCACTGGAC  
ATGCAGTGTGTGCCTGTACCCCCAGCACAGGACACGCAGGGTGTGCCTGT  
CACCTCAGCACTGGACATGCAGTGTGTGCCTGTACCCCCAGCACAGGACA  
CGCAGTGTGTGCCTGTACCCCCAGCACTGGACACGCAGTGTGTGCCTGT  
ACCCCAGCACTGGGAAGCAGGGGACAGAAAGATCTTGCTTGCTGGCCAGC  
CACTCAAAGCTGGATCTGTGAGTTCTAGATTCAAGTTAGAGACCCTGTCTC  
AAGTAAATAAGGTAGAGAGGAATTGAGGAAGACACCTGATTACCTCTGG  
CTTCTGTATGCATGTGCACATATATATACCTTCACACATATACACACTCA  
GAGAAAAAATCTGAGAGTGTATATCACTTGTGAAGAAAGTTTTAAAGC  
ACTTTTAAAGCAAGATGAAAGCTATGCAAGGTATGCAAGGTAGTATACT  
TTTGTAATCCAGGATGTGGAAGACCAATGCAGGAGGATCACCTGAGTT  
TGAGGCCATAGGAAGACCCTGCCTCAAAAGGAGGGAAGGAGGGAGGGAGG  
GAGAGAGAGAAAGAGAAAGAGAAAGAGAGAGAGAAAGAGAAAGAGAAAA  
GAAAGAAAGAAAGAAAGAAAGGAAGGAAGGAGAAAGAAATCAAAATGATT  
GGCATATAGTTATGTGTTTTATTTTTTGAGTAATTGCTATGTAAAGCCTT  
TAGAAATACACAGTTTTAATTATGGAATTGAGTATAAATAAAACAAGTAC  
ATGTTTGTAACCAATAAAGTATAAAATGACACATAAGATGTCAAAGTGG  
TATGATGGCTATAATGTGGAGTCCATAGAGGAAGCAGTAGGCAGTATGAG

Fig. 3D (22)



GTACTGTGTAAAAACACATAGCTTTACTATTGCACAGACAAGTGTGGATT  
CTTGTTCTGTGTGTGGTTCATGGAGGCTCTCCAGTTTGCAGATTCTCTGT  
GCATGTGTCTGTAAGGATTGGTCTTCCTGCTATGACCTCTGGTGTATTATTA  
GCCTGAACTGAGTCTTAAGGAGACAGGTAGTGGAAATGTTTGTATTGCAA  
AGACAGTATGGGTAGTTGTTTTTAGAAACAGGAGTTCAACAGAATTGATA  
GAACTTGTGATCAAGAAGCTAACAGCTGGACTGGGATGTAGCTCAGTTGA  
AAGAACGCTTGTCTAACATTAAGAAGCCCTGGGTACCATCACTACCACAG  
CATAAACTGAGAGTAGTGACAGACTCATGTGTCCCAGCACTGGGAAGGTA  
GAGGTAGGAGGATCAGAGGCTGCCCAGGGAGGTTGAGAGTGACTTACGCT  
AGGAGATAGATCTAAAAATGAAAAGGAAAAAGAAGTTGGTAGCTGCTAGA  
GCTACCATGAAGAGAGTGGAGCTTAAGGATTCAGCTGAAGAATGTAAACT  
GCCTTCTGATGACAACTGAGAGTCGCTGAGTTATTTAAAGTCAGGAAGTG  
AACAAAGATCAGTGTTCAGAAAGACCTCTGTGGCAACAGTATTGACTAG  
AAGTAGCCCCCTCCTATGTCAGGTACTGGTTTAGACTGTATTTGGAAGTGT  
CCTCTTTCTTGATGGCCCTCAGACACCTTTCATGGCCACTCCTCTGCATT  
TGTACCCCATAGCCACACACTTGATGGTCTTTATTACATAAAATAGCTCC  
TTATAGGCAATGATAGATTTTATATTTTGTATAATTTTAAGATAAACTCT  
ATGTCATTGCATAGAATTTAGTAGTTGTAGGTACTCAGTAAATGTATATA  
GGATGAATACAAAAGCTTTAGGGTAACAGTATTTTGTGTTCTTCCCCCG  
CATTTTTAACTATCTCATAGTAGCACAGACTAACCCATAACTGACCATGA  
AGCCAAGGATGACCTTGAACCTCTGTACCTTCTACCTCTTCCCCGAAAGT  
GCTGAAGTTACTGGCATGTGCTGCTCACCCAACTAATAGCAAGTTTCTCT  
TATAAAGGTGCTGATGCCCTTTCCCTGTTTGTGTTAATTGCTGACACTTA  
AAAGCTCTTTATCCCAACCCACAGTGTTAAAGAGTTTAGTTAAATTTTGT  
GGAAATTTTGTCCCAAATGAAGTGGTTGATGGCAGGCCTGGTGGCTCCTT  
CCTATAATTTCCAACACTCAGGAGACAGAGTCAGGACGATGGCCAAGAATT  
CAAGGCCTTGGGCCTACAGAGTAGAAGAGAGAAGAATGAGGATTCGAACA  
CCTGATTAAATAGATACCATTTCCCTGCTACCAACCTGTGCCTTAGCTACT  
CTTCTATTGCCGTGACAAAACATCATACCCAAGGCAGCTTATAAAAGAAA  
GCATTTATTAGGACTCACAGTTTCAAGGGTTATACTCCAAAACCATCATG  
GCCGGGAGCAGGCAGCAGGCAGGAACATCTGCTGTGAGGAAGAGCTGAGA  
GCTCACTTCTTTATCCACAAATAGGAGGCAGAGAGAAAGCTAACTAGGAA  
TAGAATGAGCTTTGCAGACCTCAAAGCCCACCTCCTTCCCAAACATTTCC  
ACCAATTGGGAACTAAGTATTCTAATCTGTGAGCCTCTGGAGGCCCATTC  
TTATTTAAACTACCACACTTTATAAGTTAATACTACATGTGATGAGGAAA  
CTGGTATGGGAATTCTGAAAAGTAGTTTACAGGAGTGGGAGGGGCTGAAC  
GTGAGTAGATGCTAGCATGTGTGTCAGGAGTGAAGTGTTCAGAGCATTGC  
CTGGTTTGACTTCTCTCCAGAGCTGAGGTGAACATGCTTTGTGCCAATAC  
AAACCCGTATTAAAGCGGTGGTAGTTACTGAAAATCAGTGCAGGGCTGTG  
GTCTCAACACAATGTTTGAAAAAGAAAACAGGGCATCCACATCAGGCAGT  
GTACAGCTGCTTATAATTCCAGTCCTCTGGCCTCTGCTCACATGCACATA  
CCCCCCCATACATACACATGATTAAACATAATGAAAAATTAAAAATTA  
ATGCTATAAAAAATGGAAAGAGCCGGGCGTGGTGGTGCATGCCTTTAATCC  
CAGCACTTGGGAGGCAGAGGCAGGCGGATTTCTGAGTTCGAGGCCAGCCT  
GATCTACAGAGTGAGTTCCAGTACAGCTAGGGCTACACAGAGAAACCCTG  
TCTCGAAAAACAAAAACAAAAACAAAAACAAAAAAGTGGAAAGAAA  
GGTTCAGTGTTCACAGGAAAACCTCTGAGAGGTGATAATCCAATCCCAGT  
TTAAATATACTCCATAGTGCACACAGCCTCTCCCATCCTTGGCAACTGA  
GGCCTGTGAGAAGACTCAGTCCTCTCCTGGCTTCCAACCTTACAGTGTTT  
AAAACTCTTCTGCAAGATCCACATGGTCTTACCAAGACCCTGAAGGTCAG

FIG.3D (23)

GCATGCTGATTAGGCTGTCTCTGGGCCTGAAGTGAAAGGTAAACACTTCC  
GAGATCTCCAAAGCCTTGGGAAGATTCTGAAATGTATGGGTGTTGGTTCA  
GGTAGACTCTCAGCCTTGGTGAAGCTGCCCCCGAGCTGTAGGGTTATCT  
GCAGAAAGTCAGCCAGGTGCACCTTACCCTGGAATCCTCTCCCATTACACAG  
ACACCTCCCTGAGGCTTTGTGGCTTCACCTCACTGTGCAGCTAGCTCCTG  
TTTTACATGCTTATATAATGAATGGTCTTGGTAAAGAAGATGATAAAGGC  
AAGCTAGAGGCCTTTTTTTTCCCCCTCTTCAAATTTTGATTGGCCTTTCCC  
TACTGTTACACTGTCTACTCAAGGTTTTGAGCATTTACTTTGTGTACATA  
GTAAAAGCAAAGTACATATTTTTAAGTAGAAAAGAAAGCATCTGTGGTCT  
TTGATATAGGTGCTTTTCTTTATTTTAATAGTAATACTTATTCATGCTT  
GTTAAGAAATTCATTCACAGCGTGTTCATAGAGACTTTCTCTATAGAG  
ATATATAGAAATCTAGACATGAGGACAGCCCACTAACCCACTCTTCAGAC  
ACTAGCTGCTTCTCTTAGAGCCCTGGGCTCTCACCCCTTTGGAGGACAGCC  
ATCCTCACTCATATGTGACAAGCTTAGACACAGAATAATCACAGAGACTC  
CAGCCTCCCCCACAACCCACAATGCCAATATCCCATATTTCCAGGAACCT  
TTTAATAAGCCATCCACTCTAATACTCCATCTCTTATCTCAGGCATAGGC  
CCTGGTTTTGGTTTTGCTTCAGAGTACTGCCTTTTCTCTACCACGCCCTTC  
CCACTCTTTGCTGACCCCTCCAGAGATGTCATTTCCAAATGAAGGGGGTTT  
TTGGTTCTGTGGGTGTTTTGTTTTTCAGTGCAGTTCCTTAACTGCTATTC  
AGGGGACGGAGCAGGCAAACCAGATCTCTAACTTCTGAGGCCTGTGAAGA  
GAAGCATCAGAACCTCCCAGGGGAGCTGTAGGAGCAGGAGTCAGGCCTAG  
ATATGACTGTGAGAGAGTGGGGACCATTACCAGTGTCTTACAAATGAGGG  
GAAGGACTACCGTGCTGGGCCCTGAAAGATAAGGAGGACCAGGCTTCAGG  
AAGGTAGGACACATTCTGCTGACTGTCTGGGATTGAGGACAGTAACACAA  
CTACTTAGACATACTTTGAATGAAGGACAGACTTAGTGCTTCAGAAGTGT  
AAATCCATTATATCTTTCCCAAGTCTTAGGCTAGCCAAGTTTCTCAACAT  
TTATCTACCTCATCCCAAAGGGTTCCCAGGACAAATATTTCTTACTCAAA  
CATTTGATGGGAGTTGGAATCAGGTTGAGGAAATGCAGGGGTGTAGATTT  
TAGATTTCTGGGAATATGTATAGATAGCTACCTTCTGTTGGATAGAAAAT  
GAGATTGTAAGTTTTTTCAGTGTTTTTTACACGAGTTTGTGTGCCCATGT  
ATGCACATGTGGAGGCCACGGGTCTACCTTAGGTGTCTTCTTCAGGAACC  
AGCCATCTTATTTTTAAGATGATCTCTCTCCAGACCTCAGGGCTATCAAC  
ACACCTCAGGGATCCATCCTCCTGACTGTATGTCCCTAGCATTTGGGTTA  
CTGTACCACCATGCTCAGGCTTTTGTGTAGGTCTTGGGGATCACAGTTAG  
GTTCTCATACTGCAGGGCAAGCACTTTGTAAACAACATATCTCCCCTGCAT  
ATGGAAGTATTACCACTAAATTACAACAAGATTTTCTTCTATTAAATTA  
TATTTTAGAAGCTGGATATAGTAATGCGTTGGGGCAAAGGAGGGAGGGA  
AATGAAGAGGATAGGAAGAGGGGGAGGGAGAAGGGAAAGAGTGGAGGCGG  
GATCAGAAGTCCAATGTTATTCAAGGGCAGCCTGACCTAGATAAATCCCT  
ATTAAAAAGTTTTTCAGTATAGAACTTCTCATCACCTTCATTATCAGAAA  
AGCCCCATAATTCAGAACACTTTTTAATCTTAATTAGTTGACAATTTTCAT  
AAATGTATTATTTATATATATGAATAACATTTTCCTCCTACCTTTTTTTC  
CCTTCCCCCTCTGATGATTCCCATCCTCCCAACCAAGCCCCCTTCTGCAT  
TTGTTTGTGTGCTTTAATGACCCACTGAGTTCCATTGGGCTCACTTCCATG  
AGTGTGACTAGAAGAGCTATTTATCAGAATGTGGGCAACTTACCAGTAGT  
GACACTGATGAAGAAAGTGTTCCTCTTACCCAGTAACCATTAATGGCC  
AGGAGCTCCTGGGAGGGGTGGGCGCCTTATGAGCCCCCTTCTCCAAATGC  
TTTCAAACGTGTGACCAGCTATATTTAATGTTTTTATTATGCCTGTGTATC  
CATGTGGGACAAGAAAGCTTGAGAGTATCATAGCATGCATGTGGAGGTCA  
AAGAACAACCTGTGTAAAGTCAGATCTCACTTCCCACCTTCACATGGGCTC

FIG. 3D(24)

TGGCACTGAACTCATGTCAGTGACCTGAGAGGCACCTTTATCCTCTAACAC  
GCACCCTGTGCCCAGCCTAAAATTTGACCTTTGCAAGGTTTAGTGTGTGT  
TATCTGACTGTCTGAGTAAGGATGACAAAATGAAACCAAACCTTATGGGAT  
AAAGCTTGGTGGTTGTATCAGTACATTTTTATTGTTGTGATAAAACATTA  
TGACCAAGACAGCTTATAGAAGAGTTTATTTGGGTGTATAGTTCCAGAGA  
GGTAAGAGTCTGTCTTGACAAGGAAGCTGTGGCAGCAAGTGGCAGGTATG  
GCTACAGGAGCAGGAAGCAGAAAGAGCAAAC TAGAAACAGTTGAGGTTTT  
TTAATAGGAAAGCCCACTCCCCCTAATGATGTCTTCCCCTAGCAGACCAC  
AAGTCCTAACCCCTCCCTACACAGCACCACCAGCTGGGGAGTTCAAATGTC  
TGGGACTGCAGGGGACATCTCATT CAGACCACCTCAGTGGGAGAATGCTT  
GCCTTCATAGTATGTGCAAGGCCCTAGGTTCAATTCTAGCCAAGAAAAGA  
GAACATGAGGAAAGAAAAGAAGGTGGGAGAGAGTAGAGAAAAGAAGAGAAG  
AAGAGGAAAAAGGAAGGGAAGGGGGAGACAGAGGAAAGCAGGGAAGCAGA  
GGAGAGGAGAAGAGAAAGAAAAGATTAACCAGCCTGGTTTTTAATAGCAC  
CCCTCCCACCTCTCAGTAGTTCCCAATTTGAGCATTAAAGTTCAAGACTGAT  
AGATATTTCTGGGTGGGTGACCAGTGTGGTCATAAACATGGTGACTTTTG  
CTCTCCGTACAACCTGTGATTATGAACCTTGTTAGATGATCAGCTTCAACA  
GGAGAGGGCCCTCCTTTAGTCTCAGGTGCCCCCTCCAGCCACCCTGGGACT  
CGCAGCCCTCTCTGTGATGAGACACAGGACATTAAC TGGTATGGTTCTGCT  
TTGCCAAAACGTCAGTCCATGGTTGAACTCTCCACAATGAGAAAGAAGCT  
TTGAGAATCATTACATGGCATCAGGCAAGCCAGGACTGATGGAGCCTGAG  
AAAGGGCCAGGAGCATCCGCAGGTTTTTGGCACCCAGTACTAACTAGTAAA  
AGCACCTCATAGGTTTTCTTTAAAATGCAAACACTAAGGAAAATCTAACTT  
TTTTTTTATTTATTAAGGCCATTCATTTTATTTTTATAAGTATTTTGCCTGT  
ATACATATGTACCACATGCATACAAGGTCAAAAGATAGTATTGGGTCTTC  
GAACTGGAGGTACAGATGATTGTGAGCTGCCATGTGGATCCTCGAAATTG  
AACCTAGGTGCTCTACAAGAGCAGGAAGTGCTCTTAACCTCTGAGCCATC  
TCTCCAGCTCCAGAAAAGCTACTCATAAAAGTCAAATCTAAGCCATGTGT  
CTGGTGATGTACACCTTTAATTGTAGCACATGGAAGGCGGAAGTAGGCGG  
ATTGTTATTTCATCCAAGGCCAGTCTTCTCTTAACAGTGACAAAAACAAAA  
CCAAACCCGAAACCTGTTACTTTGCACTTTAGAGTATAAGTGATAGAGAA  
AAGACACAGAAATTTTAGAATCTATACCTTAAAATACCTTATGGCTTATA  
TGATACTGTTGGGACCATATTTACTTATGGAATGCAAAAAAAAAAAAAAA  
AAAAAAAGATGGGGGGGAGCTGAAGGTCTCCTTTCTATTCGTGTGTAAA  
TCTAGCTATAAAAAGAGTAAGAGGCATGAGTGTGTCTCAGTGGTAGAGCA  
CCTGCTTAGCTTGTGTGGGATTGAATGATCCTCAGCACCACAGAAGAAGG  
GTGGGGCAATAAATTTAGGAAAATAAGATGCTAATCATTGACTTTCTTGA  
TTTTTTTAAAAAAAGTTATTATTTTATGTTTATTGTATATGTTTATATTT  
TCTATGTGTGTTTTTGATGTGTGCTGGAGGGATGGGGGCCACTTGCTGAA  
CTTCCCAATTGTTATCATAACTACCATCTTTAGTGAAACAGTTACCATCT  
ACTTAGTAATTGTTTCATTTCGAATAGATACTGAACACTCTTAATCTGAAA  
CTAATGCTCAGAAAGTTCCACTTTGCCAAGCAAGCAGGATAATGTAAGCC  
TATAATTTTAGCACTGGGAGGGTGAGGCAGAATTGTGAGCTCAAGGGCAC  
CCTGAGCTTTTGAGATCCTGTCTCAAATAAAATTAAATTATATAGATATC  
AGATTTTCAGAAATAGGTGTGTT CAGCTGCTGAATAAAATCTAAGCAAATAT  
CCCCAAAGAACCCTGAAATCTGAAACGTATTAGTTCTAAGCCCTATGTTG  
TGT  
TAAGATAGATTCTCACTATGTAACCCCTAGCTTGCCTGGATCTTGCTATAT  
AGAGAGACCAGGCATATGCTATCGTGCCTGGGAGTCCCAAACGTTTTAGA  
TGAAAGATTT CAGTTGTACCATTATCTTCCTAATGAGGGCTCTGGTCTAG

FIG. 3D (25)

TGAGGCAGGTGACATTAGGCCAGTAGTAAGTATTAGGAATTGGTGATGAC  
GGTCAATTCTGAGACACACAGTAGATACATCTAATCTACCAATACAACCA  
ATGATTTAGAAAGAATTAGGCCATAGTTAAATTTGCAGTGTTTTCTTCT  
CCACAAAATAATGTTACTTCTTTCAGTTCTTAGTTCAAATACAGTAGGAA  
TTTTTTATATTCTTGGTGCTAAACACTATTATTTTATAGTAAAGTTAGTA  
AGATAGAAATGACGCCCTGTGGGTGTCTGGTCGTAGTCTGTAGCTGAGG  
CCATTTTGCTGAGAAGCAGCGTAGGCTGTCACTGGCTTTGTCACCCATAT  
TTCTGTATTTTTGCTGCAGATTGCCCTTCTCCAGCACAGCAACTTCATG  
GACCTGGTACAGTTCTTCGTGACTTTCTTCAGGTAATTTCTCTATGCTAA  
TTGTACACATTCCATCGAGACAGTCCCTTAACTGCAGCTTGCTTTGTATA  
TCCCTACAAAGCTGCTTTTCACTCACAGTGATGTAAATTTAGTCTGATGT  
GATAAAACTCTCCGTTTGTATGATTCCGGCTCTTTGCATGGGGAGAGGTTT  
GGGCTCAAGCAGTTATTAATAATATAGCTACTGCTGTGAGCTACATGTCT  
TAATCTGTCTTAATCAAGATATGACTGTGATTTTCCATAGGGAAAGGTAA  
GGTTTACTTGCAAACCTCCTGGGGTTCTCCTTTTTTTATAGTTTCTTATT  
AGTAGGGTTTTTTTTTTTTGAGAATACTATGCAGAAATGATTGAAAAG  
AACAAATTAGTCATTGCATATTGGTAAGAGAAGCAGCAAGAGCCACCTCA  
CCTCCCTCTGCTCTCCCCAAATAGAACTGCTCTGCTGTGCTGCTTCTCT  
ACCTTCACACCAATGCTCGCCCTGCCAACTCAGTTATCTTCTCTTCTCT  
TTAAGATAGGGTCTCTCCTTATAGTAGTTATGACTGTCTGGAATTCTAA  
ATAGAAGAGGTGGCTTTCAAATCACAGATCCTCCTGCCTCTGCCTTCTG  
AGTACTGGAAGTATGGTGTATGCCACCGTGCCACAGCTAACTCAGTTATT  
TTTTGGTGTCTATAACTGCCTTACATACATACAGACCAGGTACACACAA  
AATTCCTTTCCATTAAATTAATAGTTATATCAAAATGCATTGACCAACTA  
AAAAATCCTAAATTGACTTATGATTCTACTTGCTCATGTTTAAAGGAAA  
GGTTACTCTTTGCTTATCTTAAATGTAATATTTTTCTTTGTCAGTTGCTG  
TTTAAATTTTCCCTATAAGTCGACCCCAAATTTACATCTATAATCTGGCA  
AAACAAAAGACCTCTAGTGATGGTTGTCTCTTAGCTTTAGTCTCTCTTG  
GACTCCATTCCCTCCACCCATAATGTTCCATCCTCTGTCTTAAAGTGTA  
TAGTCTCCAAGGCCTGCTATGTGGTTGTCAATTGTTGTAGTTACTTTTCTA  
TGTTGTGACAAAGCACCCCTGACAGTGGCAATTTAGAAAGCATATAATTTG  
AGGATCACAGTTCTGGTTAGAATCCATGACCATCTTAGCAAAGGCAGAC  
AGGCAGGCCTGGCACTGAACAAGTAGCTGAGATCGTCCATCTGGTCCACA  
AGCATAAGGCAGAGAAGCTAATTGGGAATGGCATGGGCTTTGGAAACCTC  
AGAGTCCACTCTTAGTGATACCTCCTTATCCTTCCAAACAGTATTACACA  
TTCAAACCTCAAATGTGTGAGCCTCTGGGGACCACTCTCATTAAACCAC  
CACAGTGATCTTGGCAACTTCTTTTGTGTTCGTCCCATGCCACAGTCTTT  
CCATGTATTTCTCCTTTTGCTGGAACCTTTTCCCTCGAAGGTTCTTGAGG  
AAAGAAACATAGATAACTTTTGTATGTACTTCTACAAGTAAAGTATCTT  
AATTTTGGCCCTAACAAATTTTGTGTGCTTACTTGCTTGCTTACTTGAT  
TCTGCGTGCATGCATTTATTTGTTTGTGTTTGTGTTTGTGTTTGTGAGAC  
AAGATCTCTCTTTGTAGTTCTGGCTGCCTCAAACCTCAGAGAGATTCTCT  
GCCTCTGCCTCCAGAATGCTGGGATAAAGGCATGCTCCACCATACCTAAT  
CCAACCTCACAATTTTTTAAGTGTGTATTTATATGTGTGTGTGGTATATG  
TAAAGGTGTGTGTGTTTCATGCACACATGTGCAGAGATCAGAGGAGTCAGG  
TTTTCTCATCTATCACTCTCTGCCTTATTATTTTGAGACAGGGTCTCTTG  
TTCGATATTACATATACTAGGTGAGATAGCCCAGGAGCTTGTAGGAATTC  
TCTCCCATTTCTACCTTCCAAATGTGTGCTACTGCATCTGGCTTTAAGCA  
AGTTCTGGGAATCTGAGGTCAGGTCCTTACACCTATGTAGCAACTCTGCC  
TACTGAGTCATCTTACTAGTATTACAAAGGTCAAAGGTTGGGACCAACAG

FIG. 3D (26)

CCAAGGTTGTCCTCAGATCTCCACACAGATGTACCCACAATTATACAAAC  
ACTCAACATAAACCTATTTACACACCCACATCACACGCACACACATACAT  
GCACATACAAAAAATGCTTTTTGAAAGAGTAGAGAATGCTAGATATGG  
TATTACACGTATATAATCCAAGCCACTCTGGAAGCTGAGGCAGGAGGATT  
TCAAGTTTGAAACCAGCTTGACCACATAATTATACCATGCCCTCAAAAATT  
GTATAGAGAATAAGAATGAATATGAATGAGACTAAAGTCATATCTCAGTT  
ACTTTTCTATTGCTGTGGCAAAACACCATGACAAAGGTAATTTACAGAAG  
AGATTATTGGGGCATATAGTTTCAGAGGGTGAGTCCATGACAATTATGAT  
ATGGCACTGAAGTAATAGCTGAGAGCTTAAATCTGGTCCACAACATTAGG  
CAGACAGAGAGCTAACTGGAAATAGCCATGAGATTTTGAAACCTCAAGCC  
CCACTCCTAGTGATGTCCACACCTCCTAATCCTTCCCAAACAGTTCCAT  
CAGCTGGGAACAAGATATTCAACATATAAGCCTATGGGGGTCATTCTCAT  
TCAAACCACCAGTAGTAATTATTAGAGCCCAGCAAAGAAGGAAGGGATAG  
AAAGAAATGATTGATGGGAACCTGGGGTGAAGTCTGATACAGAGAGATCTT  
TATGTACTGCAGCGTAGCTCAGGAAGATAACTATGGTTAAGGACAATTAG  
CTAAGTGATTAGTAGAGAGGATTTTAATATTTCCAATACAAAGAAATGCT  
GCAGGCCTGAAATAGGGTACGTTTCAGTGACCCAGATCTGATTATTACAA  
CTCATACACTTGTACCAACCACATAAATATGTACAATAATTGTGTCTAGTT  
TTATATTAAATAAAAAATGTGGAGCAAGTTAAAAAATGCCTGTTTTAACT  
GATCACAGTTATATGCCAGCTTTTCTTTGCTGTGACAAAATACCATAGGG  
AGTAGTTTATAAGGAAAGAGATTTCTCCAGCTCATAATTCCAGAATTTT  
CAGTCTAGAGTCAGTTAGTTCTATCATATTGGGGCCACAGCTAGACCAAA  
TACAATGATGGGGAGAATGTGGTAAAGAAAAGTATTTACCTCAGAGTGGT  
CAGGAGGAACACAAGACAAAATATACATTTTCAGTCCCATACCTCCAGTGA  
CTTGCTTCATCCAAACAGACGCCACCATCCAATAGCCATTAAAAATACAAG  
TCAACCAGTTGATTGACATCCATTGATCTTAGTCATATCCCTAAATTCAA  
CCTCTAAGCTCTGATGCTCTGGGGGCCAAGCCTCTATTGCATAAATCTCT  
GGAGCATATTTTATAATATGAAATATTAAACAGGTCTCTCAGGAGCTGTT  
TGGTAGACTTAGTTGTTTTTTTTTTTTTTTTTGTTTAAGGTTTTTTTGGTT  
GGGTTTTGTTTTGTTTTGTTTTGTTTTGTTTTGTTTTGTTTTGTTTTT  
TTCCGAGACCGGGTTTCTCTGTATAGCCCTGGCGGTCTGGAACCTCACTTG  
TAGACCAGGCTGGCCTCGGACTCAGAAATTTACCTGCCTCCTCCTCCCAA  
GTGCTGGGATTAAAGGTGTGCGACACCACTGCCTGGCCTAGACTTATTTT  
TTTAATCAGATTTGAGTCTTTGCCTCTGGAATCACAGTAGCTTTTCCCAT  
TCAACACCTAGTTTACAGAAGAAAGAAAACCCAATTTTTTTTTTTTATAAT  
CATTAGACAACCTAGAAGTTTCCCTCCTATTAAAGAAAACATATTAACGGG  
CTGGCGAGATGGCTCAGTGGGTAAGAGCACCCGACTGCTCTTCCCAAGGT  
CCAGAGTTCAAATCCCAGCAACCACATGGTGGCTCACAACCATCCGTAAC  
GAGATCTGACTCCCTCTTCTGGAGTGTCTGAAGACAGCTACAGTGTACTT  
ACATATAATCAATAAATAAAATCTTTTTTAAAAAAGAAAAAAGA  
AAAAGAAAACATATTAACAGTATTGAGAAAACCTGTTGGCTTAAATTGAT  
GATTTGAATTTTATTTTACTAATAAATGCATGTATTGCTGGGCATGGCAG  
CACATCCCAGCACTCAGGATTCCGAGATAAGAGATCATAAGTCCACGCTA  
GCTGGAATAGCAAAATAAAATCTTTTTTAAAAAATATACATACATACAT  
ACATACATACATACATACATACACACACACACACTTTTCTCAGT  
AGTACGGCCAATTAGTTGACTTGCTTAACGGAGGGAGGAAGAGGAGGCAG  
AGAGCATGCTGTTTCCAGATCACGTTCTCTTTTGCATTTCAGTCTGGGACCCC  
AGCCCATAGTGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGT  
AGTGTAGAACTCTCTCAGAGACATGCCAGATGCTTGCCTCATAACCAC  
TGTGTATGTATATATGCTTACAGAAAATATACTCATCATACACATAAAT

FIG. 3D (27)

TTCATCCACTTACCTCTTATGAAAAGTTGATTATTTACTGAGATTTTTCT  
CATTCGTGAAAATCCATAAAGTCTACCACATTGATTAAATTACTTGTTTTT  
TACCTGTTATTGCTCATGTTAGAATTGCTTTTCTTATTTGGGGTAAGCTG  
TCGTTGGCCACTGTGAGGGGCTTATCAAGAAGTCAGAAATGGGAACACCT  
TCTAGGAAGTCAGGACTGGAAGCTTAGCTGAGCCAGCAAGTGTTCCTCAC  
ACTGCACCTTCTGTGAGCCTACCTGTGCGGCATCAGGAAGTGGAGTTGGG  
ACCTTGAGGATTGTTCCCTGGAGGCAGGGGTGGAGTCAGGCAGGGGTGAA  
GCTGACTCACAAGATGGTCTTGCCCTTTCAGTTGTTTCTCTCGCTGCTTC  
TGGTGGCTGCAGTGGTCTGGAAGATCAAGCAGAGCTGTTGGGCATCCAGG  
CGGAGAGAGGTAAGCCCAAGTAGACAACTCCACATAAACTCATTTTTT  
TCCTTCTTTCTAGGCAGATCACTTTTACCTGTTGAGTGATGACTAATATT  
CATATGAGAAGCATGCTGTTTAACCTGCATTCCTGTGGTTCCACTATGTGC  
CATCAGTAGATTTTAATTATTCTTGCATAAAGTGTCAATTAGTTTTGCCAC  
TGCTTGATTCAAGTCTTCCTAAGAGTCTTTCCCTAAGAATATGAGTGTAGA  
GACAAGTTCAGCTCAGTGACAGAGCACTTGCCCTGGCATAAACTGAGTCCC  
TGGATTCTAGTCTCAGCACCCCTCTAATAGCACAACTAGAGACAAAGCT  
TCTAACCTGTGGGTCTTGGGCAGCAGGTAGGGGAGGGGGATTTAAAAAAC  
AAAAACAAACCTCTAGCTGTAGCCTGTGTCAATTGTTATGACTAAGCACT  
AGAGTGGGTACTAGTAGACATGCCATGTGGACATTGAGCACCTCTCCATC  
CCAGGCCTGATCCAGGTGGTTCTGCTTTATCTTCATCTCCACCCTAGGA  
TATAAGGGAGGCTACGTAACATCCCATCACACAGATGCTGAGGTACA  
GAACTGAGGGGTAACTAGTGCCCTCTGCCCTTACAGCACAGGTTCCCTAAC  
ACGTTTTCTACAAACACTTCATTTGTTCTAGTCTGTTCAATTAAAGATCT  
CATGTTCTGACTGAATGAGCTAGACAACCTCACCTAGACTATACATTCTA  
AAGAAGGGCAACAAGGCAGTTTTGTTACTGTTGAGAAGAAAACAAAGTTA  
TTTCCGTATGAGTTATTGAGATAGAATAGTAGAGATTTGTCTGAATACAA  
AATAGAAAGTATATAAAAGTATATAAGTGGATCATAAAGAAAGCAACAAT  
CAACTGGAATAATTTGCAGTATCATGAGAGAGAGAAAAGTAAAGATGA  
ACCCCTCAAAAAAGGATTTTTTAAATATGCTTAGACTGTATTCAGTCAG  
CTAATAAACTTTTTTTTACCTTTATTTGGAATTTACGAATAGCACTGAACC  
TGACCATTGTAAATGCACGAGGTACGGCATGACTTGTTCCTCAGTAGGAAG  
TTGTTTTTAGTTCTTGCTGTGGCCTGGGTCTGATGGAAGTTCTTTACCC  
ACCTTATCTCCTGTCTCTTGGCAGAGGTCTAGAAATAGTGCTGTGATGG  
GGTAGCAACTGTCTTCTGTGACCCTGCACCTAGATTATTACAGAACCCA  
GACTGGGTTTGCTGAGTTAATGGAAATCTTTCTAGGTTTCACTAGAGAGA  
TGTGCTGACACATACTAGGCCATCTAGTTTTTTCAGTAATGCTCAGAGACC  
GCAATAGGATATGTAAACAGCAACAAAATTTTTTAACATAAAATTTCCCTTC  
TAAAACAGAGTGATGATTTATGTAGCTTCAGGATCCTGCCTCCTAGAAGA  
TGGTTTGAAGCAAGGCCAGTTTGTCTTCCCTAGCATAACCTCAGAAGACC  
TCTCATATTATTGATGGTATAGGAATGAATGCCACATTCTGTATTTGAG  
ATGTGTGCTATAGTATCTCATCTGACCCAACATGAAAACATTTCAAGCCA  
TGTGTGCTTGGGTAAGGTAGGAGTTCAAAGTCATCCAGTGAGTTCAAGGC  
CAGCCTGGGCTGCATGAGACACTGTCTCATAAACAGACACTTGAATCTCA  
TTTAAAGAAGACATTGAAGACTTGATACTTTGAACACCTATCCTAACGTA  
TCCACCCCCAAATCCAGAGTCCTTCATGTTCTTGTCTCTGCAGTTCCAC  
TTTCATTGTGTTCTCAGCAGCAGCTCTCTCCGAGGAGAGTTGTCTCCCAT  
CCTATCAGCCATCTTTTTTATTGTTGTTGCTCTGACAATGTCTGGTTTCA  
GTTTTAACACAAAGCAAGCTAGAGTGATTTTAATCTAGCAACAAAATAT  
AAAAAGGTAAGTTTTTGGCCCTTTTATATATTCAATCAACAGATATCATAG  
CATTATATCTCCACTTTAACTTTTATTCTTACTGGTAAGGGCTTTTTTA

FIG. 3D(28)

TAAAAATATAATAGTGTTACCACATGTAACAAAATTTGATACCTTGTTGCT  
ACCTAGCACCTTGTCATGTCCAGTTTTCCTCAGCTGTCACAGAAGCGACA  
CTGCATCTGATCAGTTTGAATCAGAGAGAGTGTAGCATGTCTAATATCTA  
GTATTCACATAATAAATCTCAGTACTAAGCATATTAATAATACTATATTA  
TTCATTAGCAACTTCTTCGGGAGATGCAACAGATGGCCAGCCGCCCTTT  
GCTTCTGTAAACGTTGCCTTGGAACAGATGAAGAACCCTCCTGATCTCAT  
TGGGGGAAGTATAAAGGTGAGAAGTGGCTCAAAGGTCCATATAGCTTTTC  
AGAACTCAGGCCCTCAGTTTGCTAGGCTACAGACAGCAAGCGCTCTGTGTG  
TCACTCCTGTCTCCTCTCTAACAGTTAGTCAGCAGAAGCAACCCCGAGCG  
ACCGTAAGGGGCTCTGTGTGTGGCTTTACTTTTCGAGTTGTTGCATGTCA  
GATTTTAACATGCAAATTAAGCTTGTTATTTCTTACTTTGTGGCATAATAC  
TTTATAGTTTTTATTTGGAAATATCTAATCTGGGCTAGGTGTGATGGTGC  
ACATCTTTAATCTCAGTTCAGAGGAGGCAGAGACAGAGGCAGGCAGGATC  
TCCTTGAGTTCTAGAACAGCTGGTCTACATAATGAGACCCTATATGTTAG  
AAAAAAGAAAGAGGGGGTGGGGGAAGGCAGCTAACTTTAACCATTAATT  
GAACCAACACACACACATTTTGTTCAGAGCCCCAGTACTCAATTAAGC  
CAGGCAGGCATGGTAACAGTACTTAGGGAGTCAGAAACAGGATTCCCAGA  
GTAAGCAGTCTGACTAGGCTAGCAGGAAATGGTGAGTTTCAGGTCAGCA  
AGAGGCCCTGCCTCAGTAAGTAAATTGAAGAACAACCTGAGGGAGACTTGC  
ATGTGCACTTGTGCATGCACCCACACATGCACTTGCACACATACCATATG  
TCACCATGCTTAGACTATAAAATGTAGTCACTACTGGCAGCACATGCCTA  
CAATACAGATGCAGGAGAATCACTGCAAATTTGAGATCAGCCTGGGCTAC  
TGGACAAGATTTTGTCTCAAGAAAACATAAAACAATACAAAAGTGACTGG  
GGGGGTATTCTAATGCCAGTGTATTATGACAGCACATTCAGAACTGACAG  
TAAAGGCAATCAAGGACTGTCAGTGGTGGGTATATACATAGGCAGAGGAG  
CACTGCTACTAGAACTGTTTATCCTTTAAAAGACTAATGTATGCTGCA  
GCATAGCAAAACGTTAAGTTGTGTTAAGTAAAAGATGCTGTATCATTC  
CTTACCCACTGAGAAATAATCAAAATACAAGACAGAGTAAAATAGTGA  
TAGAGGCTTAAAAGAAAAGACCAGGGGGTGGGGAAAGGGAGGGGAAG  
TGGGAGAGGGAGGAAGGGAGAGAGGGAGGGAGGGAGCCAGACTTTGTGGC  
TTACAGCATCAAGAGGCTGAGGCAGAAGGGTTACAAATTCAGGCCCTAC  
TGGGCTACATAGTGAGAAGTAGGATTTCTTGAGCTGTCTTTCTAGGTCA  
TAATCTCTCATTTGGGGGAAGTCAGGGCAGGGACTTGAGGCAGAAACCATG  
GGGAATGCTATTTGCTGGCTCCTTCCCAGGCTCCTCTCTAGCTTTGTTTT  
CTCATTTTGTTTTTTACTGTCTATGGGTGTTTTACCTGCTTGTTTTTCTGT  
GTACCATATACATGCCTGCTACCCACAGAGGCACTGATGCCTGGAACCTGG  
AGTTACAGATGGTTGCAGGCTGCCCTGTGAGTGCTGGGAACATAAATCGG  
GTCCTCTACATGAGCAAGTGTCTTAACCATTGAGCCATCTCTCCAGCCT  
ATAAAATTCCTTTTTTAAAATAAAGTCTGCAACAGAAAATGAATATTTTC  
TAGAGCTGAAGCATTCATGAGTGGATAAAGAATCCATTTGATGAGCTAT  
CTACCTTTCACAAGCTCTTAACCCCTACAGACTCAGGACTTAGTGGCTGG  
AAGATGAATGTAAAACAGGTAGCTCTCTCCATAATATCTGGTCTGTTTGT  
GCCAGGTGTGCAGAACTGTGCAACAGGTCACCATACAAACCGGCGTGGGC  
CTTTCCTGACACTCACACAGCTCTCGGGACAGTGCCCGTGGGGACCTCTT  
ATTGACCTTATAAGCACCTGACTGTGCAGTGTAGCAGGGAGTTAAGGTGC  
TTCTGTTTTCTTCTCCAGACCGTTCTTAAGCCATTGCCCTGGAGCCCT  
GCTTTGGTAACAAAGCCGAGTCCTCTCTGTATTCTGTGAGGCTCCCTCGA  
GGACTGGGAGGAATCCCTCCTCCTGGTCAGTCAGGTGAGTAGACAGGAGA  
CAATGACAGATATTGGTCTGTGAAGGACTGAGTCTTAGACACTTCTTCTG  
GTATAGAACCCTGGGTCTGGGCACAGTGCTTAGTGGTACAGAGCTTTGGTG

FIG. 3D (29)



GAACAATTCTATAGTCCCCAACTGTGTTCTGAGCACTGACATTCCCTGTC  
CTGGGGTGGAGTTTCAGGACCTTCCTCACGGTGCACAGCGTCCCTCAGACA  
TTCATGCTCTGGTCCCCTTGACTCTATTGATCCCTGCTTTCTTTTTTTTTT  
TTAACCCCTTGTTCTTATCTCAAATTTAGGCTTTTCTTCTTCTTGATACAA  
GCTCCTATTCACTCTCCATGCCTCTGGCTTCCAGCCATGTCTCAAAGCTT  
GTGTTGCCAAGTACAGAGTTCTAGTCATGCTCCACATCTTCTTAAGGTCT  
TGCTATGCAGCCTTAGCTGGACGAGTGCTCGTTATAGGCCAGGCAGTGGT  
GGTACACGCCTTATGTCTTAGCACTGAGGAGGCAGAGGCAGGCAGATCTC  
TGAGTTCAAGACCACCCTGGTCTACAGAGTAAATTCAGGACAACCAGAG  
CTACATAGGGAAACCCTGTCTCAAAAAAATAAAAAACAACAGGAACAA  
CCCCAAAACTCATTATATTGCCAGGCTGGCTTCAAACCTCATAGTTATC  
CTCTACTTTCAGCCTCCAAAGTGCTGGGATTATGGGTGTGACCTTTCATG  
CCCAGATTGTCTTAAATATGAGGCATGAAGAAGTATTATGAAAACATAAA  
GGATATTTTGAAAATTATAATTCTACTGGGTAAATGCAGATCCATTTTCA  
TTTCATTGAAAATAATGATACAGCCTTTGGAGGTTAGGGGAGCCTCTCCTG  
TTTTCAAACCTGACTTTGAACTTCTGATCATCCCGCCACCACCGCCACCTC  
CTCCTCCTCCTCCTCCTCCCCAGTGCTGAGATACATCACTACTCCTGGTT  
TATGTGGCACAGAGGCTCAAACCCAGGGCCTCATGCATGCTAGGCAGACA  
CTCTACCAGCCAACCTACCCACAGCTCCTAGATGTGCACCGTATTACAAA  
CATTTATTCTTCAGCATGTTTTTTTTTTTTTTTCTTAAATCATCTCTA  
CAGGAACAAGTACCAGTGGTGTTTTAGGGCAGGAATAGGAAGAAAATAT  
TTTTACTATATACTCTTTTTTTTTTAATCATTTTTTTAGATTTTATTTATTT  
TAAATTTTATTACTATTATTAATAAGTACACTGTAGCTGTCTTCAGACA  
ACCCAGCAGAGGGCATCAGATCTCATTACGGATGGTTGTGAGCCACCACG  
TAGTGTCTGGGATTGAACTCAGGACCTTTGGAAGAGCAGTCAGTGCTCT  
TAACTGGTGAGCCATCTCAGCCCCCTACTATATACTCTTTTAAATGAC  
TTATTTGCTTTTATTTTTATGTGCATTGGTAATCTGCCTGCATGTATGTC  
TCTGAGAGAGGATCAGATTCCCTGGAATTTGAGTTACCTTGTGGGTGCTG  
GGAATTGAACCCAGGTCTCTGGAAGAACAGCCAGTGCTCATAACTGCTG  
AGCCGCTCTGACAGCCCCCTACTATATACTTTTTTTTATAGTTTTGAATTTT  
TTTTTCTTTTTTGGGTATTGCTAAGGATCAAATATAGATCTACTATTTATT  
TTTTTATAACATCCATTAGTATTTTTATAACTTACTACATAGTTTGCCAAT  
TCTTTTTATACATGTCCATCAAACATGTAAGTCATAATTTATATAAACCTT  
GTGTTAAAGCTGGAGGCACAGAAGGAAGATTGCTACAGAGTGAAGTCTAG  
ACTAGCCAGGGCTATATAGTGGGACCCTGTTGCAAAGAAAAAGTTCTCTC  
TTTAAACACAAAGGCAGTATGAAAAGACATACTTGATTCTGAAGCTGTG  
CATAGGAATGCCTCACACAGTGTCTGCTCAGGACTATACTCAGATGCAG  
TGGTCTGAGGGACTTGGTGGTGTCTCAGCCAAAATAACCTGGAGTTTAGT  
AGGAAAGTCTCCTTTATCCGTGTCCAGTCCCTGAAGGGAAGCCTTATTTAT  
GTATGATGAGTCAGGACCCATTGTCTTCATCTTACTTGGCATCCCCCAG  
CACTGAGTCTCTGAGTTAGCCTTACTTGGACAGAGTGACTCTCTGGGCAC  
TCTGGACAGCATCTCCTGCTTCAAAGGGCAAGATCTTTAGAAGACACAG  
AGATGGAGCAGGTCTTACATGGAGATATAGCAGCTTTTCTTCTGACCC  
TTGACCCAATGCTTCTTTGGAATCCTCATGAAACCCTGCTCCTTTCTGG  
AGACCCACCCACAGCAGGGTTATCCATGCCAAGCTTCTGTACTTTCTC  
TTTTTGAGGAAGCACATACACACAAAGTTTTAGTAGCTCGCACATCTCAC  
TGTGAAGTAGTGATACTTTTATTGCTATCTTCTGGAAACAGGCAGGAGTA  
GGCACACGCTCAGAGCATAGCTGCACTCTCATTCCTTGCCACCCTGAGG  
CAGAGCACACGACTTTGTGATCTGCTATGGAGGAGAGAGAAATGAGTAGT  
TAGGTGTGTATAAATAAGCTAACACCATCACCCCTTTATCTTTCACTAGG

FIG. 3D (30)



GAAATGTAAAAAGAAATCTGAAATTATTTTGTAAAAAAGTAAGCTGCTTC  
ATGACACATGTCCCCTCTTGTGGGTCTTCCAAGGTCTCGCTGTGGCCAG  
TGCCCTGGTGGACATTTCTCAGCAGATGCCAATAGTGTACAAGGAGAAAT  
CAGGAGCTGTAAGAAACCGGAAGCAGCAGCCGCCTGCACAGCCTGGAACC  
TGCATTTGATACTGGGGCAGGAATTCGCCCTCACAGAGGGCGTGTGGTCC  
ACGAAGCTGTCTACAGGGGAGGCTGCAGGCAGGAAGCAGGCGTGGGGCAG  
AAGACTGGGGACCCCTTGAAGCGTCCAACCTCATGTGCATGATCATGCAAGC  
TGTTTTTCATGGCTCACCCCTCTGTGTCCAGCATCTAACCTTTTACTTCTG  
TGTAGGAAATAATTTAATTACAAGTCCAGGAATGGTCTGCTCTACTCATG  
GGTGGAGGAGACCAGTGCCGACCCCGTGAGAGCTGAAGGTGATGCTGAGG  
TCCCTTGTGGAAGCCTCTCTTGGGAATCTCAACTGCAGAGGAGCTGCCCT  
CTGTCAGCAGCTCTCCAGCATGGTCCCTCTGACACTCCTCAGATGAACTGT  
TCTCATCGGAAGCTTGCTGTCTTTTACAAGATGAGCTTTTACTCTCTTC  
CAGGAAGTAGCTTTTTTTCTAGCTGAGAATTAATAATGGTCTTTCTCTTT  
GGAAGTCATATCAAAGTATAATTGATGGGGGCCCTGTTTTGTTTGTTTTT  
GGTTTTTGGAGACAGGGTCTCACTGTGTAGTCCCTAGCTGGCCTGGAACCTC  
ACTATGTAGATCAGGCTGGACTGAACTCACAAGATCCACCTGCCTCTGC  
CTCACAATGCTGGGATAAAAAGCATGAACCACCAGGCCAGCAAAGAGG  
GCTATTCTAAATGTCAAGGTCAATGGAGTTAGAATATATAAAAAAATG  
CAATTGATAATTCTCTATAGAACTTGATTAATTTAATCCATTCTTTCC  
TTCTCTTTCTCTCACTCTGTCTTACACACATGCACACATACACACACT  
AAGTGCCTAGACTTTGAATAGATCTAGCAATTGGACATTAGTAAGCCTAA  
GTTTTTACATGATTGCATTCCCTACATTCTTGTAACCTTTAAGTAACCTACC  
ATTGCAGTTTGTCTTTTTTTTAAAGTCTAATTTGCAGCCAAGAACGAGTA  
ATTCTCACCCCAAGCAACATCTAATAGGGACTGAGTGACCCAGCCAGC  
CTAGTGTCACTTTAGGCCTGACGTTTGAGCAACCCTCGGCTCTTGCCAAG  
GCACCACAGAATGCACCTTGCTCATGCCCTGTGCCTCTTGAGCAGAAAAGA  
GCACTGACAACCTGGGACACCTGGCTCTGTCTTCCCTACAGCTGCTCGCACT  
GACCTGTGGGAACCTGTGGGTCACTCCCAGGCTGAATGGAGTACACACTA  
GAAGAGGGATGATGCCTAGCATTTGGGGCAGCATCTGCTCAGCACATGGAA  
AGGGACCTGGTTCCATCTCCCCCTGGGCAGGAGTTGGTCCAGCCTCCTCCC  
AGACCCAGCTGGTGGCTGTGAGGAGGTGGGGAATGCTAATGAGAATGAAA  
AGCACATGGGTGTGATGGGAAGGGACAAGATTACCACGTTAGGAGGGTGAG  
CAGCCCTCTGCTATGTGCCAGGACCCCTGCCTGGACATTGCATTTCCCCA  
TTTATGGTGCTCCGTATTCTGGCATTATGCAGCAGCCTCACACACCTGTC  
CTCTCCTTCTTCATGTCTTACAGTTCTGCTATCACCTGACTAGAAATAGCC  
CTCTAGGCAACAGTGCTCAAATGTATGAGTTTGGAGAAGTTAACAATCAG  
AAGAACAAAACTGTAGTGTTCACCTTTAAATGCAGTGTGAAGAGGGGA  
GCCTTTCTCTAAGCCCTGCACTAACCCTCCTCCCAAGACTCTTGTTGGA  
GTGACAGTTCCAAGCTGAACCATAAATCACTGATGCACAAAACACTGCTA  
GAAGGCTCACCTCTCAAAACACGACTCTTTGCATCACTATTAAAGAGCAG  
AAAGTTCTAGAAATGATCCCAGCCTCATCCCCATACAGTTAGGAGCTCC  
CCACATCTCTACCAAACCCAGCACATAAGTATCTGCGTGGTCTAGCCTT  
TCATCTCCGTAACAAGCCAGGGGACTCTTGCCCAAAGAAAGAAAGGGAA  
GTTGCACTAGGGCTGTCCGTCCATAAGGAATTCCTCTGCTTTGCTCA  
AAGGACCAAATTTCTTTGGCCAAAGAAGTTGCTTCTATGTTAGTCCCAT  
CCCTGAAGTAATATGTACCATGGCTCCACCTACCTGTTTATGCTCTCCC  
TGCCCCCAGGGAAACTGTTTATCTTTCAAAGAAGCAAACAGCGTTTCT  
TTCTGCTCCTGTAATGGAGAAACAGCCAGCTCCCCTGCATCCCTTACAGC  
CAACAGCTCCCTTCAGGCTTAGAGCAGGGGGAATGGCAGGGATTAAAGAGC

FIG. 3D(31)

TCAGCTCAGAGCCAGTTACCAAGATGGAATGGAGTTGTGACCCAGTAACT  
GTGTCACGAGAGACCATGTATATAAAATAGTCATGACGACACTGACCTCT  
TGCACTTGTAACATAACTATACTGTAGTGTCCAGAATGTTTCAGACATTCAG  
GGTGTAACATAAACAGAAGAGTATCATAATGTATTTTATTAAACACTAAC  
ATCTGAGTTTCACCTAATCTGTTTCTGTGCCATATACTGGGTATCCAAGC  
TCTGGGAAGTTATCCTACCAGGCCCTGATCTGTTGATAAGGCACTATACA  
CCATGCTGGTGTGTTCTGTAGCCTTGTGCCCATTAGGTAAGTGAACAATG  
ATTGAGCTCTTAGAATACCTAGGAAGACAGCAAGCAGGGTGACACACGGC  
TGTGATCTAAGCATTTCAGAAGACAGAGGCAGGAAGAAAATTCAAAAATGG  
GGCTGGAGAGATGGCTCAGTGGTTAAAAGCACTGGCTGCTCTTGGTCAGG  
ACACTAGTTCAGTTCACAGTACCCACATGGTGGCTCACAACCTTCTGTGA  
CTACAGTTCAGATAACCTGACACCCCTCCTCTGGCCTCCTCGGGTGCCCTG  
TGGTGGTCCACCTGGTGCACAGACAAACACCCAATACACACAAAACAAAA  
GTAAGTCAAGAATAGCCTGGGCTACATAGCAAGAGCCTGTCTCAAAACAA  
ACGAACCTATGAAGAGCCAGGCAGTCTATCTATTTACATGGCAGTATACT  
AGAGAACTCAGGAAGCAAGAGTGTTCATCACTGTTGTAATTTCAAATGC  
TCCTTGTGATTTCTGGCATCTCTGTGGGGTGAGGTGTTCTGTACTCTTC  
ACATTCAAAGACTGTCAACCCATGAACGTGAGACTTTTGCAAGGGGCTCTC  
TAAGCTGCAGTGTGTGGCTTTGTCTAAAATTTTAATGACGTTTCTGAGA  
ACCATGTTCTTTTTTATACTAAAATCTGGGGATGGGAGGGCTCATTGTGTG  
ATAAATAGCACTATTTTCCACACCTCAGCCTCCTGTCCCCGTCTGGTC  
TTCCCTACACAGTCTGGAGAGGGCTCTGAAAGGTCCACAGAGTTTGACAG  
ACACGAAAGCAACCCATTGCCCCGTGACCTGACCTGGAAGAAGACTGTC  
AGCAAAAGGAAAATACCAGAATATCTGGAAGCTTGAAGTGAAGATGGG  
ATCTCGTTGGGGAATTGGATGAAGAAAAGCAGAGCGCCTCTGGTAGGTGA  
CTCTGCAGCCTGCCAGCGCCCGCCCTCTTTCTACACAGCAGAGTGTGCAT  
GGCAAGGAAATGAGTCACCTCCTTGGGGGATGGTGCTGTTTTTATGAAAA  
CCTCTGATCCTTGGTGTCTTTTAATTGATCTGTTCAACAAATATTTACTA  
AACACTTCTAAGCTAACATTAGGGCAGTGACTGAGGTGGAACCCAGCTC  
TTTAGACAGCTGTATCCTAGGATAGCTTCCTGGAAGCAGAACCAAGAAG  
CCAGAAGGTTCTTCCTAGGGTGGCCTTGGCTCCCTGAAGGAATCTGAAAT  
GCTGACCCTGTACAACTCCAGCACAGCTTTGGAATGAGACATCAGCC  
TGGCCTCCAGCAGAGCAGAGGCTCTGGAGCTCCACATCCTGCCTGCAGGG  
AGCCCTCAGGGTGCCCTCCAGAGTACAGGGAGAACTAAAGGCAATAACA  
GAAGCTGCTCTCAGAGCCTGACTGTGCACAAAACACTAGTGAAGCCTGCT  
GAACTAATTCTGCCTCTGGAATCTTTTCTGGTCTTTTACAGTTTGTGTG  
TTTGTTTTGTATCCAAGCTTAGTTTGTACTATGTGTGATTTAGCATCTGT  
CGCACTTGTGTAAATATGGAGTAAGTATTGTAACTATTTAATTGCTGCG  
ATTGTGGGTTATACATACATTTAGGACTGCAATTTTTTGGTATTTTTTG  
TATTGTAAATAACAGCTAATTTATCAGGAACAAGAGAATTAAGGGGGT  
CTGCATTTTAAATGCAGATGTGAAGCACTTGTATATAAATAAAAGTAAAT  
ACTATAATACAAAGTTCTTCTGAAATAAAAGTAGATCTGGTAAAAATGT  
GCGTGCGTTTTCGTTCTGAATGTTCAATGCTAATTTTGTTTTATTTTATAT  
TTACATTTTAGTCCTTATTTTAGCAGTGAGGAGACAGGCACAGCAGTGCA  
TTCTCACCTTGGCAGCTGAGGAATCCCCTAGAGTAGACTGCAACTCAAGA  
CTCTTGGCTTCCACACTGAAAAGAGTTTCAGTTTATGAAGCAGAGTTTAG  
GAAGTTTAGTGAGGAATTTAAGGACTTCTTTTAATGTTTGTGTCTACATA  
TGTGGGTACATATATGACACAGCATGCATGTGGAAGGCAAACAACACCTT  
AATGGAAGTGGCCTGAAGAACAACCTCAGGACTTCAATCTTGGCAGCATA  
AACCTTTACCTAATGAGTCATCTCCAGTCTATACGGGGTGTGTGTGTGAA

FIG. 3D(32)

CACATGTGCAACAGCACACAGTGGAGGTCAGCACAACTCTTGCGAGTCAA  
TTCTCCCTTACCTTGTAAGACCTAGAATTCCACATTGCCCAGGCTCTGAA  
AGTTAGGTTGGGTCCACACTGGGCCATGGCTGATGAAATGTTGGAAAAGT  
GATAACACCAAACCTTTTGCACAGAAAATATTTTCATCTGGGGCCTTCCCT  
GGAGTTCACAGGCTAAAGTGTTGGAAGGAACATGGGTCCCTGAGCCACCA  
CTTTCACAAAACTACCTGATCAAGAAGAATATTCTGGGTTTCTGTTGC  
TAAAAATTCCTTCCCAGAGAGAAATGTAAGCAATGTCTGCCCCCTTCAAGGG  
TCCCAGCAAGAAACCAAGGCACAATTCCACCAAAGTTCACTAGAAAACCA  
GTGAGTTTATTGGGCTTCCGTGCAGAACATACATGAGGGGTACTTAGAG  
AAGTGTGGATACTCCTCCCCCTAACAATCCACACCCTGAAAAAGCCTTAC  
CCAGCAGGGATGAGGGCTTCCCAGACCCACATTGATGGTGCTCCCATTCT  
CATTTTCCCTGGCATGCAAAGAGATAGACAGAAAAATAGATTATATATA  
ATATACACATAAATTAGAAAAATAGATTATATAATATACACATAAATTAT  
ATATTATATATATAATATATAATACACAGATAGATTATATATGATATATA  
AAACACACAGAAATAGGGTATATATAATATATAATACACAAACTACTCAG  
CTATTAAAAACAGTGGATTTCATGAAATTCCTTAGGCAAATGGATGGAAC  
GAAAAATATTCTGAGTGAGGTAAACCAATCAGAAAAGAACACACATGGTAT  
GCACCTCAGATAAGTGGATATTAGCCCAGAAGCTTGGAATACCCAAGAT  
ACCATTCACAGACCACATGAAGCTCAAGAAAGGAAGATCAACGTGTGGGT  
GCTTCTGTTCTTCTTAGAGGAACACCCTCATAAAGTAGTGGTGGGGGTG  
GGGGGAGACAGAAATAGGTGGTTTCCAGGAGAGGAGGAAAACAGGAAAGGG  
AATAAATAACATTTGAAATGTAAATAAAGAAAATACCCAATAATAAAGA  
AAAAGAATTTTGAAACAGAGGGTAAAAAATAATACACAAACCAGGTAGAT  
AGATTATATATAATATATATAACACAGAGATAGATAGATAGATAGATAGA  
TAGATAGATAGATAGATAGATAGATAGATAGATAGATAGGTCAACTGCTC  
GCCCCCTCCACTAGGTAACATGCAGTTAAGGCAGAGCTGCATACAACAGAT  
GTTAGGGATACTCAGGTGAGAATCTCAGGCTTTGCTCCATCCATCTATGC  
TGGGGTGTAAGCTGTCAACAAGTTTAGCTGGGATGATGCTTTGCAAGAGG  
GCACAGCTGAATGCCCTAAGATGGTAGATGCTTGGCTCAAAGGAGACACT  
ACAGCTCTGCATCAAGGCAAACCTAACTGAGATGAGGGCCTTTATTTTCCA  
GATCTGTATCCTGGAGCATCATTACCTGTTACTACACTGAAAACATTTG  
GTGTTGGTTTTTCATGGCAGATGACAGGCAGTGAGAGAAGTACAGCAGCGGA  
CTGCTAGAGGTGGGGGTCTGTCAGGACGTGGGAGGCTGTTTGGTTAGTA  
ACTTGGAAAGCAACAAGTTTTTAGCTAGAGGGAGAAAAGCTGGAGATAAC  
TGTACTTGCTTGATTTCTTAAATATCAAATTTTATTTTATGCATATGGGT  
ATTTTGCTTGCTATGATGGCTATACACTACATGCTTGTGGTGCCACAGA  
GACCAGAGGAAGTAGTGTGAGCCTCTGAAACTGAAGTTACAGACATTACG  
ACTTGAGTGCCCTGAAACTGAACCTTGGTCCCTCTGGAAGAACAGCCAGGGC  
TCCCTAACCACTGAGCTATCTCTCCAGCCCTGACAGAACATCATGTACTCC  
AGGCTGGTCTCAAATTTGCTTTATAGCCAAGAACGGTCTTAAATTCCTGAT  
CCTCCTGTTCTCTCAAGTAGTGGGGTTACAGGTCTACACTGCCGTTTTCT  
TGAGCAAATCATTAACAATTGAGTTCTAAGCCAGGTGTAATAGTTCATGT  
AGTAACAATCTGGAATTTTGGTCTCTTAAAAAACAATATTATAAGAAT  
GTATTTTCATTTTAATCCCAGGTGTATGGCATATATCGAACTGCTTTGGA  
CTGACTACAGCAGCTATGATTTTTTCTTGTCTTAGCAGAGGTATGGTTTT  
GCCAGCTACAGATAGTTTCTGTGATTGTGTGACATTTGGAATTCGAAAA  
CTTTTCAGATGGTATATAAATATTAGAGCCCCAATAGGCAGAGTTGATGA  
TGTTTGGTCAATTCAGGGGTATTGGTTGTGGTTAGTAGTCTTGCTTGAAGA  
AGAAACAAGAACAATTAGATTTCAGAGATCTCTATATCTCTCTATCTT  
CCTTCTGTCTATCTAGTAATAGGGGTAAAACCAGGATGATAAAGGGT

Fig. 3D (33)

TGGGGGAACCCACAAAGTAACAAAGACTGGCTACAAGTGGCACCCAACTT  
GGAACCTCAAAATTGCCATAGAGGAAGCAGCAGGGGATGAAGGAATGGATT  
GTGGCTGTTGTTGCTGGGATATTCTCTACTTTGCTCCCAGAGGGGATTTT  
TCTGAGGTTTTGTTGTTTTGCTTTGCTTTGCTTTGGTTTTCTTCTACATA  
TTCTGTTTTTTAAGTAAGTTGAAATAATAGCCGAGAAGCTGGAAAAGTTT  
GGTGTGGAAATGGAGCAGCCTGAGAAACAAACAATGTATGAAATGGGAAA  
ACTAAAGGGGCCACTCTTCTCTCTTTTCTGAAAGGCTTGCAGACTTGGTG  
GTGCACCTGGAGAGTTTATGGATGGAGATGGAAGCTCTTAGGAGACAAGA  
AGCATGGAAAAAGAGAAACAAAGGCTCAGTCCCAGTGAAGAGAGCAG  
GAGTTTTCCAAAGAAGGTGCATGGGAGGGGCCACTGGTCAGAAAAAAAAGG  
CTGAAAAATACCAAAGGACAATGTGCTGAAATAGCCCATTTCAGAGAAA  
GGGTTTCATCTCAAACCAGCATTCTGACAGAGTGAAGGAGGGGTGGCTCA  
GGGTTATGAGATCACCATCAGCTTTTCCAGTTTTCCCATATAGCATATGC  
CTGCTAATGGTATGGAACAAGAGTAAGGCCAAAATAGGATGGTGTCTTATA  
GAAATGATAGCTCTAAGGTGTTTTTAAAAGGCCTTGATTTTCATATGGAAT  
GCACTCTCCTTATGTGGAACGGATATTAAATAACCGGGGTACACAAACTA  
GAATCCCCTCCCAAGATTGGAAGGGGATTGGTAACAGCTGTACTAGAGACT  
GTCAGCCGTTGCAATGGTTAACATGCTGGAGGAAAGAAGCTGTGAACATT  
GAACAGTAAACAGAGCAAGGGGTATTAATATAGTGAACGAAACAGCTGCT  
AGGTGAAGGGCGGTACTCTAGTGTACAAGCACAGACTCGGTGTATGAAA  
CTACTATAGAACAAGGTTGCCCTCAGTGGCTATAACACCTTGGGACAAAGG  
AGGAGCCAGGAAAAAGTCCAGTTCATTTACAAAGATTATATAAGGCTCTG  
GAGAAGCCTTCACTGATTTTTTTTTTTTACAAAGATTAGTCTCAGCTATGA  
ACAAAGCCATATCAGACCCTGACACAAGGCAGGTGTTGATAGAGACCTTG  
GTGTATGACAATGCAAATACCAAATATAAAAATGTCATTAGACTTTTAAA  
GGCACAAGTAATGCCTATGGATGAGTGGATAAGGGATAAGACCAATATTA  
GTTCTAATGTGTACTGTGCTAATATCATTGATCAAGCTATAGCTAGAGAT  
CTCTGATGTCAAAATGCCTTGTGCTTCAGTTGCAGCAAATACAGTAATTT  
GCAAGGAGTCAATTGTGGCCAAAACATAAGGTCTCAGATCTCAAAATGCCT  
GATGCTTTGTGGGAAATAGGGTCATTTGCAACAAAAATGTGAACAAGACA  
TCTTTAAGGGCAATGGTTTTTCTAAATATAAACCAGAAAGACGGCCTAGG  
CTTCCAAGGTTGTGCTGGCGATGTGGCCAGGGTTGCCACTGGACCAATGA  
GTGTAGGTCCAAAAGAGATATTCAAGGTAACGTATTACCATCATGAAATG  
GTCTTGGGGGCCCTATCTTGAGGCCCTGCAGCAAAGAGTATGAGCCATTCC  
AACCAGAGAGTGGCATGGAGACTCAAAACCTTCACTGGGCACTGGAGATT  
TAATGCACACTAGCTATTGCAGGCAGCATGGCTCTAGACTTGGCCACAGA  
TAAACATCTTGCTCTATCCCCCAAAATTCAAAGTTATAACATAGCTACTG  
GAGTGTATGGTCTTTTTCCCTCAGGGACAGTAAGGATAATCTTGGGAAGG  
AGTGGATTGACTTCCTAAGAATTCAGTGTGCATCAGGAAGTATAGATGAA  
TATTTCAAAGGAGAAATTAAATTTGTGGCATATGTAAAGGTAGAGCTGCA  
ACTTAACACAGGCGATAGGGTTGCTCAGCTGCTGCTGTTTCCCTATATCA  
AAGGCAAAGCAACTGCAGCAGAAAGAGGAGAGGCCTGAAAACCTTGGGCA  
CTGACACAAAAATTGCTTATTTTCATTGAAAATGTCTGTTTATAACTTCCC  
ACTATACAGCACAAACAGGAGGGGGCTTAAACATAATGGGGAAAATGTCA  
CAATTCTGCAATTTTTGTTTTCTTAAAAAAAACACACACACAGAATTTTA  
ATAATGTGTTCTCATCTTAATCCCGGGTGTGGGAATTAGGGCTGCTTTGG  
ACCATTCCCAGCAGCTGACTATGATTTGCCTCATGCTCTAGCAGAAGTAT  
GATTTTTGCCACCTGCAGATAGTTTCTGGGATTGTGTGACATTTGGAATT  
TTGGGAACCTTTTCTGAAGGTATATAAATGCTAAGGCCCTGGTGGGGAGGG  
TTGGTGGTTGGTGGTCATTCAGGGGGGTGGTTGTGGTTAGTGGTCTTGCT

FIG. 3D (34)

CAAAGAACAACAAGAAAGTCATTTGATTTCAGATGTATCTTTCTTCCTTC  
CCCCACTCTTTCTCTCCTCCCCCGGCACCCTGCCCCCTGCCCCGACCTC  
TACCCTTCTTTTTTCTATCTAGTGACAAGGATGAAACCAGGGGGATAAAGG  
GTGGGAAAAAGAAGAGCCCCACAAAGTAACTCAGGTTGGCTACAAGTTCAT  
GCCAAGAATCCTAGGACCTTGTTGTTTAAAGGCTTGTTTATTTTGTGAA  
CATGAATGTTAAATGTACATACATGTTAAGTGTATGTATGTACACCATAT  
GCATGCATACAGAATCCAGAAGAAAGTACATTATACCCTGGAATGGAAC  
TAGAGTTGTGAGACAGCATGAGGATGCTGGGAACTGAACCCAGTTTCTCC  
ACAAGAGGAGTAGTTGCTCTTCACTGCTTAACCTTTCTCCAGCCCCAAT  
CCTAGCATTTTGGAGGCTGATGTAGGAAGATTATCCCAAGTGTGAGGTCA  
TCTTGGGCTCCATAATAAGTTTAAAGACCAATCTCAGCTCCAGAGTAGGAC  
CCTGCCTCAAAAACACACAGGTGGAAAGATGGGTCGGCAATGAAGAGCAC  
ACACTGTGCCTCCAGGGGACCCAAGCTTGGGTCCAAGCACCTTGTTGGG  
CAGCTCACAACTGCCTGTAACCTCCACCTCCAGAGGATCCTAAGCCACCTT  
CTGGCTTGGCTTCATGGAGGGAACAGGTATGTGGGTATCTGAGTGTGACG  
AATGAGCAGCAAGTGAGTCTCGCTGTGGCTAGCACAAAGTATGGGCTGAA  
GAGCAGGAGGACAGCTGAAAAGTGGCCTTTCTGGTGACTAAGTTGGTCT  
GAGCAGCTGAGTCAGTTTCTTCTGGCTGCTTGGCTGGTCTCAGTGCTTA  
TAAGCTGCTCACTTGTAAGTCTTTTCTTAGGAGCCCAGCTTGCTTAGGGG  
TTGTCTTTGCAACTGGCCTTGCTCTGACAGTGACTTTCAGCAGTCTTAGCT  
GCTTATATACACAGTCTTAGGAAAGAAGGCTGGTGAATCTGATCCATTTT  
AGGAACCTTCTGAAGCTATTCTGAATTTACTTTACAAGCTTACCTGCAGG  
ATAGAGGATCTCAGCTCTTTATAAACATCCTGTCTTAAACACCCCTGTTG  
TTCCTCTTCTCTTTTACATCCTGTGTCTTGAGAAGTTTGCCTCCAGGATG  
GAAGTTGTTCAATTCAGAGGACACTGTTGCACAAGCTCCCAGCACCCACA  
TGTGAGCTCAGTGCTCTCCTTGGCTCTAGCTCTGCCCCTATGAGGTTTTTT  
ATTTTGTTCATCATAATCTTTTCTTATATCCTTCTTCTTGGTCTGGAAC  
TCTGGTTTCATTTTGTGGCATTGAGAAAAGCTCTCACTATACAAATCA  
GGCTGCCTCCAAATCATCTTTTGCCTTAACCTCCTCAGTACCAAGATCA  
CGAGTGGATCTTAACACTTGACTGACTCGTTTAAAGTGTGAGGAAATGTGG  
ACCAATAAGAGAGCCCAGGAAAGCCCAGGAGAATCTGTAGCCCCATGGCT  
GTTGTGTGTCAGAACCCAGAGTTTTGTCAACAGAATTTGGTTCTTAATTTCT  
CCACTTTATAAAAACGAGTGAGAGAAACAGGAACCTATTTCAGATCTGGCG  
TCTGAGCAATCAGTGGGTGAACATCTAGAGATCTGTTCTGCATCTCCTCG  
CCAGCTGGCAGAGCATGCGTAAGGCGGGAGGGAACAAGGGCAATCACTCA  
CTCTGGGGCTCAGGCTTGCCCCCTTGGGTCAGGTGTTTCTGAGAGACGTGA  
TGTCTGCTTCTCTTGTACCATCCCTCATCCTCTCCCCCTCCTTCTGTCCC  
CTACTTACCAATTTCACTGGCCAGTGTCATATTTTCTTGCAAAAGCGATT  
TGGTTTAAATGAGCTTGACTATGCCCCGACTCCTTTAGGGAGGGTGGGGAAA  
GGGCAACGAGGGCAGTAAGTGGTTTCCACAACCACTTTGCACCCGGCTGC  
TGGGCCCCAAGCCAGAGGAACGTGCATGAGCCATGAAGTTTCCACTGATA  
AATCCACAGATGCTTCTAGCACCTGCCTTTCTGACTCAGCCTCACCCTGC  
CGCCTGCCAGCTGTGAAATCAGTGCCAACAACAGGTAACCGAGACCCAGG  
CGCAGGGCCAGGACAGCTGTCTGACACTTCCAGACAGGATGTGGAGGCTG  
ACAGTTGTGATGGAGAGGAGATGGGGAGGACAGAGACGGGCTCAGCTTTA  
AGACACCGAGCCACAGAGCACCAAAACAAAAGCCAGGGCCTTCTGAGGTAG  
AAGTAACAGAAACCAACAGGCAATTCTACTAGTTTCTTGGGACTGTTTG  
CTGCATTTGCCAATCTTGGTAGTTTTTAAAAAACAAAAACAGTTTGTCTC  
AGCACTGGCAGAGCTTTCTCCTCTGAGAGGCTCCAGGGGTCCAGACTCTC  
CTCTGTGGTACACTGGCTTCAGACATATCTCTTGCCCTATGGCTGCCTCAC

FIG. 3D (35)

TCTAAACTCTGCCTGTCCCTGAATTACCTCTCTCTGCACTGGCTTTATAA  
AGGAAACATGAGATTGTGTTTAGGGCCTGTTTGGGTGACCTCCTCAGGAT  
CTATAACATAATCACATCTCTACCGTATGAAGTGACGCTTCCGTCCCAGT  
GTGTAATACATTTGCCGGCGCCTGTCCCTTAGGACAGTGACCACCACCAAC  
TGTGGAACCTTGACTATGTCCACGTCATCTTCCTACTAGCTTTAGAAGGCT  
TATACCCACACTTTCATCCAGAATTGTATTTTTATTTAGAAATCATTCCT  
ACTTTTAAAAAAGTCTCTGTGGTTAAAAGCATTCAGAGGGGCTTGGGTTT  
TGGTCCCCCAGGACCCACATCAAGTGGCTCACAGTGTCTTGGAACTCTTGT  
TCCAATACCCTCTTCTGGTCTCCATAGGCACTACATACATATGGCACATA  
TATGTATACTCAGGCACACGTGTAAATTTAATGTCTACTTTTTATGCTA  
AATATCAAAGTCACTCGAGCAGTGGAGTTGAGCACACTCACATAAGGAAA  
TCATCAGACAGACACTTCATCCTGTGTTGGAGCCACTTTGTGGCTGGAGT  
AAGCAGGGCAGAGTGATGTTTTCATTACTCTCTGGCCCCAGCACCCCCTG  
CCTCTCCCCACCCATTTCGTCCATGCAGGTGGGGAAGAGAATTCTCTTTGT  
GAAATTGGAAGTTTGGACCCAGCTTCACTCTTACTCTGCCCAGTACCTCC  
TGTGAGAAACCTCCTATCCCAGGTGACCTGCTGGCTGTGACTCTCCTCA  
GCAAAAGGCCCGTGACCCACACTGCGCCACTAATGTATCATCCCCAAATG  
CTGAAAAGGAAGCGTGTCTTCCCTCTCTCTCTTTTTCTTTTGGTCTTTT  
TGAGACAGAGTTTCTCTGTATAGCCCTGGCTGTCTTGGAACTCCTACTTTGT  
AGACCAGGCTGGCCTCGAACTCAGAACTCCGCCCTGCCTCTGCCTCCCGAG  
TGCTGGGATTAAAGGCGTGCATCACCCTGCCCCGGCTGCGTGTCTTTCTC  
TTAGCGGTCTCTGTGGAGATGCTGAGTATGAAGCTCATCCTACCCACCCT  
TCAGTGGGGCCTTTTCTAGCTACTGAGCAGCTGTGTGAGGACTCGTGATC  
ACAAGGTCCTTTGAACCCTTGAGACAGATGTGCCTGAGCCCAGTTTGACC  
TGACAAAAGCCTAGAGCTCACTGATAATGCCAGCAAACACCATCTTTGAG  
TTTGCAAAGGAATCGCAACACATGCATTTCAGTTTCCGTGTCTGGCTGCTG  
CTCCAGAGATGGCTATATTTCATTCCTCAGGTACTCAGACTCAAGAGTAGTT  
CTGGCCACACAGGTCTCCACATTTTCGAGGTCAAATGACAGAAAACCAGGT  
TGGTCTCAGTGCACATGGGTTTATTGAGCCACTGCAGGTGCTGGGGAAAC  
CATGGCAGGGAGATCCTGGGAAGCCAGTGGGGTGTCTGAGCAGGAGGGACC  
TCAGTCTCTCCTTAATGTCTACACACTGTGTCTATAGGTGACAAGCCACGT  
CAGTGTCTGTGACACGGGTAAGCTTAATGGTGAGTAATGGCTAACTGGGAG  
GGTATTTAGGCAGCCTTGTCTGTCTCAGCCTGTTTCATATGATCTCCTTAGTG  
CCTTGTCTATCTTGGAAAAGGACAGTTCCAAATTCAGGAGCGGGGGCTAG  
TCTCTGTCTCTGTCTGTAAAGCCAGGGGACCCAATGAGGCCTCATCTATG  
GGTGCTCAGCTCTAGGATGGGGAAGAAAATGGACAAGATGCCTTCTGACG  
GGAACACAGGCTTTTTCAGTTCAGACCCCTAGCCTCCAGCCCCCAATCCAGAG  
GACAGCCACACAGGGGTCCAGGCCCTGCAAAGGGCAGCAGACCTGAGGGCA  
AGGGAGTTTTCAGTTCAGTGAGCAGTCATCGGGAGACATGGCAGTCAGCTG  
TGTCGTCCACGGTTCATGTTCTTAATCAGAGCAGGGCCTGGAGAGCCAGG  
GCAGTGAGTGCATACAGCCAGGACACCTTGGGCGTTAGGACAAAACAAGG  
ACTGTTTCTGCCTCCAGCTCTTCTCAGGCCACTCGTGCCTTGCCTAGGAA  
GGGTAAGAGAGCACAGATGGGAAGGATTTCGGAACTGTCAACTCCCTGTC  
CTCTCCCCATACCTACCCGCGGGAAACAGCACCCAGCAGTCTGGTCTGTC  
AGAACTGATGGCTGCAAGCTGTCAAAGGCTTGTATGGCACCATCTGCGGA  
GTGCAGAGATCCAGAGAAGGCTTGGCCAGGAAACCCTAGAAACTACCCCA  
CTCCCTTGGGACAAAAAATAAGACACCCTGGAACCTGCAAGGCATGGCCT  
GAGATGGAAGGTCACGTGTGCTAAGAATGACCCACAACTGCTAGTGAGGT  
TGACAAGGGCTGCCCCCTCTCCCTTTACAGGTGAACACAATCGGGATTAA  
TAAGAGTTTAACTCTCAGCTACTAAGTGGCAGAGACAGGCTTCAAACAGA

FIG. 3D(36)

CCCCAGAAATCTGGAAGTGAAGCCATTCCACCCAGAGGCAAGAACAGCAG  
AGGTAAGTTGGGCACACATGGAAGAAAGGGCCACCCATTAGTGTCAAAA  
GGGAGGCCAACTTCAGGCCATTGGACACGTTTTAACGCTGACTTCCACCC  
ATGTACCATGGCATGTGCACACTGTCCATCGCCACACCAAACATGATGC  
GACGTAAATAAGACCCACGGGCCAGGCAGCTTGGATTGGGCCACAGACAT

Fig. 3D (37)




FIG. 4



Exon 1	CelegE106	TCTCCTAGTTGTAGTACATGCTGTTG
	CelegE108	AGGTCCTGTCTCAAGAAATAGCAATAAC
Exon2	CelegE33	TTTGAAGGCCCTGAAGTCAGAG
	CelegE36	TTGAGTCCCATCATAAACATATAAATGG
	CelegE37 CelegE40	TTCTAGGCCAAATAGAATAATGAGACTTC AGAACTAATTCCATGAGATGAGTGTG
Exon 3	CelegE41	TGAAGTTGCTGTAATCTGGTCTGTG
	CelegE44	AAGGAGCCTGACTAGAAGCCTC
Exon4	CelegE69	TAAACTCCCTACAGTTCACCTAACTCAG
	CelegE72	AGCGCTGTTGAGTGTGAATGTTCTG
	CelegE73 CelegE76	AAAGCCACAGTTGTCTGTACAGTGAG AGGTCTGCATTAGTTGCAATGTTGC
Exon5	CelegE77	TATACACCCCTTATATACACTCAG
	CelegE80	AGAGCCTCTCATAAAGCTGTGGTC
	CelegE81 CelegE84	TTGAACATATATCCGCCAACAACCC CTTGGAATACTATAAACTTTCAGGCTGC
Exon6	CelegE101	TAAAGCAACAGGAAGAGTTGAACTTCTTG
	CelegE104	TGCACCCTGTGTGCACATGG
Exon7	CelegE109	TTACGGTGTCTTAATAATAAGGGCAG
	CelegE111	AATCATGGGTATTGTAACTCCGAAAGC
	CelegE114 CelegE116	TGTAACAATGTGTGCCGAGTGTCC TCTCTCTCCAGCCCTAGAGTTG
Exon8	CelegE86	AGAAGAGGAGCCTGCAACATTGAC
	CelegE88	TTTGTTGGCGCTGAAAGCCTTG
	CelegE89 CelegE91	TGGCCACAGTAGTGTATTATGATGAC TTAATCAATTGCCTCTGCAGATTCTAG
Exon9	CelegE93	TGGCTTACGTATAGGGGGAAATCAAG
	CelegE95	TTGTGTGTGTTCCCTCCAAACACC

FIG. 5(1)

	CelegE98 CelegE100	GGACCATTCTTAAGGACAGCCGAT ACATAGTGATCTTTCCATCAGCAAAG
Exon10	CelegE117 CelegE120	TGAATGCACAGAGACCCTCCTG CCTCTTACCATTTCAGATACTGTTAGG
Exon11	CelegE121 CelegE124	AGCAACAACCTCAAACCAGCCCTAC TTCTTCAGTTGCCAACTCCCAGG
	CelegE125 CelegE128	AAGCTGCTTGTGTGGCAGCAG AGTAAGGTGAACAGGAAAGTACAGAG
Exon12	CelegE130 CelegE132	TACATAAGAGAGGGCTGCCGCATAG CCCTACACTCACACTCATCTAGC
<hr/>		
Exon13	CelegE30 CelegE32	CCCTGTGTTCCAGATCTCCATTG TTCCTAGGTCCACCTTGATCTGAG
Exon14	CelegE14 CelegE15	AGCACCTGAATTCAAATCAGGATGAG AAACCAAAGTTCTGAACACATTAACCTCAC
Exon15	CelegE17 CelegE20	CTGGTTGCATTCATAGCTGTGTTTC ACAGAAGCCAGCATCACTGGG
	CelegE21 CelegE24	TTACTGGTGCTGGGAGGATATGTC ATAAGTACTTCATCACCTCAGCGCTC
Exon16	CelegE1 CelegE4	TTGATCTTAGCTGACCAGTGTCTC TCTGCATGGACTTGAGCAGAAAGTC
Exon17	CelegE6 CelegE8	CAAATCTTGTGATAGTGAATTACAAGTTGG TTATAGCTGCCCTCAATACATTTTCC
	CelegE9 CelegE12	TGTACCTGCAGCCATTGCTTGG GGATCTGGGCTCTAGTTTATGTACG
Exon18	CelegE25 CelegE27	TTGAACTATAGGCACAGACAGCTG AAGTTGACCTGTGTGACTTACGC
Exon19	CelegE193 CelegE194	TCACAGTCTATGGTAATCTGTCAAGC AAGGGCAACAATGCCCTGGCAA

FIG. 5(2)

Exon20	CelegE195 CelegE196	TTCCTGCAAATGGGATAGTCTCTCTG ATCCCCCAAGCATTATCATTCTCAG
Exon21	CelegE197 CelegE198	TGTGTTTCCAGAAACCTGCTTTAGTTTG TAGTACTTTTGTCCAGGATGACCAAG
Exon22	CelegE199 CelegE200	TGACAAGAAATGTCATGTCTTAACATAAGC TTCAGAGCCTCCTTCCCCAACT
Exon23		
Exon24	CelegE203 CelegE204	TAGTCTGTAGCTGAGGCCATTTTGC AAGCAAGCTGCAGTTAAGGGACTGT
Exon25	CelegE205 CelegE206	TTGGGACCTTGAGGATTGTTCCC CACTCAACAGGTAAAAGTGATCTGCC
Exon26	CelegE207 CelegE208	TGCATCTGATCAGTTTGAATCAGAGAG AAACTGAGGCCTGAGTCTGAAAAGC
Exon27	CelegE181 CelegE182	CACCAAAGCTCTGTACCACTAAGC TGACTGTGCAGTGATGCAGGG
Exon28 'UTR?	CelegE171 CelegE172	TTGACCTTGACATTTAGAATAGCCCTC GCTGAGAATTAATAATGGTCTTTCTCTTG
	CelegE173 CelegE174	TACACAGTGAGACCCTGTCTCC TAGCTGAGGTCCCTTGTGGAAG
	CelegE175 C.elegE176	AGTGTCAGAGGACCATGCTGG CTTGAAGCGTCCAACTCATGTGC
	CelegE161 CelegE162	AACTCATACATTTGAGCACTGTTGCC TGAGGAGGTGGGGAATGCTAATG
	CelegE163 CelegE164	ACATAGCAGAGGGCTGCTCAC ACTGACCTGTGGGAACCTGTG
	CelegE165 CelegE166	AATGCTAGGCATCATCCCTCTTCTAG AACATCTAATAGGGACTGAGTGACCC
	CelegE167 CelegE168	TTCTGTGGTGCCTTGGCAAGAG CACACATACACACACACTAAGTGCC

FIG. 5(3)

CelegE169	TGGTAGTTACTTAAAGTTTACAAGAATGTAGG
CelegE170	AAATGCTGGGATAAAAAGCATGAACCAC
C.elegE145	TTCAGTTACCTAATGGGCACAAGGC
CelegE148	ACGACACTGACCTCTTGCACTTG
CelegE150	TGTACACCCTGAATGTCTGAACATTC
CelegE152	GCGTTCATTTCTGCTCCTGTAATGG
CelegE153	TGAGCTCTTAATCCCTGCCATTCC
CelegE154	TAGGGCTTGTCCTGCCATAAGG
CelegE157	TGTTACGGAGATGAAAGGCTAGACC
CelegE158	TAAGCCCTGCACTAACCCTC
CelegE159	TGTTTTGAGAGGTGAGCCTTCTAGC
CelegE160	CATGTCCTACAGTTCTGCTATCACC
CelegE141	CTTTTCTTCATCCAATCCCCACGAG
CelegE144	TCTCTAAGCTGCACTGTTGTGGCT
C.elegE129	TGGAAGCCAAGAGTCTTGAGTTGC
CelegE132	GTCTGCATTTTAAATGCAGATGTGAAGC
CelegE134	CGAAACGCACGCACATTTTTACCAG
CelegE136	GTGTGATTTAGCATCTGTCGCACTTG
CelegE137	TGTATGTATAACCCAACAATCGCTGC
CelegE140	TCCAGAGTACAGGGAGAACTAAAGG

Fig. 5(4)

AGCGCTATTCAGCTGTGCCTCCTTTGCTGTCTTGGCTCCTCCTGGAGCACTAT  
ATGCACCCATGTCCTTACCAGGCCTTTCACAGACGCTGCCATTGAGAGGGT  
TGATGCAGGTTGCAGCCTTTAATCCCCGAGTACTAGGCTCTGACAAGATCCCA  
CAGAAGCCAGCATCACTGGGCTCAGATGGCATCCACTGCAGCAAACACTATTTG  
TGAATGGAGACATATCC

FIG. 6




Fig. 7


GAATTCGGGGCGAAGGGGAGCCGGCGTGCGGGGTGTGTATGTGTTCCGCTGGGGCGCCGGCTCAGCCCCAGGAAGATGGTG  
GCGGTGGCGGCGCGCGCGGCGACTGAGGCGCGGCTGAGGGGGAGCACGAGGACGACAGCAGCGCCTGCGGGCAGGAAGG  
GCAGGCAGCACCAGCCCTGCACCGCGACAGGGGCTTGGAGGCGGGACCGCGCGCCCGGCTGTGTCTCCCGGGGTGCT  
GTGCGGGGCGCTGCCCCCGCGCGGCTGCTGCCGCTGCTCTTTTCGCTGCTGCTGCTGCCGCTGCTCTGGGAGGCCGAG  
GCGGCTGCGGTGGCGGCGCGGCTGTCCGGCTCGGGCCGAGCCGAGGCCAAGGAATGTGACCGCGCGTGTGTCAACGGCG  
GCGGCTGCAACCTTGGCACCGGCCAGTGCGTCTGCCCCACGGGCTGGGTGGGCGAGCAATGCCAGCACTGCGGGGGCCG  
CTTCAGGACATCTGTCTCACGCCCTATAATCACAGCTGTTCCGAAGGTGAGGCTGGAGGAACAGTTCGAGGCAAGCTTCG  
GCTACAGAATAAGTCAAGAGTAACCTGGGGCAACTTGGGCTGTGTCTCCAAAACCAAATGAGCGAAAAGGAGCAAGCT  
AGAGTCTTTTGGGAAAATTTTAGCTGACTAATTTTTCACCGAGAATACTGGCTCTTCTGGATTGTAAACAGATGGAC  
CTGGGAATTATAAATATAAGACGAAGTGACATGGCTCATTTAAGGACAGCCAAATAGAATAATGAGACTTCGCTTCAA  
CCATTTTGCTACAGAATGTAGCTGGGACCATTATATGTTTATGATGGGGACTCAATCTACGCACCTCTGATTGCTGCC  
TTTAGTGGCTCATTTCTTCTGAAAGAGATGGCAATGAGACGGCTCCTGAGGTCACTGTCACCTTCAGGTTATGCACTGC  
TGCAATTTTTCAGTGATGCTGCTTATAATCTGACTGGATTAAATATCACTTACAATTTTGAGATGTGTCCGAATAATTG  
CTCAGGCCGAGGAGAGTGTAAAGAGCAGTAACAGCAGCAGCGCTGTTGAGTGTGAATGTTCTGAAAACCTGGAAAGGGGAG  
TCGTGTGACATTCTCACTGTACAGACAACCTGTGGCTTCTCTCACCGAGGCATCTGTAATGCAAGCGATACCAGAGGGT  
GCTCTGCTTTCTCACTGGCAGGGTCTTGGATGTTCAATCTCTGTGCCAGCTAACCCAGTCTTTTGGACTCGAGAAGA  
ATATTCTGATTTAAAGCTTCCCAGAGCCTCTCATAAAGCTGTGGTCAATGGAAATATAATGTGGGTGTTGGCGGATAT  
ATGTTCAACCATTCAGATTACAGCATGGTTTATGCGTATGACCTGACTTCTAGGGAATGGCTTCCACTAAACCATTCGTG  
TGAACAGTGTGGTTGTAAAGATATGGTCATTCTTTGGCATTACATAAGGATAAAATCTACATGTATGGAGGAAAAATTGA  
TTCAACAGGGAACGTGACCAATGAGCTGAGAGTATTTTATATTTCATAATGAATCATGGGTATTGTTAACTCCGAAAGCT  
AAGGATCAGTATGCAGTGGTTGGACACTCAGCACACATTGTTTCACTGGCATCTGGCCGTGTGGTCATGTTGGTCATCT  
TCGGTCATTGCCCACTCTATGGATATATAAGCGTTGTGCAGGAATATGACTTGGAAAAGAACACATGGAGTATATTACA  
TACTCAGGGTGCTCTTGTGCAAGGGGGTTATGGCCACAGTAGTGTTTATGATGACAGGACCAAGGCTCTGTACGTTTCA  
GGTGGCTACAAGGCTTTCAGCGCCAACAATACCGGCTTGCAGATGACCTCTACAGATACGATGTGGATACTCAGATGT  
GGACCATTCCTTAAGGACAGCCGATTTTCCGTTACTTGCTATACAGCTGTGATAGTGAGTGGAAACCATGCTGGTGTGTTGG  
AGGGAACACACACAATGACACTTCCATGAGCCACGGTGCCAAATGCTTCTCCTCGGACTTCATGGCTTATGACATTGCT  
TGTGACCGATGGTCAGTGCTTCCCAGACCTGAGCTCCATCATGATGTCAACAGATTTGGCCATTGAGCAGTCTTGTACA  
ACAGCACCATGTATGTGTTGGGCGGCTTCAACAGCCTCTCCTCAGTGACGCTTGGTCTTTACCTCGGAGCAGTGCGA  
TGCACACCGCAGTGAAGCTGCTTGTGTGGCAGCAGGACCTGGTATCCGGTGTCTGTGGGACACACAGTGTCTCGATGT  
ACCTCCTGGGAGTTGGCAACTGAAGAACAAAGCAGAAAAGTTAAATCAGAGTGTTTTCTAAAAGAACCTTGGACCATG  
ACAGATGTGACCAGCACACAGATTGTTACAGCTGCACAGCCAATACCAA

FIG. 8A

MRLRFNHFATECSWDHLYVYDGDSIYAPLIAAFSGLIVPERDGNETAPEVTVTSGYALLHFFSDAAYNLTGFNITYNFD  
MCPNNCSGRGECKSSNSSSAVECECSENWKGESCDIPHCTDNCGFPHRGICNASDTRGCCSCFPHWQGPCCSIPVPANQS  
FWTREEYSDLKLPRASHKAVVNGNIMWVVGGYMFNHSYSMVLAYDLTSREWLP LNHSVNSVVVRYGHS LALHKDKIYM  
YGGKIDSTGNVTNELRVFHIHNESWVLLTPRAKDQYAVVGHS AHIVTLASGRVVMLVIFGHCPLYGYISVVQEYDLEKN  
TWSILHTQGALVQGGYGHSSVYDDRTKALYVHGGYKAFSANKYRLADDLYRYD VDTQMWTILKDSRFFRYLHTAVIVSG  
TMLVFGGNTHTNDTSM SHGAKCFSSDFMAYDIACDRWSVLPRPELHHDVNRFGHSAVLYNSTMYVFGGFNSLLLSDVLVF  
TSEQCDAHRSEAACVAAGPGIRCLWDTQSSRCTSWELATEEQAEKLKSECF SKRTL DHDRC DQHTDCYSCTANTX

FIG. 8B





### Transmembrane Segments Predicted by MEMSAT

Start	End	Orient	Score
22	38	out-->ins	1.7
50	67	ins-->out	0.5
183	203	out-->ins	0.3
386	402	ins-->out	2.8
458	474	out-->ins	0.1

### Signal Peptide Predictions

Method	Predict	Score	Mat@
SignalP (eukaryote)	NO		

Fig. 8C

[illegible]


FIG. 9A

```

EFRKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKGGRRGAGVRGVYVFAGRRLSPRKMVAVAAAAAT
EARLRGSTTTTAAPAGRKGQRHPCTATGAWRPGPRARLCLPRVLSRALPPPLPLLLSLLLLPLPREAEEAAVAAAV
SGSAAAEAKECDRPCVNGGRCNPGTGQCVCPTGWVGEQCQHCGRFRLTGSSGFVTDGPGNYKYKTKCTWLEGGPNRI
MRLRFNFHFATECSWDHLYVYDGSIIYAPLIAAASGLIVPERDGNETAPEVTVTSGYALLHFFSDAAYNLTGFNITYNFD
MCPNNCSGRGECKSSNSSSAVECECSENWKGAGIX

```

FIG. 9B



### Signal Peptide Predictions

Method	Predict	Score	Mat@
SignalP (eukaryote)	MAYBE		127

### Transmembrane Segments Predicted by MEMSAT

Start	End	Orient	Score
102	120	ins-->out	2.1
234	250	out-->ins	1.7
262	279	ins-->out	0.5

Fig. 9C

ATGTACTACTGTAACAAGAAGACCAGCTGCAGGAGCTGTGCCCTGGACCAGAACTGCCAGTGGGAGCCCCGAATCAGG  
AGTGCATTGCCCTGCCCGAAAAATATCTGTGGCATTGGCTGGCATTGGTTGGAACTCATGTTTGAATAATTACTACTGC  
CAAGGAGAATTATGACAATGCTAAATTGTTCTGTAGGAACCAATGCCCTTTTGGCTTCTCTTACAACCCAGAAGAAG  
GTAGAATTTGTCTTAAGCAGCTGCGAATAATGCAGTCATCTCAGAGCATGTCCAAGCTCACCTTAACCCCATGGGTGCG  
GGCCTTCGGGAAGGTYCAATGTGTCTACTKGGTGTGGGGAAGGATATGKTCCCCATTTTACAAATAGTTTACTACA  
GTGGGATGSCCGTCTTGAGGCCAGTGTGCTTGGRATTCTGTGGGAATTTT:ATTCAGGAACCTGTTACTTCGGGGA  
CTGAAGGCTGCAACCTGCATTCAACCCACTTMAATGGTAGTGTCTGTGAAAGGCCCTGCAAAACACAGTGCTAAGGCAGT  
GCCGGACACCATGTGCCTTGAGGACAGCATGTGGAGATTGCACCAGCGGCAGCTCTGAGTG:CATGTGGTGCAGCAACA  
TGAAG: CAGTGTGTGGACTCCAATGCCTATGTGGCTCCTTCCTTTTGG: CCAGTGTATGGAATGGTATACGATGAGC  
ACCTGCCCCCTGAAAATTGTTTCAGGCTACTGTACCTGTAGTCATTGCTTGGAGCAACCAGGCTGTGGCTGGTGTACTG  
ATCCCGCAATACTGGCAAAGGGAATGCATAGAGGGTTCCTATAAAGGACCAGTGAAGATGCCTTCGCAAGCCCCCTAC  
AGGAAATTTCTATCCACAGCCCCCTGCTCAATTCAGCATGTGTCTAGAGGACAGCAGATACAACCTGGTCTTTTCATTAC  
TGTCCAGCTTGCCAAATGCAACGGCCACAGTAAATGCATCAATCAGAGCATCTGTGAGAAGTGTGAGAACCTGACCACAG  
GCAAGCACTGCGAGACCTGCATATCTGGCTTCTACGGTGATCCCACCAATGGAGGGAAATGTCAGCCATGCAAGTGCAA  
TGGGCACGGCTCTCTGTGCAACCAACACGGGCAAGTGCTTCTGCACCACCAAGGGCGTCAAGGGGACGAGTGCCAG  
CTATGTGAGGTAGAAAATCGATACCAAGGAAACCTCTCAGAGGAACATGTTATTATACTCTTCTTATTGACTATCAGT  
TCACCTTTAGTCTATCCAGGAAGATGATCGCTATTACACAGCTATCAATTTTGTGGCTACTCCTGACGAACAAAACAG  
GGATTTGGACATGTTCAATGCCTCCAAGAATTTCAACCTCAACATCACCTGGGCTGCCAGTTTCTCAGCTGGAACC  
CAGGCTGGAGAAGAGATGCCTGTTGTTTCAAAAACCAACATTAAGGAGTACAAAGATAGTTTCTCTAATGAGAAGTTTG  
ATTTTGCACAACCAACCAATATCACTTCTTTGTTTATGTAGTAATTTCACTGGCCCATCAAAAATTCAGATTGCCTT  
CTCTCAGCACAGCAATTTTATGGACCTGGTACAGTTCTTCGTGACTTTCTTCAGTTGTTCCTCTCTTTGCTCCTGGTG  
GCTGCTGTGGTTTGAAGATCAAAACAAAGTTGTGGGCTCCAGACGTAGAGAGCAACTTCTTCGAGAGATGCAACAGA  
TGGCCAGCCGTCCCTTTGCTCTGTAAATGTGCGCTTGAAACAGATGAGGAGCCTCCTGATCTTATTGGGGGGAGTAT  
AAAGACTGTTCCTCAACCCATTCAGCTGGAGCGGTGTTTGGCAACAAAGCCGTGTCTCTCTGTGTTTGTGAGGCTC  
CCTCGAGGCCTGGGTGGCATCCCTCCTCTGGGCAGTCAGGTCTTGTCTGTGGCCAGCGCCCTGGTGGACATTTCTCAGC  
AGATGCCGATAGTGTACAAGGAGAAGTCAGGAGCGGTGAGAAACCGGAAGCAGCAGCCCCCTGCACAGCCTGGGACCTG  
CATCTGATGCTGGGGCCAGGACTCTCCCAOGCAOGAGCTAGTGAGTGGCACACCAGAGCCATCTGCAGGGAAGGGCGT  
GGCGGGGAAATGGCTGTGCGGTGCGGGAOGGAAGACTGGAAACCTCAAAGCATCTGACTCACTGCATGATCACAAGC  
TTTCTTTGACGGTTTCTCCCATCCGTGTTCCAGCATCTAACCTTTTACTTTTGCATAGGAAATACTTGATTTAATTACA  
GGTCCAGGGATGAGCTGATGGTTGCTGGAGGAGGCCAGTGTAGAGCCAGTGAGAGAACTAGGAATGACACTCAGGTTCA  
CTGTGAAAACCTGTTCTTGGGACTGTCTCAACTGTGCAAAAAACAAAGATGGAGTGTTTACAAGTAGACATTGTCAT  
CAGTTGTTCTTGAACATGGTCTTTTAAAAACTAGTCAGATGAATTAACCTGTTTTCATCTGAAGCCTGCTATCTTTTT  
AAAAGATGTGCTATTTATCTTGACGATTTAGGCAATTATCTCTCTTCCAGGGAGTACCTTTTTTCTAGTTGAGAAT  
TAATAATGGTCCATCTCTTTTGATCATATCAAGCTAGGATAGAAGGGGGCTATTTTAAATGTCAAGGTCAGCAGTGT  
ACTTTGAATGTAAACTGGTATAATAGGTAGTTTCTATAGTAACTTGATTAATTTAGTCTTAATCCATTGAAACTCTC  
TCTTCTTTCTCTCTGCTGTCCCTCTCCTTCTCCATCTCACCTCCCTCTCTCACATACACACAAACACATACA  
CACAACACTAAGTGCTAGACTTTAAATAGATCTAGCAATTGGAAAGTTAGTAAGCCTAAGTTTTACATAATTGCATT

FIG. 10A (1)

CCTACATTCTGTAAAAATTAAATAGCTACCATTTGGCAATCTGCTTTTTTCTAAAACTGATTTGCAGCCAGGAAAGA  
ATTTTCTCACCAAGGAACATTTGATCTAGCAGCAGGGATGAGAGGAAAGCAGAAATGAATGAAGCTGCTGAAAGCTCCTG  
TTTTTATTATCAAAAAGGACACTGTCAAGAAGGCGCCCCCTGCCCCACCCCGTGTACCCCTAGGCCTGATAAGCGAT  
CAGAGGAAAGGACTCATTCATGTCACGCTTCCTTGAGCAGAAAAGAGCACTGAGAGCACTTGGGACCCCTGGATCAGAG  
AGCATCTGTGTGCTCCTGCAGCCTCCTCTGAACCTGTGGTTTCACTTCAGGCTGGGGTGGACTCAGATGCCAGGAAAGGG  
ACAGCCTCCCATTTGTCAGGCAGAAAGCTGCCCAAAGCCTGGAGAAGGACTTGTTTGCCCTCTTTCCCCCAGGAGGGGCTC  
GACCCACCCACCCCTCCCTCTCAGACCAAGGTGGTGGCTGTGAGGAGGGCAGCAAATGCTGACAAGGATGAAAAGCACAT  
GGAAAAAAATGGACGAGGAGGGAAAACTCTGCCAAATGGAAAATGACCAAATTTAAGAGGGTGGGACAGTCCCTGCTC  
CTCTCCAGAGGGCACTGCTTGGAAATTGTGTTTTCCCATTTATGGTGCTCTGTATTCTGGCTTTATGCTCAGCCTC  
CCAGAAGCTCTCTTCTGCTTCAAAACCTGGGATCTCTGGCATTACCTATTGGGATGGACCGCTGGACAGCAATGCTCG  
AGTTTGTGAATTTGGAGAGATACTCAAAGAGCTAAAAGTGCAGCATTTTACCTTTAAATGCAGTGCTAGAGAGAGAG  
TATTGTCTCTTCCCCAACCTAACCCCACTCCCATGAAGAATTGCCCTGGAAAGATGTTTTCAAGGAATTTGAACCATAA  
AACACTATCTGATGCACAGAACACCTCTACTTTGAGACTCACCTCTCATAAAGCTTCTTTTTCACATTACTGTTAAAGA  
CCAGACGTTCTAGAAAAGACCCCTCCTCTCATGAGCTCCCCATCCCTGCTACAGAACACAGCACCCATGGCGCCTGCA  
GTGGACTGGCCCCCTTAATTTCCACAGGCCCCCCCCAGCAAGGCCAAAGGGAGGCCCCCTGGGCTATTGCTCTCTACAAGGA  
AGATCCTCTTTGTTTGTTCAAAGGACCAGTTTTCTAGGCCAAAGAGTCTCTTCCCATGTTAGTCTCTATGCCTTGAA  
ATATCATGCACCATGACCCACAGCCATCTGGTTATGTCTTATTTTTTCTTAAAGATAATGTTTATTTTAAAAAGGA  
AGGAAGAAGCAAGTGAAGTTTCATTCTGCTCCAGCGGTGGGAAGCCGCTGAATCCACCTGCTTCTCTTTGCAACCGA  
CAGCAAAACAGCTTTCTCCGGCCTCAGGGCAGAAAAAGGGAATGGCAGGGAGTAAGAGGGCGCTGGGCTCGGAGCCTGTTT  
CCAAGAAGGAATGGTGTGTCATCTGGCAGTGTTCGCGCTCAAGAGAGCCTGTATATAAATTTAAATAGTCAAGACAA  
CACTGACCTTGCACTTGTACATAACTATACAGTAGTGTCCAGAATGTTTCAGACATTCGGAGTGACATAAAACAGAAAA  
AATCTTCATGTATTTTATTAAATATAACAATGTCTGAGTTTCACCTAAGATGTTTTTGTGCCATATGCTGGATATCCA  
GGTCTCTGCCAGGCCCCGATACATGAATAACAAACCAAGAAACGCATCCCCATTTGTGTGATGTGTTTCAGATGCATCTG  
GCACCAATTAGGTATTTCTTAAACAGGACTCATCTGTGAGAGTGACATGAAAAATCAGGCAGGGAATCGAAACGACA  
GCGCTGGAGGAGACTCAGGAAGCAGAGGCGTCCCTGCCGCTGCCCTTGGCCCTGCAAGCACATCATGACCCCTTCTGGC  
AGCCTCTTGGTGCTCTGGGTAGTGAGGGATGACCACTTGTCTCTGAGAAATGTTCTCTTAGTCTTTAAGTTCAAAGA  
CTAACCTGTAGCAATCAGACTTTCCAAAGGGGTTCTCCATTTTTTGTAGTTTGTCTAAATTTTAAATGACCATTTT  
CTGGAATCAGTTTATTATACTGAAAACCTGGGGGTGGGAGTAGGGAGCTAGTTTGTGATAAATAGTTCCCATTTCCCCG  
TGGAGAATTTGACATACCCCTGGACTCCTGTGTGCCCTCCTGCCATCCCTGCACACAGCCTGGGGAGAAGCCTGTGCCTCC  
CCGTGTGGAGAGAAGGCAACCCAGATCCCTGAGCTAACCCGAGGAAAGGCAGTCTGGACAGAAGACTGTCAGCAG  
AAGGAAAGTACTGGACTACCCGTGGGTAAGTCTGCCATTCAAGACTGGAGACACCTGGGAAATAAAAAGAGCAGGGCA  
CTGCTGGTGGGAAGAGGCATTTTACCTTCCAGTGCAAATCCTGCTCCTTTGATTTAATGGGGTGTACTGGGGCCAGGGG  
CTGATTCACTTCTTGGGAGATGGTGGTGTTCATGAACATCTTTGATCCTTCCATTTTATTATTCATCCATCCATT  
CAACAAGTATTTGCTAAACACTAACTTAAGCTAATGCTAGGGTAGTGACTGAGATGTAAAAATAGATTTTAGAATTTAA  
ACAAAATCCAAGTCTCTACACCCCTGTCTATCCAGGAGATCTTTCTTGTGGTGGTTTCTGTGAGAATTTGGCCATCCTG  
AGGACACAGCCAGGACGGCAGAGGCCTCCTGGCCTCAGGGCATGCCCTGCCCTACCTTCTGAAATGTTTACCCCATTTGAC  
CAAACTTGGCTCCAGCCATTGCGGTGGTTTCTAGATAGCCAGGCCCCACCAAGAGATATTGCCCTTGTAGAGAGTCAAA  
CACCCCTGCCCTACAAGGAGATGTTTTGAAATGGAGAGGAAAAATGGCACCTCATCTTTTAAAGGCAGTAATGGAATGTAT  
TTTCAGTAACTGAATTTGTGCACAAAAATCTTAAACACTAGTGAAGCCTGTTTCGTGAACTAATTCTGGCTCTGGAA  
ATGTTTTTGTTTTATAGTTATTTACGATTTTCGTTTGTGGATTCAAGCTTAGTTTGTTAATGTATAATTTAGCATC

FIG. 10A(2)

TATTACACTCATGTAAATATGGAGTAAGTATTGTAAACTATTTTCATTGCGGGGATGTGGGTGTTATACATACATTTAG  
GACTGCAATTTTTTGGTATTTTTTGTATTGTAAATAACAGCTAATTTAAGCAGGAACAAGAGAACTAAGGGAGGTCTG  
TGCATTTTAAACACAAATGTGAAGAACTGTATATAAACAAAAGTAAATACTATAATACAACTTCCTTCTGAAATAAA  
AGTAGATCTGGTAAAAAAAAAAAAAGAAAAAAAAAAAAAAAAAAGGGCGGCCGC

FIG. 10A(3)

MYCNRKTSRSCALDQNCQWEPRNQECIALPENICGIGWHLVGN SCLKITTAKENYDNAKLFERNHUALLASLTQKK  
VEFVLKQLRDMQSSQMSKLTLPWVGPSGRXNVSYXVLGKDKPILQIVLLQWDXRLEAQCCCLXFCGNFXSGTQLLRG  
LKAATCIQPTXMMVSVKGLQTTVLRQCRTPCALRTACGDCTSGSSEKHVVQQHEXSVWTPMPMWPPSLLXQCMWYTM  
TCPPENC SGYCTCSHCLEQPGGWCTDP SNTGKGKCI EGSYKGFVKMPSQAPTGNFYPPQLLNSSMCLEDSRYNWSFIH  
CPACQCNHGSKCINQSICEKCNLTGKHCETCISGFYGDPTNGGKCQPCCKCNHASLCNTNTGKCFCTTKGVKDECO  
LCEVENRYQGNPLRGTCYYTLLIDYQFTFSLSQEDDRYTTAINFVATPDEQNRDLDMFINASKNFMNNTTWASFSAGT  
QAGEEMPVVSKTNIKEYKDSFSNEKFDFRNHPNITFFVYVSNFTWPIKIQIAPSQHSNFM DLVQFFVTFFSCFLSLLV  
AAVWKIKQSCWASRRREQLLREMQQMASRPFASVNVALETDEEPPDLIGGSIKTVPKPIALEPCFGNKAAVLSVFVRL  
PRGLGGIPPPQSGLAVASALVDISQQMP IVYKEKSGAVRN RKQPPAQPGTCI

FIG. 10B




FIG. 11A




FIG. 11B






FIG. 12B




FIG. 12D




FIG. 12A




FIG. 12C

A. (COTR/AJ X SPF/M) X COTR/AJ  
0.1m

B. Addresses representing  
the reg lines  
0.1m

C. SACS

D. The encryption data




FIG. 13




FIG. 14



FIG. 15A




FIG. 15B




FIG. 15C




FIG. 15D

		[ Transmembrane
obe2	FRNHPNITFFVVSNEFWP-----IKIQIAFSQHSNEMDLVQFFVTFSCFLSILLVA	
KIAA0534	FRSNPNITFFVVSNEFSWP-----IKIQIAFSQHNIMDLVQFFVTFSCFLSILLVA	
YC81_CAEEL	FGPDSNTTFFVRVYNFTP-----VQIVVSFAQSPPIN-WLFFVIFAACFIVLLVA	
MEGF8	LKSSRFYLLLLGVGDPSGPBANGSADSQLLFFRQDQAHIDLFVFFSVFFSCFFLFLSLC	
		Site
obe2	AVVWKIKQSCWASRRRQQLLRMQQMASRPFASVETLFWNR-----	
KIAA0534	AVVWKIKQTCWASRRRQQLLRERQQMASRPFASVDVLEVGAEQTEFLRGPLEGAPKPIA	
YC81_CAEEL	GLLWIKVRIEAYRRNORRIDEIEHMASRPFASITKMELSMLSQFSSAG-----	
MEGF8	VLLWKAKQALDQREQRRHLQEMTKGASRPFKVTVCFFPDPTAPASAWKP-AGLPPP-A	
		*****

FIG. 16A




FIG. 16B

```

      10      20      30      40      50      60
inputs  MVAVAAAAATEARLRGSTTTTAAAPAGRKGROHRPCTATGAWRPGPRARLCLPRVLSRALP
      ::: : : : : : : : : : : : : : : : : : : : : : : : : : : : : : :
      MVA--AAAATEARLRRRTAATAALAGRG-----GPH-----
            10      20      30      40      50      60
      inputs  PPPLLPLLFSLLLLPLPREAAAAVAAVSGSAAAEAKCEDRPCVNGGRCNPGTGQCVCVP
      -----CVNGGRCNPGTGQCVCVP
                        40

      130      140      150      160      170      180
inputs  TGWVGEQCHCGGRFRLTGSSGFVTDGPGNYKYKTKCTWLIEGQPNXIMRLRFNHFATEC
      .....: : : : : : : : : : : : : : : : : : : : : : : : :
      AGWVGEQCHCGGRFRLTGSSGFVTDGPGNYKYKTKCTWLIEGQPNRIMRLRFNHFATEC
      50      60      70      80      90      100

      190      200      210      220      230      240
inputs  SWDHLVYVDGDSIYAPLIAAFSGLIVPERDGNETAPEVTVTSGYALLHFFSDAAYNLTF
      .....: : : : : : : : : : : : : : : : : : : : : : : : :
      SWDHLVYVDGDSIYAPLVAAFSGLIVPERDGNETVPEVVATSGYALLHFFSDAAYNLTF
      110      120      130      140      150      160

      250      260      270      280      290      300
inputs  NITYSEDMCPNNCSGRGECKSSNSSSXVECECSENWKGXACDIPHCTDNCGFPHRGICNX
      .....: : : : : : : : : : : : : : : : : : : : : : : : :
      NITYSEDMCPNNCSGRGECKISNSSDTVECECSENWKGACDIPHCTDNCGFPHRGICNS
      170      180      190      200      210      220

      310      320      330      340      350      360
inputs  SDXRGCSFSDWQGPGEVFPVPANQSFWTREEYSNLKLPRASHKAVVNGNIMWVVGGYMF
      .....: : : : : : : : : : : : : : : : : : : : : : : : :
      SDVRGCSFSDWQGPGEVFPVPANQSFWTREEYSNLKLPRASHKAVVNGNIMWVVGGYMF
      230      240      250      260      270      280

      370      380      390      400      410      420
inputs  NHSDYNMVLAYDLASREWLPLNRSVNNVVRYGSLALYKDKIYMYGGKIDSTGNVTNEL
      .....: : : : : : : : : : : : : : : : : : : : : : : : :
      NHSDYNMVLAYDLASREWLPLNRSVNNVVRYGHSALALYKDKIYMYGGKIDSTGNVTNEL
      290      300      310      320      330      340

      430      440      450      460      470      480
inputs  RVFHIHNESWVLLTPKAKEQYAVVGHSAHIVTLKNGRVVMLVIFGHCPYGYISNVQEYD
      .....: : : : : : : : : : : : : : : : : : : : : : : : :
      RVFHIHNESWVLLTPKAKEQYAVVGHSAHIVTLKNGRVVMLVIFGHCPYGYISNVQEYD
      350      360      370      380      390      400

      490      500      510      520      530      540
inputs  LDKNTWSILHTOGALVQGGYQHSSVYDHRTRALYVHGKYKAFSANKYRLADDLYRYDVT
      .....: : : : : : : : : : : : : : : : : : : : : : : : :

```

FIG. 17A

FIG. 17B

```
inputs NLTTGKHCETCISGFYGDPTNGGKCOBCKCNHASLCNTNTGKCFCTTKGVKGDEECQLCE
:
:
:
1010      1020      1030      1040      1050      1060

      1150      1160      1170      1180      1190      1200
inputs VENRYQGNPLRGTCYYTLLIDYQFTFSLSQEDDRYYTAINFVATPDEQNRDLDMFINASK
:
:
:
1070      1080      1090      1100      1110      1120

      1210      1220      1230      1240      1250      1260
inputs NFNLNITWAASF SAGTQAGEEMPVVSKTNIKEYKDSFSNEKDFRNHPNITFFVYVSNFT
:
:
:
1130      1140      1150      1160      1170      1180

      1270      1280      1290      1300      1310      1320
inputs WPIKIQIAFSQHSNFMQLVQPFVTFPSCFLSLLVAAVVWKIKQSCWASRRREQLLREMQ
:
:
:
WPIKIQV-----QT-----EQ-----
1190

      1330      1340      1350      1360      1370      1380
inputs QMASRPFASVNVALETDEEPPDLIGGSIKTVPKPIALEPCFGNKAAVLSV FVRLPRGLGG
-----

      1390      1400      1410      1420
inputs IPPPGQSGLAVASALVDISQQMPIVYKEKSGAVRNRKQQPPAQPGTCIN
-----
```

FIG. 17C



ATGGTGGCGGTGGCCGAGCGGCGGCAACTGAGGCAAGGCTGAGGAGGAGGACGGCGGCGACGGCAGCGCTCGCGGGCAGGAGCGGCGGGCC  
GCACCGACCTTCGACCGCGACAGGGGCTGAGGGCGGGACCGCGCGCCCGGTGTGTCTCCCGGGGTGCTGTGCGGGGCGCTGCCCCCGC  
CGCGCTGCTGCCGTGCTCTTTTCGCTGCTGTGCTGCCGTGCCCGGGAGGCGGAGGCCGCTGCGGTGGCGGCGGGGTGTCCGGCTCG  
GCCGAGCCGAGGCCAAGGAATGTGACCGGCCGTGTGTCAACGGCGGTGCTGTCAACCTGGCACCAGGCGAGTGCCTGTCCCGCGCGGTG  
GGTGGGCGAGCAATGCCAGCACTGCGGGGGCGCTTCAGACTAAGTGGATCTTCTGGGTTTGTGACAGATGGACCTGGAAATTATAAATACA  
AAACGAAGTGCACTGGCTCATTGAAGGACAGCCAAATAGAAATAATGAGACTTCGTTTCAATCATTTTGCTACAGAGTGTAGTTGGGACCAT  
TTATATGTTTATGATGGGACTCAATTTATGCACCGCTAGTTGCTGCATTTAGTGGCTCATTTGTTCTGAGAGAGATGGCAATGAGACTGT  
CCCTGAGGTTGTTGCCACATCAGGTTATGCCCTGCTGCATTTTTTTAGTGATGTGCTTATAATTTGACTGGATTTAATATTACTTACAGTT  
TTGATATGTGTCCAAATAACTGCTCAGGCCGAGGAGAGTGTAAGATCAGTAATAGCAGCGATACTGTTGAATGTGAATGTTCTGAAAAGTGG  
AAAGGTGAAGCATGTGACATTCCTCACTGTACAGACAAGTGTGGTTTTCTCATCGAGGCATCTGCAATTCAAGTGATGTGAGAGGATGCTC  
CTGCTTCTCAGACTGGCAGGGTCTGGATGTTTCACTTCTGTACAGCTAACCACTCATTTTGGACTCGAGAGGAATATTCTAACTTAAAGC  
TCCCCAGAGCATCTCATAAAGCTGTGGTCAATGGAACATTATGTGGGTTGTTGGAGGATATATGTTCAACCACTCAGATTATAACATGGTT  
CTAGCGTATGACCTTGCTTCTAGGGAGTGGCTTCCACTAAACCGTTCTGTGAACAATGTGGTTGTTAGATATGGTCATTTTGGCATTATA  
CAAGGATAAAATTTACATGTATGGAGGAAAAATTGATTCAACTGGGAATGTGACCAATGAGTTGAGAGTTTTTACATTACATAATGAGTCAT  
GGGTGTTGTTGACCCCTAAGGCAAGGAGCAGTATGCAGTGGTTGGGCACTCTGCACACATTGTTTCACTGAAGAATGGCCGAGTGGTCATG  
CTGGTCATCTTTGGTCACTGCCCTCTCTATGGATATATAAGCAATGTGCAGGAATATGATTTGGATAAGAACACATGGAGTATATTACACAC  
CCAGGGTGCCCTGTGCAAGGGGTTACGGCCATAGCAGTGTTTACGACCATAGGACCAGGGCCCTATACGTTTATGGTGGCTACAAGGCTT  
TCAGTGCCAATAAGTACCGGCTTGAGATGATCTCTACCGATATGATGTGGATACCCAGATGTGGACCATTTCTTAAGGACAGCCGATTTTTT  
CGTTACTTGACACAGCTGTGATAGTGAGTGGAACCATGCTGGTGGTTGGGGGAAACACACACAATGACACATCTATGAGCCATGGCGCCAA  
ATGCTTCTCTTCAAGTTTATGAGCTATGACATTGCCCTGTGACCGCTGGTCACTGCTTCCCAGACCTGATCTCCACCATGATGTCAACAGAT  
TTGGCCATTGACAGCTCTTACACAACAGCACCATGTATGTGTTGCGTGGTTTCAATAGTCTCCTCCTCAGCGACATCCTGGTATTCACCTCG  
GAACAGTGTGATGCGCATCGGAGTGAAGCCGCTGTTTAGCAGCAGGACCTGGTATTCGGTGTGTGTGGAACACAGGGTCGTCTCAGTGTAT  
CTCGTGGGCGCTGGCAACTGATGAACAAGAAGAAAAGTTAAATCAGAATGTTTTTCCAAAAGAACTCTTGACCATGACAGATGTGACCAGC  
ACACAGATTGTTACAGCTGCACAGCCAACCAATGACTGCCACTGGTGAATGACCATTTGTGTCCCGAGGAACACAGCTGCTCAGAAGGC  
CAGATCTCCATTTTAGGTATGAGAATTGCCCCAAGGATAACCTATGTACTACTGTAACAAGAAGACCAGCTGCAGGAGCTGTGCCCTGGA  
CCAGAACTGCCAGTGGGAGCCCCGAATCAGGAGTGCATTGCCCTGCCGAAAATATCTGTGGCATTGGCTGGCATTGTTGTTGGAAGTCAAT  
GTTTGAAGAAATTACTACTGCCAAGGAGAATTATGACAATGCTAAATGTTTCTGTAGGAACCAATGCCCTTTTGGCTTCTCTTACAACCCAG  
AAGAAGGTAGAATTTGCTCTAAGCAGCTGCGAATAATGCAGTCATCTCAGAGCATGTCCAAGCTCACCTTAACCCCATGGGTGCGCCTTCG  
GAAGATCAATGTGCTCTACTGGTGTGGAAGATATGTCCCATTTACAAATAGTTTACTACAGTGGATGCCGTCTGAGCCAGTGTATGCTG  
GATTCTGTGGAATTTTATCAGAACCAGTACTCGGGGACTGAAGGCTGCAACCTGCATCAACCACTCAATGGTAGTGTCTGTGAAGGCCT  
GCAACCAACAGTGTGTAAGCAGTGGCGGACCATGTGCCTTGAGGACAGCATGTGGAGATTGCACCAGCGGAGCTCTGAGTGCATGTGGTG  
CAGCAACATGAAGCAGTGTGTGGACTCCAATGCCATATGTGGCTCCTTCCCTTTTGGCCAGTGTATGGAATGGTATACGATGAGCACCTGCC  
CCCCGAAAATTGTTTCAAGGCTACTGTACCTGTAGTCACTGCTTGGAGCAACAGGCTGTGGCTGGTGTACTGATCCAGCAATACTGGCAAA  
GGGAAATGCATAGAGGGTTCTTATAAAGGACCAGTGAAGATGCCCTTCGCAAGCCCTACAGGAAATTTCTATCCACAGCCCTGCTCAATTC  
CAGCATGTGTCTAGAGGACAGCAGATACAAGTGGTCTTTTCACTCACTGTCCAGCTTGCCAATGCAACGGCCACAGTAAATGCATCAATCAGA  
GCATCTGTGAGAAGTGTGAGAACCCTGACCACAGGCAAGCACTGCGAGACCTGCATATCTGGCTTCTACGGTGTATCCACCAATGGAGGAAA  
TGTCAGCCATGCAAGTGCAATGGGCACGCGTCTCTGTGCAACCAACACAGGGCAAGTGTCTTGCACCACCAAGGGCGTCAAGGGGACGA  
GTGCCAGCTATGTGAGGTAGAAAATCGATACCAAGGAAACCTCTCAGAGGAACATGTTATTATACTCTTCTTATTGACTATCAGTTACCT  
TTAGTCTATCCAGGAAGATGATCGCTATTACACAGCTATCAATTTTGTGGCTACTCCTGACGAACAAAACAGGGATTGGACATGTTTCATC  
AATGCCCTCAAGAATTTCAACCTCAACATCACCTGGGCTGCCAGTTTCTCAGCTGGAACCCAGGCTGGAGAAGAGATGCCTGTTGTTTCAAA  
AACCACATTAAGGAGTACAAAGATAGTTTCTCTAATGAGAAGTTGATTTTTCGCAACCACCCAAATATCACTTTCTTTGTTTATGTCAGTA  
ATTTACCTGGCCCATCAAAATTCAGATTGCCCTTCTCTCAGCAGCAATTTTATGGACCTGGTACAGTTCTTCGTGACTTTCTTCAGTTGT  
TTCCTCTCTTGTCTGCTGGTGGCTGCTGTGTTTGAAGATCAACAAAGTTGTTGGGCTCCAGACGTAGAGAGCAACTTCTTCGAGAGAT

FIG. 18A(1)

GCACACAGATGGCCAGCCGCTCCCTTTGGCTCTGTAAATGTGCCCTTTGGAAACAGATGAGGAGCCTCCTGATCTTATTGGGGGGAGTATAAAGA  
CTGTTCCTCCAAACCCATTGCACTGGAGCCGTGTTTTGGCAACAAAGCCGTGCTCTCTGTGTTTGTGAGGCTCCCTCGAGGCCCTGGGTGGC  
ATCCCTCCTCCTGGGCAGTCAGGTCTTGCTGTGGCCAGCGCCCTGGTGGACATTTCTCAGCAGATGCCGATAGTGTACAAGGAGAAGTCAGG  
AGCCGTGAGAAACCGGAAGCAGCAGCCCCCTGCACAGCCTGGGACCTGCATCTGATGCTGGGGCCAGGGACTCTCCCACGCACGAGCTAGTG  
AGTGGCACACCAGAGCCATCTGCAGGGAAGGGCGTGGCGGGGAAATGGCTGTGCGGTGCGGGACGGAAGACTGGAACCCCTCAAAGCATCTG  
ACTCACCTGCATGATCACAAGCTTTCTTTGACGGTTTTCTCCCATCCGTGTTCCAGCATCTAACCTTTTACTTTTGCATAGGAAATACTTGAT  
TTAATTACAGGTCCAGGGATGAGCTGATGGTTGCTGGAGGAGGCCAGTGATAGGCCAGTGAGAGAACTAGGAATGACACTCAGGTTCACTGT  
GGAAACCTGTTCTTGGGACTGTCTCAACTGTGCAAAAAACAAAAGATGGAGTGTTTACAAGTAGACATTCGTCATCAGTTGTTCTTGAACAT  
GGTCTTTTAAAAACTAGTCAGATGAATTAACCTGTTTTTCACTGTAAGCCTGCTATCTTTTTTAAAGATGTGCTATTATTCTTGCACGATT  
TAGGCAATTATCTCTCTTCCAGGGAGTACCTTTTTTCTAGTTGAGAATTAATAATGGTCCATCTCTTTTGATCATATCAAGCTAGGATAGA  
AGGGGGGCTATTTTAAATGTCAAGGTGAGCAGTGTTACTTTGAATGTAACTGGTATAATAGGTAGTTTTCTATAGTAACTTGATTAATTTA  
GTCTTAATCCATTGAAACTCTCTCTTCTTCTCTCTGCTGTCCCTCTCCTTCTCCATCTCACCTCCCTCTCTCACACATACACACACA  
AACACATACACACAACACTAAGTGCTAGACTTTAAATAGATCTAGCAATTGGAAGTGTAGTAAGCCTAAGTTTTTACATAATTGCATTCTCT  
ACATTCTTGTAATAATTTAAATAGCTACCATTTGGCAATCTGCTTTTTTCTAAATCTGATTTGCAGCCAGGAAAGAAATTTTCTCACCCAAGG  
AACATTTGATCTAGCAGCAGGGATGAGAGGAAAGCAGAAATGAATGAACGTGGAAGCTCCTGTTTTTATTATCAAAAAGGACACTGTCAAG  
AAGGCGCCCCCTGCCCCACCCCGTGTACCCCTAGGCCTGATAAGCGATCAGAGGAAAGGACTCATTCTATGTCACGCTTCTTTGAGCAGAA  
AAGAGCACTGAGAGCACTTGGGACCCCTGGATCAGAGAGCATCTGTGTGCTCGCAGCCTCCTCTGAACTGTGGTTTCTTCTCAGGCTGGG  
GTGGACTCAGATGCCAGGAAAGGGACAGCCTCCCATTTGTGAGGAGAAGCTGCCAAAGCCTGGAGAAGGACTTGTGTTGCCCTCTTCCCC  
AGGAGGGGCTCGACCCACCCACCTCCCTCTCAGACCAAGGTGGTGGCTGTGAGGAGGGCAGCAATGCTGACAAGGATGAAAAGCACATGG  
AAAAAATGGACGAGGAGGAAAACTCTGCCAAATGAAAAATGACCAAAATTTAAGAGGGTGGGACAGTCCCTTGCTCTCTCCAGAGGGCA  
CTGCTTGGAAATTTGTTTTTCCCATTTATGGTGCTCTGTATTCTGGCATTATGCAGCAGCCTCCAGAAAGCTCTCTTCTGCTTCAAAACCT  
GGGATCTCTGGCATTACCCATTGGGATGGACCGCTGGACAGCAATGCTCGAGTTTGTGAATTTGGAGAGATACTCAAAAGAGCTAAAACTG  
CAGCATTTTACCTTTAAATGCACTGCGCTAGAGAGAGAGTATTGTCTCTTCCCAACACTAACCCCACTCCCATGAAGAATTGCTTGGAAAGA  
TGTTTTCAAGGAATTTGAACCATAAAACACTATCTGATGCAAGAACACCTCTACTTTGAGACTCACCTCTCATAAAGCTTCTTTTTACAT  
TACTGTTAAAGACCAGAGCTTCTAGAAAAGACCCCTCCTCTCATGAGCTCCCCCATCCCTGCTACAGAACACAGCACCCTATGGCGCTGCAG  
TGGACTGGCCCCTTAATTTCCACAGGCCCCCCCCAGCAAGGCCAAAGGGAGGCCCTGGGTATTGTCTCTTACAGGAAGATCCTCTTTGTT  
TGTTCAAAGGACCAGTTTTTCTAGGCCAAAGAGTCTTCCCCATGTTAGTCTATGCCTTGAAATATCATGCACCATGACCCACAGCCAT  
CTGGTTATGTCTTATTTTTTCTTAAAGATAATGTTTATTTTTTAAAGGAAGGAAGCAAGTGAAGTTTCACTTGTCTCCAGCGGTGG  
GGAAGCCGCTGAATCCACCTGCTTCTCTTTGCAACCGACAGCAACAGCTTTTCTCCGGCTCAGGGCAGAAAAGGGGAATGGCAGGGAGTA  
AGAGGCGCTGGGCTCGGAGCCTGTTTCCAAGAAGGAATTTGGTTGTATCTGCGAGTGTGCGCGTCAAGAGAGCCTGTATATAAATTTAA  
ATAGTCAAGACAACACTGACCTTGCACCTTGACATAACTATACAGTAGTGTCCAGAAATGTTCCAGACATTGGAGTGATATAAAACAGAAAA  
AATCTTCATGTATTTTTATTAATAATAACAATGTCTGAGTTTCACTTAAGATGTTTTTGTGCCATATGCTGGATATCCAGGTTCTCGCCAGG  
CCCCGATACATGAATAACAAACCCAGAAACGCATCCCCATTGTGTGATGTGTTTCAGATGCATCTGGCACCATTAGGTATTTCTTAAACA  
GGACTCATCTGTGAGAGTGCACATGAAAAATCAGGCAGGGAATCGAAACGACAGCGCTGGAGGAGACTCAGGAAGCAGAGGCGTCCCTGCCG  
CTGCCCTTGGCCCTGCAAGCAGATCATGACCCTTTCTGGCAGCCTCTTGGTGCTCTGGGTAGTGAGGGATGACCAGTCTTGTCTGAGAAAT  
GTTTCTCTTAGTCTTTAAGTTCAAAGACTAACCTGTAGCAATCAGACTTTCCAAAAGGGGGTTCTCCATTTTTGTAGTTTTGTCTAAATTT  
TTAATGACCATTTTCTGGAATCAGTTTATTATCTGAAAATGCGGGTGGGAGTAGGGAGCTAGTTTGTGATAAATAGTTCACATTTCCCC  
GTGGAGAATTTGACATACCTTGGACTCCTGTGTGCCCTCTGCCATCCCTGCACACAGCCTGGGGAGAAGCCTGTGCTCTCCCGTGTGGAGAG  
AAGGCAACCCAGATCCCTGAGCTAACCCGGAGGAAAGGCAGTCTTGACAGAAAGACTGTGACAGAAAGGAAAGTACTGGACTACCCGTGG  
GTAAGTCTGCCATTCAAGACTGGAGACCTGGGAAATAAAAAGAGCAGGGCACTGCTGGTGGGAAGAGGCATTTTACCTTCCAGTGCAAA  
TCCTGCTCCTTTGATTTAATGGGGTGACTGGGGCCAGGGGCTGATTCACTTCTTGGGAGATGGTGGTGTTCATGAACATCTTTGATCC  
TTCCATTTTCAATTTATTCATCCATCCATTCAACAAGTATTGTCTAAACACTAACTTAAGCTAATGCTAGGGTAGTGACTGAGATGTAAAAATA  
GATTTTAGAATTAACAAAAATCCAAGTCTCACACCCCTGTCAATCCAGGAGATCTTCTTGTGGTGGTTTCTGTGAGAATTGGCCATCC

F16. 18A(2)

TGAGGACACAGCCAGGACGGCAGAGGCCTCCTGGCCTCAGGGCATGCCCTGCCTACCTTCTGAAATGTTTACCCCATTTGACCAAACCTGGCT  
CCAGCCATTGCGGTGGTTTCTAGATAGCCAGGCCACCAAGAGATATTGCCCTTGATGAGAGTCAAACACCCCTGCCTACAAGGAGATGTTT  
TGAAATGGAGAGGAAAATTGGCACCTCATCTTTTAAAGGCAGTAATGGAATTGATTTTCAGTAACCTGAATTTGTGCACAAAACATTCTAAAC  
ACTAGTGAAGCCTGTTTCGTTGAACTAATTCCTGGCTCTGGAAATGTTTTGTTTTATAGTTATTTACGATTCGTTTGGATTCAAGCT  
TAGTTTGTTAATATGTATAATTTAGCATCTATTACACTCATGTAAATATGGAGTAAGTATTGTAACTATTTTCATTGCGGGGATTGTGGGTG  
TTATACATACATTTAGGACTGCAATTTTTTGGTATTTTTGTATTGTAAAATAACAGCTAATTTAAGCAGGAACAAGAGAACTAAGGGAGGT  
CTGTGCATTTTAAACACAAATGTGAAGAACTTGTATATAAACAAGTAAATACTATAATACAACTTCCTTCTGAAATAAAAGTAGATCTG  
GTAAAAAAAAAAAAAGAAAAAAAAAAAAAAAAAAAA

FIG. 18A(3)

MVAVAAAAATEARLRRRTAATAALAGRSGGPHRPCTATGAWRPGPRARLILPRVLSRALPPPLPLPFLSLLLLPLPREAAAAVAAVSGS  
 AAAEAEKCDRPCVNGGRCNPTTQCVCPCAGWVGEQCQCQHCGRFRLTGSSGFVTDGPGNYKYKTKCTWLEGQPNRIMRLRFNFHATECSWDH  
 LYVYDGDSIYAPLVAAFSGLETPERDGNETVPEVVATSGYALLHFFSDAAYNLTFGNITYSFDMPNNCSGRGECKISNSSDTVECECSENW  
 KGEACDIPHCTDNCGFPHRGTONSSDVRCSCFSDWQPGCSVPVPANQSFWTREEYSNLKLPRASHKAVVNGNIMWVVGGMFNHSDYNMV  
 LAYDLASREWLPLNRSVNNVTTRYGHSALYKDKIYMYGGKIDSTGNVTNELRVFHIHNESWVLLTPKAKEQYAVVGHSAHIVTLKNGRVVM  
 LVIFGHCPLYGYISNVQEYEDDKNTWSILHTOGALVQGGYGHSSVYDHRTRALYVHGGYKAFSANKYRLADDLYRYDVTQMWTILKDSRFF  
 RYLHTAVIVSGTMLVFEGNTENDTSMHGAKECFSSDFMAYDIACDRWSVLPRPDLDHHDVNRFGHSAVLHNSTMYVFGGFNSLLSLLSILVFTS  
 EQCDAHRSEAACLAAGPGIFTWNTGSSQCISWALATDEQEEKLSECFSKRTLHDHRCDOHTDCYSTANTNDCHWCNDHCVPRNHSCSEG  
 QISIFRYENCCKDNPMYCNZTSCRSALDQNCQWEPNQECIALPENICGIGWHLVGNISCLKITTAKENYDNAKLFCRNHNALLASLTQ  
 KKVEFVLKQLRIMQSSQSMSELTLPWVGLRKINVSXWEDMSFPTNSLQWMPSEPSDAGFCGILSEPSTRGLKAATCINPLNGSVCERP  
 ANHSAKQCRTPCALRTACGCTTSGSSECMWCSNMKQCVDSNAYVASFPFGQCMEWYTMSTCPPENCSGYCTCSHCLEQPGCGWCTDPSNTGK  
 GKIEGSGYKGPVKMPSQAPTQNFYPOPLLNSMCLEDSRYNWSFIHCPACQCNHSGKINQSICEKCNELTTGKHCETCISGFYGDPTNGGK  
 CQPCCKNGHASLONTNTGKCFCTTKGVKGDECQLCEVENRYQGNPLRGTCYYTLLIDYQFTFSLSQEDDRYYTAINFVATPDEQNRDLDMFI  
 NASKNFNLNTWAASFSAGTQAGEEMPVVSCTNIKEYKDSFSNEKEDFRNHFNITFFVYVSNFTWPIKIQIAFSQHSNFMDLVQFFVTFSC  
 FLSSLLVAADVWKIKQCSWASRRREQLLREMQQMASRPFASVNALETDEEPPDLIGGSIKTVPKPIALEPCFGNKAAVLSVFVRLPRGLGG  
 IPPPGQSGLAVASALVDISQMPPIVYKEKSGAVNRNRKQPPAQPQGTICWGQGLSHARASEWHTRAICREGRGGEMAVRCGTEDWKPSKHLT  
 HLHDHKLSTVSPIRVPASNLILLHRKYLILQVQADGCVRRPVSQENEHSGSLWKTVLGTSTVQKTKDGVFTRHSSSVVLEHGLKTSQ  
 MNLVFISLLSFLKDVLFILAPFRQLSLFQGVFFLVENWSISFDHIKLGKGYFKCQGGQCYFECKLVVVFYSNLINLVLIHLKLSLPFSLP  
 VPLLHLTLPLSHIHTQTHNTKCLDFKIQLESVFTLHSYILVKEFLPLAICFFSKIFAARKEFSHPRNISSSRDERKAEMNELKLLFLL  
 SKRTLRRRPLPPPPCHPRPDKRSEERTHSCHASLSRKEHEHLGPLDQASVCPAASSELVVSQAGVDSARKGTASHCQAEAAQSEKDL  
 FALFPPGGARPTHPPSQTKVAVARRAANADKDEKHMEKNRGGKTLPNGKPNLRGWDSPLLSQRALLGNCVFPPIYGALYSGIMQPPRSSI  
 LLQNLGSLALPYWOGPLDSHARVCEFGELKRAKTAIFYLMQCLEREYCLFPNTNPTPMKNCLERCQGITIKHYLMHRTPLLDSPLIKLLF  
 HITVKDQTFKRPLLSAPPSLLQNTAPMAPAVDWPLNSHRPPQGGQREAPGYCPTRKILFVCSKDQFSAKEVSSPCSYALKYHAPPTAIWLC  
 LIFFLKDNVYFKGRKKQVFKHSAPAVGKPLNPPASPLQPTANSFLRPOGRKREWGQVRGAGLGACFOEGIGCHLAVLRVTREPVIKLSRQH  
 PCTCTLYSSVQNVQTFGVYIKQKKSSCIFIYNNVVSFKMFLCHMLDIOVLARPRYMNNKPKKRIPIVCVQMLAPIRYFLKQDSSVRVHMK  
 NQAGNRNDSAGGDSGRGVPAAALGPASTSPFLAASWCSGGHTSLVLRNVSLSLVQRLTCSNQTFOKGVLFHFLCLNFFPFGISLLYKLGVG  
 VGSFVDKFFPFRGEFDIPWTPVCLLPSLHTAWGEACASPCGEKATPDPLSPGGKAVLDRRLSAEGKYWTTRGVLPFKTGDGTWEIKRAGHCWW  
 EEAFFLPVQILLFNGVYWGQGLIHFLGRWWCFHEHLSFHFYSSIHSTSICTLTANARVVTEMKILELKQNPSPHTPVI PGDLSLWWFLEL  
 AILRTQPGRQRPGLRACPAYLLKCLPHPNLAPAIAVVSRPGPPRDIAPESENTLPTRRCFEMERKIGTSSFKGSNGIDFQLNLCTKHSKHS  
 FRTNSGSGNVFLLFTISFVWIAQAFVNMNVLASITLMIWSKYCKLFHCGDCGCYTYIDCNFLVFFVLNNSFKQEENGSRVHFKHKCEELVY  
 KQKILYKLPSEIKVDLVKKKKEKKKKK

FIG. 18B

FIG. 19A



ATGCTGGCGGTGGCCGACGGCGGCAACTGAGGCAAGGCTGAGGAGGAGGACGGCGGCGACGGCAGCGCTCGCGGGCAGGAGCGGCGGCGCCACCGACCCCTGCACC  
GCGACAGGGGCGCTGGAGGCGGGACCGCGCGCCCGGCTGTGTCTCCGCGGGTGCTGTGCGGGGCGCTGCCCGCGCGCGCTGCTGCGCGCTGCTCTTTGCTGCTG  
CTGCTGCGCGTGGCCGCGGAGGCGGAGGCGGCTGCGGTGGCGGCGGCGGTGTCGGCTCGGCGGCGAGCGGAGGCGCAAGGAATGTGACCGGCGGTGTCAACGGCGGT  
CGCTGCAACCTGGCACCGGCGAGTGGCTGCCCCGCGCGGTGGGTGGCGGAGCAATGCCAGCACTGCGGGGCGCGCTTCAGACTAACTGGATCTTCTGGGTTTGTG  
ACAGATGGACCTGGAAATATATAATACAAAACGAAGTGACGTGGCTCATTAAGGACAGCCAAATAGAATAATGAGACTTCGTTCAATCATTTTGTACAGAGTGT  
AGTTGGGACCATTTATATGTTTATGATGGGACTCAATTTATGCACCGTAGTTGCTGCATTTAGTGGCCTCATTTCTGAGAGAGATGGCAATGAGACTGTCCCT  
GAGGTGTGTCACATCAGGTTATGCCTTGCTGCATTTTTTAGTGATGCTGCTTATAATTTGACTGGATTAAATATTACTTACAGTTTGTATGTGTCCAAATAAC  
TGCTCAGGCGGAGGAGAGTGAAGATCAGTAATAGCAGCGATACTGTTGAATGTGAATGTTCTGAAACTGGAAAGGTGAAGCATGTGACATTCCTCACTGTACAGAC  
AACTGTGGTTTTCTCATCGAGGCATCTGCAATTCAGTGATGTGAGGAGTGTCTGCTTCTCAGACTGGCAGGGTCTGGATGTTGAGTTCTGTACAGCTAAC  
CAGTCATTTTGGACTCGAGAGGAATATTCTAACTTAAAGCTCCCAGAGCATCTCATAAGCTGTGGTCAATGGAAACATTATGTGGGTGTTGTTGAGGATATATGTTT  
AACCCTCAGATTATAACATGTTCTAGCGTATGACCTTGCTTCTAGGAGTGGCTTCCACTAAACCGTTCTGTGAACAATGTGGTTGTTAGATATGGTCATCTTTG  
GCATTATACAAGGATAAAATTTACATGTATGGAGGAAAAATTGATTCAACTGGGAATGTGACCAATGAGTTGAGAGTTTTTACATTATATAGTGTGAGTGTG  
TTGACCCCTAAGGCAAGGAGCAGTATGAGTGGTGGGCACTCTGCACACATTTTACACTGAAGAATGGCCGAGTGGTCATGCTGGTCATCTTTGGTCACTGCGCT  
CTCTATGGATATATAAGCAATGTGCAGGAATATGATTGGATAAGAACACATGGAGTATATTACACACCCAGGGTGGCTTGTGCAAGGGGTTACGGCCATAGCAGT  
GTTTACGACCATAGGACCGGCGCTATACGTTTATGTTGGCTACAAGGCTTTCAGTGCCAATAAGTACCGGCTTGAGATGATCTCTACCGATATGATGTGGATACC  
CAGATGTGGACCATTTTAAGGACAGCGGATTTTCCGTTACTTGACACAGCTGTGATAGTGAGTGGAAACCATGCTGGTGTGTTGGGGGAAACACACAAATGACACA  
TCTATGAGCCATGGCGCAATGCTTCTCTTCAGATTTTATGGCCTATGACATTGCGCTGTGACCGCTGGTCAGTGTCTCCAGACCTGATCTCCACCATGATGTCAAC  
AGATTGGCCATTCAGCAGTCTTACACAACAGCAGCATGTATGTTTGGTGGTTTCAATAGTCTCCTCCTCAGCGACATCCTGGTATTACCTCGGAACAGTGTGAT  
GCGCATCGGAGTGAAGCGCTTGTGTTAGCAGCAGGACCTGGTATTGCGTGTGTGTGGAACACAGGGTGGTCTCAGTGTATCTGTTGGGCGCTGGCAACTGATGAACAA  
GAAGAAAAGTTAAATCAGAAATGTTTTCCAAAAGAACTCTTGACCATGACAGATGTGACGAGCACACAGATTGTTACAGCTGCACAGCCAAACCAATGACTGCCAC  
TGGTGCAATGACCATTTGTGTTCCCGAGGAACACAGCTGCTCAGAAGGCCAGATCTCCATTTTAGGTATGAGAATTGCCCCAAGGATAACCCATATGACTACTGTAAC  
AAGAAGACAGCTGCAGGAGCTGTGCTGACGAGAACTGCGAGTGGGAGCCCCGGAATCAGGAGTGCAATGCCCCGCGGTAGGCCTTGCGGGTCACTCTGGTG  
TGTGTGGGTCCATTACTTCAGCCTGCTTCCCCAACACTGTGCAGCCTAAGTTGAACCTAGCAGAGGGGAAGAGCTAATCTGTCCATTATCCCCACACGAGTATT  
ATGGGCTTTTTGTTTTTAACTAAATACAGTTCTTAAGTATTGTTCTACTGTCTTTGAAATAAAGTGAAACATCCTTTGCTGCTCTGTAAAAA  
AAAAAAAAAAAAAAAAAAAAAAAAAAAAA

Fig. 20A

MVAVAAAAATEARLRRRTAATAALAGRSGGPHRPCTATGAWRPGPRARLCLPRVLSRALPPPPLLPLFSLLLPLPREAAAAVAAVSGSAAAEAKECDRPCVNGG  
RCNPGTGQCVCPCAGWVGEQCQHCGRFRLTGSSGFVTDGPGNYKYKTCTWLI EGQPNRIMRLRFNHFEATECSWDHLYVYDGD SIYAPLVAAFSGLI VPERDGNETVP  
EUVATSGYALLHFFSDAAYNL TGFNITYSFDHCPNNCSGRGECKISNSSDTVECECSENWKGACDI PHCTDNCGFPHRGICNSSDVRGCSCFSDWQGP GCSVPVPAN  
QSFWTREEYSNLKLPRASHKAVVNGNIMWVVGGMFNHSDYNNMVLAYDLASREWLPLNRSVNNVVVRYGHS LALYKDKIYMYGGKIDSTGNVTNELRVFHIHNESWVL  
LTPKAKEQYAVVGHSAHIVTLKNGRVVMLVIFGHCPLYGYISNVQEYDLDKNTWSILHTQGALVQGGYGHSSVYDHRTRALYVHGGYKAFSANKYRLADDLYRYD VDT  
QMWTILKDSRFFRYLHTAVIVSGTMLVFGGNTHNDTSMHGA KCSSDFMAYDIACDRMSVLP RPDLHHDVNRFGHSAVLHNS TMVVFGGFNSLLSD I LVFTSEQCD  
AHRSEAACLAAGPGIRCVMNTGSSQCI SWALATDEQEEKLKSECF SKRTL DHDRCQHTDCYSTANTNDCHWCNDHCVPRNHSCSEGQISIFRYENC PKDNPMYYCN  
KKTSCRSCALDQNCQWEPRNQECIALPGRPCRVLVLCVGPLLQPAS PNTVQPKLNLAEKSECFEIPHTSIMGFFVFNNTVLKYLFLLSFEIKNILCCSVKKKKKKKK  
KKKKKKKK

FIG. 20B



**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☒ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**